



NIGHTHAWK DRILLING AT COLOMAC CONTINUES TO ENCOUNTER A WIDENING OF THE MINERALIZED PORTION OF THE SILL TO DEPTH

Press Release dated January 20, 2020

Complete Assay Table - Colomac Drilli Results for Zones 2.0 and 1.5

Hole ID	Zone	Collar Orientations (degrees)		Intersection (Metres)		Core Length (Metres)*	True Width (Metres)	Gold Grade gpt
		Azimuth	Dip	From	To			
C19-40	2.0	270	-68	259.95	345.45	85.50	40.00	1.86
<i>including</i>				259.95	265.00	5.05		2.35
<i>including</i>				278.00	287.25	9.25		2.85
<i>including</i>				294.50	317.25	22.75		2.57
<i>including</i>				294.50	312.50	18.00		2.73
<i>including</i>				300.50	312.50	12.00		2.94
<i>including</i>				327.40	340.45	13.05		3.10
<i>including</i>				333.75	340.45	6.70		4.44
				354.65	386.90	32.25	15.00	1.52
<i>including</i>				354.65	364.40	9.75		1.82
<i>including</i>				359.15	364.40	5.25		2.35
<i>including</i>				372.65	378.00	5.35		1.89
<i>including</i>				381.25	385.85	4.60		1.44
				398.15	399.55	1.40		0.61
				409.30	433.55	24.25	12.00	2.04
<i>including</i>				424.55	433.55	9.00		3.57
<i>including</i>				426.55	433.05	6.50		4.19
<i>including</i>				426.55	428.05	1.50		8.39
<i>including</i>				431.55	433.05	1.50		5.97
				447.50	454.30	6.80		0.75
<i>including</i>	447.50	448.50	1.00		2.59			
	459.50	461.00	1.50		0.37			
C19-41	2.0	270	-73	245.75	247.00	1.25		1.31
				253.00	258.25	5.25		1.39
<i>including</i>				253.75	254.75	1.00		2.42
<i>including</i>				257.75	258.25	0.50		8.24
				260.50	277.50	17.00		0.38
<i>including</i>				271.75	273.75	2.00		0.83
				282.75	289.25	6.50		0.37
				290.75	292.25	1.50		0.31
				295.25	318.00	22.75	10.00	0.77

Hole ID	Zone	Collar Orientations (degrees)		Intersection (Metres)		Core Length	True Width	Gold Grade
		Azimuth	Dip	From	To	(Metres)*	(Metres)	gpt
<i>including</i>				296.00	315.25	19.25		0.80
<i>including</i>				296.00	304.00	8.00		0.92
<i>including</i>				296.00	299.50	3.50		1.19
<i>including</i>				311.50	315.25	3.75		1.49
<i>including</i>				317.25	318.00	0.75		1.77
				319.50	321.75	2.25		0.31
				323.25	351.50	28.25	15.00	0.79
<i>including</i>				323.25	336.50	13.25		1.17
<i>including</i>				325.50	335.50	10.00		1.28
<i>including</i>				325.50	329.25	3.75		1.44
<i>including</i>				325.50	327.00	1.50		2.73
<i>including</i>				332.25	335.50	3.25		2.03
<i>including</i>				333.75	335.50	1.75		3.25
<i>including</i>				346.25	348.75	2.50		0.86
				355.25	358.25	3.00		0.50
				361.25	364.25	3.00		0.32
				365.75	368.50	2.75		1.27
				376.00	379.50	3.50		2.54
<i>including</i>				376.00	378.00	2.00		3.95
				382.50	383.25	0.75		0.36
				384.00	385.50	1.50		0.31
				388.50	390.00	1.50		0.31
				391.50	392.25	0.75		0.34
				397.50	405.00	7.50		0.97
<i>including</i>				401.25	405.00	3.75		1.36
				407.25	407.75	0.50		0.44
				408.50	419.75	11.25		1.25
<i>including</i>				408.50	410.00	1.50		1.85
<i>including</i>				414.50	419.75	5.25		1.96
<i>including</i>				414.50	416.75	2.25		3.12
<i>including</i>				419.25	419.75	0.50		2.53
				429.50	431.00	1.50		0.85
				437.75	443.75	6.00		0.36
				444.50	446.00	1.50		0.39
				458.50	460.00	1.50		0.53
				460.75	461.50	0.75		1.50
				464.50	466.00	1.50		0.97
				474.00	478.00	4.00		0.98
<i>including</i>				474.00	476.00	2.00		1.85

Hole ID	Zone	Collar Orientations (degrees)		Intersection (Metres)		Core Length	True Width	Gold Grade
		Azimuth	Dip	From	To	(Metres)*	(Metres)	gpt
C19-42	1.5	90	-50	184.30	186.30	2.00		0.44
				203.20	210.35	7.15	5.00	2.80
<i>including</i>				206.50	210.35	3.85		4.86
<i>including</i>				206.50	207.85	1.35		11.60
<i>including</i>				209.35	210.35	1.00		2.94
				213.35	215.25	1.90		0.60
C19-42B	1.5	90	-70	340.80	342.80	2.00		0.40
				349.95	352.20	2.25		1.30
				353.70	356.50	2.80		0.65
				358.75	360.25	1.50		0.31
				361.00	362.50	1.50		0.45
				364.75	373.75	9.00		0.56
<i>including</i>				370.00	373.75	3.75		0.76
				380.75	382.25	1.50		0.30
				389.75	400.50	10.75		1.06
<i>including</i>				390.50	394.25	3.75		1.52
<i>including</i>				398.00	400.50	2.50		1.43
				412.20	418.75	6.55		1.38
<i>including</i>				417.00	418.75	1.75		4.02
				421.90	436.80	14.90	5.00	2.70
<i>including</i>				425.65	429.25	3.60		8.86
				443.50	479.25	35.75	15.00	1.04
<i>including</i>				443.50	454.50	11.00		1.06
<i>including</i>				450.75	454.50	3.75		1.73
<i>including</i>				458.00	471.50	13.50		1.25
<i>including</i>				458.00	465.05	7.05		1.58
<i>including</i>				469.25	471.50	2.25		1.62
<i>including</i>				475.00	479.25	4.25		1.36
				481.50	483.00	1.50		0.35
				488.25	490.50	2.25		0.71
				496.00	499.05	3.05		3.54
	502.00	504.25	2.25		1.58			
	510.95	512.25	1.30		2.45			
	514.25	520.45	6.20		0.74			
<i>including</i>	518.35	519.95	1.60		2.29			
	532.00	535.00	3.00		1.40			
	541.75	588.75	47.00	20.00	1.46			
<i>including</i>	543.90	552.75	8.85		1.96			

Hole ID	Zone	Collar Orientations (degrees)		Intersection (Metres)		Core Length	True Width	Gold Grade
		Azimuth	Dip	From	To	(Metres)*	(Metres)	gpt
<i>including</i>				543.90	548.25	4.35		2.12
<i>including</i>				551.00	552.75	1.75		4.04
<i>including</i>				561.00	572.75	11.75		1.81
<i>including</i>				561.00	566.00	5.00		2.39
<i>including</i>				565.00	566.00	1.00		2.81
<i>including</i>				569.50	572.75	3.25		2.63
<i>including</i>				581.50	588.00	6.50		2.39
<i>including</i>				582.25	587.50	5.25		2.79
				591.00	596.25	5.25		0.45
				606.75	609.00	2.25		0.75
C19-48				431.00	437.00	6.00		1.31
<i>including</i>				435.50	437.00	1.50		3.91
				438.50	440.00	1.50		0.54
				444.50	446.00	1.50		1.04
				449.75	452.00	2.25		0.42
				455.25	467.50	12.25	9.00	1.80
<i>including</i>				458.50	466.00	7.50		2.39
				478.75	484.00	5.25		1.65
<i>including</i>				479.50	481.90	2.40		2.70
C19-49				191.60	193.60	2.00		0.67
				199.35	200.10	0.75		0.37
				219.60	224.60	5.00		3.13
<i>including</i>				223.60	224.60	1.00		10.77
				228.10	233.60	5.50		4.22
<i>including</i>				228.10	228.60	0.50		7.74
<i>including</i>				230.60	233.60	3.00		6.18
				240.10	242.60	2.50		0.44
				244.60	281.15	36.55	20.00	1.65
<i>including</i>				245.60	247.10	1.50		2.64
<i>including</i>				253.85	256.10	2.25		1.86
<i>including</i>				259.40	281.15	21.75	10.00	2.22
<i>including</i>				265.40	281.15	15.75		2.71
<i>including</i>				265.40	272.90	7.50		4.28
<i>including</i>				279.40	281.15	1.75		2.80
				283.90	292.90	9.00		2.64
<i>including</i>				285.40	290.65	5.25		4.27
				298.15	301.15	3.00		0.50
				306.40	330.50	24.10		1.30

Hole ID	Zone	Collar Orientations (degrees)		Intersection (Metres)		Core Length	True Width	Gold Grade
		Azimuth	Dip	From	To	(Metres)*	(Metres)	gpt
<i>including</i>				306.40	313.50	7.10		2.31
<i>including</i>				320.25	322.00	1.75		2.78
<i>including</i>				326.50	328.75	2.25		1.63
				336.25	338.50	2.25		0.48
				341.50	342.25	0.75		0.46
				346.00	346.75	0.75		0.39
C19-51				283.05	344.75	61.70	35.00	1.46
<i>including</i>				283.05	304.50	21.45		2.03
<i>including</i>				283.05	285.50	2.45		5.00
<i>including</i>				288.50	291.00	2.50		2.36
<i>including</i>				297.75	304.50	6.75		2.57
<i>including</i>				302.25	304.50	2.25		4.89
<i>including</i>				303.00	304.50	1.50		6.80
<i>including</i>	2.0	286	-60	309.00	315.75	6.75		1.52
<i>including</i>				309.00	310.75	1.75		1.71
<i>including</i>				314.00	315.75	1.75		2.52
<i>including</i>				321.00	322.50	1.50		2.16
<i>including</i>				328.50	343.50	15.00	8.00	1.49
<i>including</i>				328.50	332.00	3.50		2.11
<i>including</i>				340.00	343.50	3.50		2.62
C19-53				383.50	391.00	7.50		0.82
<i>including</i>				383.50	386.50	3.00		1.42
				392.25	392.75	0.50		0.50
				398.00	435.25	37.25	25.00	0.92
<i>including</i>				398.00	403.25	5.25		1.38
<i>including</i>				411.50	413.75	2.25		0.93
<i>including</i>				418.25	419.75	1.50		1.21
<i>including</i>				424.25	435.25	11.00		1.25
<i>including</i>	2.0	284	-60	424.25	429.75	5.50		1.30
<i>including</i>				433.75	435.25	1.50		2.74
				441.25	442.75	1.50		0.45
				451.00	452.50	1.50		0.37
				457.00	463.00	6.00		1.46
<i>including</i>				457.00	459.25	2.25		2.65
				464.50	466.75	2.25		0.52
				468.25	470.50	2.25		0.60
				473.50	475.00	1.50		1.85

* Lengths are reported as core lengths. True widths vary depending on drill hole dip.