

O3 Mining Discovers New Zone At Marban Project and Expands Mineralization Outside of Pit Shell

TSXV:OIII | OTCQX:OIIIIF – O3 Mining

Toronto, February 4, 2021 - O3 Mining Inc. (TSX.V: OIII; OTCQX: OIIIIF) ("O3 Mining" or the "Corporation") is pleased to provide new drilling results from the Marban project on its Malartic Property in Val-d'Or, Québec, as part of its well-funded 150,000 metre drilling program.

Current drilling on the Marban project focuses on expanding mineralization outside of the proposed pit areas outlined in the Preliminary Economic Assessment ("PEA") released on September 08, 2020. The 2020-2021 drilling program consists of 50,000 metres to test extensions of the deposits and zones outside of the PEA pit areas. New drilling results from seven drill holes include:

Drilling Highlights:

- **1.2 g/t Au** over **9.7 metres** in hole **O3MA-20-012** and **2.0 g/t Au** over **5.4 metres** in hole **O3MA-20-015** in a new zone named Golden Bridge Zone
- **1.5 g/t Au** over **6.3 metres** in hole **O3MA-20-028** near-surface outside of Kierens PEA pit shell
- **34.8 g/t Au** over **1.2 metres** in hole **O3MA-20-013** near-surface inside the Kierens PEA pit shell
- **13.5 g/t Au** over **1.3 metres** and **2.8 g/t Au** over **4.3 metres** in hole **O3MA-20-013** associated with albitized dykes
- **4.6 g/t Au** over **1.2 metres** in hole **O3MA-20-012**, including **9.6 g/t Au** over **0.5 metre** at Gold Hawk

A 3D-model of the Malartic property and the Marban project is available on the Company's website at <https://o3mining.com/presentations/drill-results>.

"Late last year, we published a positive PEA on Marban and committed to making it even better through continued exploration. By investing the time and money into our drill program we continue to grow the various Marban deposits and the results will be included with the next resource update, which will underline how the development of Marban is becoming an even more attractive possibility. Drilling has successfully intercepted mineralization in new areas including what we think is a new parallel structure to Marban called Golden Bridge, which after more work, could be brought into the project economics and further add to the benefits of a future production scenario," said President and CEO José Vizquerra.

The new Golden Bridge zone discovery is defined by three drill holes covering an area of 175 metres by 100 metres at 175 metres vertical depth and remains open to the west, at depth, and up to the surface. **O3 Mining believes that the near surface Golden Bridge zone offers the potential to generate a new open pit resource, just 200 metres from the PEA Norlartic pit.** Initial interpretation suggests that the Golden Bridge zones are associated with an east-west trending splay of the Marbenite and Norbenite shears. If proven, this would offer a lateral exploration potential of an additional 650 metres along the Golden Bridge structure. The two intercepts associated with albitized dykes in **O3MA-20-013** are 65 meters apart in the hole and are located at a vertical depth of 450 metres on average. The zones remain open laterally and at depth.

The intercept in hole **O3MA-20-028** expands the near-surface mineralization 30 metres east of previously reported intercepts in holes **O3MA-20-005** and **O3MA-20-006** ([see press release November 03, 2020](#)). The intercept in hole **O3MA-20-013** within the Kierens PEA pit shell shows the high-grade nature of mineralization, which will be beneficial to the project economics. The intercept at Gold Hawk supports the continuity of the zone over 75 metres down dip from the previously reported high-grade intercept in hole **O3MA-20-008** ([see press release November 24, 2020](#)).

The primary objective of these holes was to cross the Kierens-Norlartic corridor at shallow depth while drilling extensions at depth of the Gold Hawk zone. These new results suggest that the Kierens and Norlartic ore bodies come closer to the surface than previously interpreted and, could potentially connect when properly delineated. Additionally, the discovery of the Golden Bridge zone shows the potential to expand resources associated with splay structures connecting the Norbenite and Marbenite shears. A total of 38 drill holes totalling 20,591 meters have been drilled since the beginning of the campaign in August 2020 at the Marban Project, focusing on the Kierens, Kierens NW, Gold Hawk, Orion, MK, North Shear, North North, and Marban NE zones. Assay results from 27 drill holes are pending. Now that the winter conditions allow accessing humid lands, the focus will shift over to the Marbenite Deep, Marban East Deep (both adjacent to Marban pit) as well as at North North and North Shear. Follow-up drilling on the intercepts released today will occur during the summer months as the Company prioritizes areas only accessible during winter.

Table 1: Drill Hole Intercepts (only intercepts above 5 g/t Au * m are reported, cut-off 0.3 g/t Au above 200 m and 1.0 g/t Au below 200 m)

Drill Hole	From	To	Interval	Au (g/t)	Zone
O3MA-20-011	42.0	55.5	13.5	1.4	Kierens
O3MA-20-011	63.0	64.5	1.5	5.9	Kierens
O3MA-20-013	36.2	37.4	1.2	34.8	Kierens
O3MA-20-013	43.6	46.6	3.0	2.3	Kierens
O3MA-20-018	19.0	20.0	1.0	9.4	Kierens
O3MA-20-028	49.8	56.1	6.3	1.5	Kierens (outside of pits)
O3MA-20-012	589.8	591.0	1.2	4.6	Gold Hawk
Incl.	589.8	590.3	0.5	9.6	Gold Hawk
O3MA-20-012	185.8	195.5	9.7	1.2	Golden Bridge
O3MA-20-015	205.8	211.2	5.4	2.0	Golden Bridge
O3MA-20-013	460.0	461.3	1.3	13.5	Albitized dyke
O3MA-20-013	524.4	528.7	4.3	2.8	Albitized dyke

NOTE: True width determination is currently unknown but is estimated at 65-80% of the reported core length interval for the zones.

Table 2: Drill Hole Details

Drill Hole ID	Azimuth (°)	Dip (°)	Length (m)	UTM E	UTM N
O3MA-20-007	211	-71	744	276523	5337866
O3MA-20-011	209	-72	66	276544	5337900
O3MA-20-012	211	-71	744	276523	5337866
O3MA-20-013	206	-73	912	276480	5337934
O3MA-20-015	187	-68	658	276337	5337961
O3MA-20-018	210	-67	729	276372	5337985
O3MA-20-028	210	-43	162	276915	5337649

The Kierens zone has been intersected at shallow depth in four drill holes. Holes O3MA-20-011 and O3MA-20-013 hit the Kierens zone in the middle of the proposed Kierens pit and confirmed the continuity of the mineralization. Hole O3MA-20-028 is located 175 m SE of the Kierens proposed pit limit and returned **1.5 g/t Au over 6.5 m** expanding the open-pit potential further east. The three holes intersected quartz-calcite stockwork associated with up to 5% disseminated pyrite in a basaltic unit crosscut by gabbroic dykes. The Kierens zone is within the hanging wall of the Norbenite shear located at the contact with the ultramafic rocks. Hole O3MA-20-018 intersected the Kierens zone at the western extremity of the proposed pit. It intersected a stockwork of quartz-calcite veins related to gabbroic dykes hosted in sheared komatiite that returned **9.4 g/t Au over 1.0 m**.

The Marbenite shear is separated from the Norbenite shear by a 150 m thick tabular granodiorite intrusion. During the fall, O3MA-20-001 intersected stockwork quartz calcite veins in a weakly sericitized and pyritized portion of the granodiorite that yielded **4.4 g/t Au over 1.5 m** (see [press release November 24, 2020](#)). Holes O3MA-20-012 and O3MA-20-015 show that the previously observed stockwork forms a continuous structure within the granodiorite now recognized as the Golden Bridge zone. Both holes intersected a stockwork consisting of 15% quartz-calcite veins associated with disseminated pyrite as well as molybdenite stringers. Hole O3MA-20-012 intersected **1.2 g/t Au over 9.7 m** and hole O3MA-20-015 returned values of **2.0 g/t Au and 2.0 g/t Ag over 5.4 m**. The new mineralized zone remains open at depth, up-dip, and 650 m to the west. Follow-up holes will be drilled next summer on the up-dip and westward extensions.

Hole O3MA-20-013 crosscut a series of albitized dykes that resulted in strong biotization of the surrounding ultramafic rocks. Gold is found associated with the biotized ultramafic rocks with few quartz-calcite veinlets as well as within the dykes. The first intercept returned **13.5 g/t Au over 1.3 m** where mineralization is restricted to the biotite zone, while the second intercept of **2.8 g/t Au over 4.3 m** is related to the dyke and its altered walls.

Hole O3MA-20-012 intersected the Gold Hawk zone 75 m below the high-grade intercept of hole O3MA-20-008 that returned a spectacular grade of 383 g/t over 2.0 m (see [press release November 24, 2020](#)). The mineralization in hole O3MA-20-012 related to the Gold Hawk zone yielded an intercept of **4.6 g/t Au over 1.2 m** consisting of a 15 cm quartz-calcite-chlorite vein within an iron-rich basalt in contact with a mafic dyke in the hanging wall of the Marbenite shear. The vein is related to a high-grade interval of **9.6 g/t Au over 0.5 m**. The geological context is the same as in hole O3MA-20-008 and shows the Gold Hawk zone's depth potential of the Gold Hawk zone.

Figure 1: Malartic Property Drilling Map




Figure 2: Marban Project Drilling Map





Figure 3: Longitudinal Section - NE



Qualified Person

The scientific and technical content of this news release has been reviewed, prepared, and approved by Mr. Louis Gariepy. (OIQ #107538), VP Exploration, who is a "qualified person" as defined by National Instrument 43-101 – Standards of Disclosure for Mineral Projects ("NI 43-101").

Quality Control and Reporting Protocols

True width determination is currently unknown but is estimated at 65-80% of the reported core length interval for the zones. Assays are uncut except where indicated. Intercepts occur within geological confines of major zones but have not been correlated to individual vein domains at this time. Half-core samples are shipped to Agat laboratory in Val-d'Or, Québec, and Mississauga, Ontario for assaying. The core is crushed to 75% passing -2 mm (10 mesh), a 250 g split of this material is pulverized to 85% passing 75 microns (200 mesh) and 50 g is analyzed by Fire Assay (FA) with an Atomic Absorption Spectrometry (AAS) finish. Samples assaying >10.0 g/t Au are re-analyzed with a gravimetric finish using a 50 g charge. Commercial certified standard material and blanks are systematically inserted by O3 Mining's geologists into the sample chain after every 18 core samples as part of the QA/QC program. Third-party assays are submitted to other designated laboratories for 5% of all samples. Drill program design, Quality Assurance/Quality Control ("QA/QC"), and interpretation of results are performed by qualified persons employing a QA/QC program consistent with NI 43-101 and industry best practices.

About O3 Mining Inc.

O3 Mining Inc., an Osisko Group company, is a gold explorer and mine developer ready to produce from its highly prospective gold camps in Québec, Canada. O3 Mining benefits from the support, previous mine-building success, and expertise of the Osisko team as it grows towards being a gold producer with several multi-million ounce deposits in Québec.

O3 Mining is well-capitalized and owns a 100% interest in all its properties (133,557 hectares) in Québec. O3 Mining trades on the TSX Venture Exchange (TSX.V: OIII) and OTC Markets (OTCQX: OIIF). The company is focused on delivering superior returns to its shareholders and long-term benefits to its stakeholders. Further information can be found on our website at <https://o3mining.com/>

Cautionary Note Regarding Forward-Looking Information

This news release contains "forward-looking information" within the meaning of the applicable Canadian securities legislation that is based on expectations, estimates, projections, and interpretations as at the date of this news release. The information in this news release about the transaction; and any other information herein that is not a historical fact may be "forward-looking information". Any statement that involves discussions with respect to predictions, expectations, interpretations, beliefs, plans, projections, objectives, assumptions, future events or performance (often but not always using phrases such as "expects", or "does not expect", "is expected", "interpreted", "management's view", "anticipates" or "does not anticipate", "plans", "budget", "scheduled", "forecasts", "estimates", "believes" or "intends" or variations of such words and phrases or stating that certain actions, events or results "may" or "could",

"would", "might" or "will" be taken to occur or be achieved) are not statements of historical fact and may be forward-looking information and are intended to identify forward-looking information. This forward-looking information is based on reasonable assumptions and estimates of management of the Corporation, at the time it was made, involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the companies to be materially different from any future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, risks relating to the restart of operations; further steps that might be taken to mitigate the spread of COVID-19; the impact of COVID-19 related disruptions in relation to the Corporation's business operations including upon its employees, suppliers, facilities and other stakeholders; uncertainties and risk that have arisen and may arise in relation to travel, and other financial market and social impacts from COVID-19 and responses to COVID 19. Although the forward-looking information contained in this news release is based upon what management believes, or believed at the time, to be reasonable assumptions, the parties cannot assure shareholders and prospective purchasers of securities that actual results will be consistent with such forward-looking information, as there may be other factors that cause results not to be as anticipated, estimated or intended, and neither the Corporation nor any other person assumes responsibility for the accuracy and completeness of any such forward-looking information. The Corporation does not undertake, and assumes no obligation, to update or revise any such forward-looking statements or forward-looking information contained herein to reflect new events or circumstances, except as may be required by law.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release. No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein.

For further information on O3 Mining, please contact:

José Vizquerra Benavides
President, CEO and Director
Toll-Free: +1 (833) 979-3516
Telephone: +1 (873) 381-2014

O3 Mining

February 04, 2021

Toll Free: +1 (833) 979-3516
Telephone: +1 (873) 381-2014
info@o3mining.com
1440-155 University Avenue
Toronto, ON M5H 3B7