

Supplemental Significant Interval Listing to Accompany News Release Dated September 8, 2021

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
NT21-185	11.0	28.6	17.6	1.35
Incl.	18.0	21.0	3.0	3.02
NT21-185	57.2	60.1	2.9	0.69
NT21-185	98.0	102.5	4.5	1.41
NT21-185	118.0	125.0	7.0	0.88
Incl.	124.5	125.0	0.5	6.66
NT21-185	163.0	164.0	1.0	1.71
NT21-185	202.0	209.0	7.0	0.68
Incl.	206.6	207.0	0.4	3.87
NT21-185	213.0	217.9	4.9	3.47
Incl.	213.0	213.7	0.7	2.94
Incl.	217.0	217.9	0.9	15.70
NT21-185	236.0	248.8	12.8	0.73
Incl.	236.0	238.0	2.0	1.15
Incl.	246.0	248.8	2.8	1.16
NT21-185	251.9	252.9	1.0	1.44
NT21-185	267.8	281.0	13.2	1.24
NT21-185	402.3	403.0	0.7	6.21
NT21-186	18.65	21.1	2.45	1.20
NT21-186	26.3	31.65	5.35	2.18
Incl.	30.95	31.65	0.7	7.88
NT21-186	33.9	38.4	4.5	1.88
Incl.	35.0	35.6	0.6	4.95
NT21-186	59.0	61.0	2.0	1.69
NT21-186	71.8	72.8	1.0	1.46
NT21-186	77.8	81.8	4.0	3.03
Incl.	81.3	81.8	0.5	20.50
NT21-186	85.45	90.0	4.55	1.32
NT21-186	99.6	100.8	1.2	0.87
NT21-186	106.4	112.5	6.1	0.48
NT21-186	126.6	128.1	1.5	2.93
Incl.	127.6	128.1	0.5	7.71
NT21-186	135.7	136.3	0.6	4.54
NT21-186	146.4	158.5	12.1	0.47
Incl.	146.4	147.1	0.7	1.11
Incl.	157.9	158.5	0.6	1.61
NT21-186	176.9	182.6	5.7	1.22
Incl.	178.6	179.3	0.7	5.19
NT21-186	185.8	189.7	3.9	0.49
NT21-186	257.0	264.8	7.8	2.33
Incl.	257.5	259.3	1.8	4.48
NT21-186	269.3	272.8	3.5	0.87
NT21-186	284.0	288.9	4.9	2.28
Incl.	284.6	286.5	0.6	7.15
NT21-187	5.8	10.0	4.2	1.86
Incl.	7.0	8.0	1.0	5.88
NT21-187	16.0	16.7	0.7	2.99

Supplemental Significant Interval Listing to Accompany News Release

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
NT21-187	19.5	26.47	6.97	7.50
Incl.	22.0	26.47	4.47	11.55
and	22.0	23.0	1.0	45.90
NT21-187	45.13	52.7	7.57	1.27
NT21-187	56.0	57.0	1.0	1.16
NT21-187	68.0	71.0	3.0	0.60
NT21-187	101.2	118.3	17.1	1.09
Incl.	101.2	101.6	0.4	4.05
Incl.	108.0	109.6	1.6	2.00
Incl.	118.0	118.3	0.3	5.92
NT21-187	121.5	123.0	1.5	2.30
NT21-187	130.3	134.0	3.7	2.43
NT21-187	144.0	144.5	0.5	2.84
NT21-187	150.0	153.0	3.0	1.41
Incl.	152.0	152.4	0.4	4.51
NT21-187	159.8	168.1	8.3	0.58
Incl.	164.0	164.6	0.6	2.47
NT21-187	171.5	178.5	7.0	1.36
Incl.	175.0	175.5	0.5	4.22
Incl.	177.0	177.5	0.5	4.02
NT21-187	190.5	192.0	1.5	1.56
NT21-187	212.0	215.0	3.0	0.64
NT21-187	233.0	236.0	3.0	1.22
Incl.	233.0	234.0	1.0	3.22
NT21-187	242.0	243.0	1.0	2.72
NT21-187	251.0	255.0	4.5	0.63
NT21-187	261.3	262.0	0.7	4.26
NT21-187	270.3	270.6	0.3	5.42
NT21-187	273.75	278.5	4.75	4.95
Incl.	273.75	274.4	0.65	33.88
and	273.75	274.1	0.35	54.70
NT21-187	280.4	282.0	1.6	0.56
NT21-187	284.4	290.6	6.2	5.40
Incl.	284.84	287.4	2.56	1.53
Incl.	287.7	288.0	0.3	61.90
Incl.	288.8	289.4	0.6	15.50
NT21-187	292.0	292.4	0.4	1.04
NT21-187	299.5	302.6	3.1	0.44
NT21-187	305.86	307.8	1.94	0.92
NT21-187	310.5	320.7	10.2	0.91
Incl.	311.5	312.0	0.5	5.46
NT21-187	339.0	345.5	6.5	2.02
Incl.	341.0	341.3	0.3	19.40
NT21-188	10.1	15.3	5.2	1.01
Incl.	12.5	13.0	0.5	4.13
NT21-188	23.5	26.6	3.1	0.93
NT21-188	33.0	36.7	3.7	1.01

Supplemental Significant Interval Listing to Accompany News Release

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
Incl.	33.0	34.3	1.3	2.36
NT21-188	48.0	53.0	5.0	1.06
Incl.	52.0	53.0	1.0	3.91
NT21-188	61.5	64.5	3.0	0.46
NT21-188	67.0	69.5	2.5	0.44
NT21-188	96.5	98.4	1.91	1.88
Incl.	97.5	98.0	0.5	6.32
NT21-188	110.0	114.0	4.0	0.40
NT21-188	125.36	135.75	10.39	1.41
Incl.	126.3	127.7	1.4	6.72
and	126.6	126.9	0.3	24.70
Incl.	131.5	135.75	4.25	0.75
NT21-188	138.0	139.0	1.0	1.03
NT21-188	158.5	160.5	2.0	2.65
Incl.	158.5	159.0	0.5	8.63
NT21-188	184.0	186.5	2.5	1.14
NT21-188	336.0	342.0	6.0	0.89
Incl.	339.0	340.0	1.0	4.62
NT21-188	348.0	401.3	52.3	1.07
Incl.	348.0	352.77	4.77	2.87
Incl.	380.0	390.25	10.25	2.15
and	386.5	387.2	0.7	11.50
Incl.	399.5	400.7	1.2	6.84
NT21-188	421.5	431.0	9.5	1.30
Incl.	421.5	423.6	2.1	1.34
Incl.	427.0	431.0	4.0	2.22
NT21-188	452.0	454.0	2.0	1.02
NT21-188	471.0	477.0	6.0	1.29
Incl.	474.0	474.35	0.35	15.60
NT21-188	484.0	489.5	5.5	1.18
Incl.	486.8	487.5	0.7	2.39
Incl.	488.7	489.5	0.8	4.47
NT21-188	494.0	494.5	0.5	0.73
NT21-188	517.56	518.5	0.94	0.87
NT21-188	522.0	526.5	4.5	1.85
Incl.	522.0	523.0	1.0	3.39
Incl.	525.25	526.0	0.75	4.93
NT21-188	530.5	532.36	1.86	0.42
NT21-189	12.0	28.7	16.7	0.97
Incl.	15.0	18.3	3.3	1.37
Incl.	23.0	26.5	3.5	2.72
NT21-189	47.0	51.3	4.3	0.66
NT21-189	58.0	64.5	6.5	0.43
NT21-189	69.5	73.5	4.0	1.00
NT21-189	93.5	96.5	3.0	0.44
NT21-189	139.0	142.0	3.0	0.43
NT21-189	155.0	157.6	2.6	0.69

Supplemental Significant Interval Listing to Accompany News Release

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
NT21-189	161.5	163.0	1.5	2.69
Incl.	162.0	162.5	0.5	7.52
NT21-189	174.0	178.0	4.0	2.34
Incl.	174.0	174.8	0.8	10.10
NT21-189	237.6	239.0	1.4	3.29
Incl.	238.5	239.0	0.5	8.37
NT21-189	247.0	247.5	0.5	2.27
NT21-189	255.5	256.5	1.0	4.10
Incl.	256.0	256.5	0.5	7.83
NT21-189	258.5	262.5	4.0	0.67
NT21-189	283.3	285.0	1.7	0.44
NT21-189	290.0	292.0	2.0	0.72
NT21-189	343.0	345.0	2.0	1.36
NT21-189	352.0	357.0	5.0	0.68
NT21-189	360.0	364.0	4.0	0.51
NT21-189	402.0	404.3	2.3	1.29
NT21-189	407.0	411.0	4.0	1.18
NT21-189	419.5	424.5	5.0	0.57
NT21-189	440.0	441.0	1.0	0.99
NT21-189	448.0	463.0	15.0	1.92
Incl.	451.3	454.0	2.7	5.05
Incl.	459.8	462.5	2.7	4.45
NT21-189	477.0	479.0	2.0	2.51
Incl.	477.5	478.5	1.0	4.87
NT21-189	483.0	485.0	2.0	1.01
NT21-189	504.1	505.0	0.9	2.57
NT21-189	541.9	542.6	1.0	1.24
NT21-190	11.5	17.0	5.5	0.51
NT21-190	19.0	32.0	13.0	1.79
Incl.	20.5	21.0	0.5	1.75
Incl.	22.5	24.0	1.5	1.92
and	23.5	24.0	0.5	2.50
Incl.	29.0	30.0	1.0	1.13
Incl.	31.0	32.0	1.0	15.00
NT21-190	66.0	70.5	4.5	1.75
Incl.	67.7	68.2	0.5	3.88
Incl.	69.0	69.8	0.8	5.60
NT21-190	80.15	81.0	0.85	0.84
NT21-190	100.0	100.5	0.5	1.56
NT21-190	120.65	122.9	2.25	0.81
Incl.	120.65	121.0	0.35	1.74
Incl.	122.3	122.9	0.6	1.74
NT21-190	319.0	320.3	1.3	0.56
Incl.	319.0	319.4	0.4	1.26
NT21-190	392.0	410.9	19.9	1.43
Incl.	397.0	400.0	3.0	4.23
and	399.5	400.0	0.5	13.10

Supplemental Significant Interval Listing to Accompany News Release

Hole ID		From (m)	To (m)	Width (m)	Au (g/t)
NT21-190	Incl.	402.7	410.9	8.2	1.17
		413.0	427.5	14.5	1.05
	Incl.	418.0	419.9	1.9	4.79
	and	419.0	419.9	0.9	7.90
NT21-190	Incl.	421.7	422.0	0.3	1.49
	Incl.	424.5	425.5	1.0	1.46
NT21-190		445.8	449.0	3.2	1.05
	Incl.	447.0	447.5	0.5	2.72
NT21-190		482.0	485.3	3.3	8.06
NT21-190	Incl.	483.6	484.0	0.4	61.90
NT21-190		528.0	536.0	8.0	0.44
NT21-190	Incl.	534.0	535.0	1.0	1.31
NT21-190		551.0	553.0	2.0	0.74
NT21-190		567.6	569.0	1.4	1.33
NT21-190	Incl.	567.9	568.5	0.6	2.73
NT21-190		575.0	585.0	10.0	0.76
	Incl.	575.0	576.0	1.0	1.96
	Incl.	577.0	578.0	1.0	2.13
	Incl.	579.0	580.1	1.1	0.96
NT21-190		655.0	655.6	0.6	13.20
NT21-192		207.5	228.8	21.3	3.55
	Incl.	211.4	212.76	1.36	7.45
	and	211.4	211.75	0.35	20.50
	Incl.	214.7	219.0	4.3	13.80
	and	217.0	218.0	1.0	35.15
	Incl.	221.0	222.0	1.0	1.09
	Incl.	227.0	227.4	0.4	2.53
NT21-192		278.0	282.0	4.0	0.46
NT21-192		286.0	287.0	1.0	1.51
NT21-192		295.9	302.0	6.1	1.73
	Incl.	299.0	300.0	1.0	9.76
NT21-192		304.4	305.5	1.1	1.60
NT21-192		320.0	324.0	4.0	0.68
NT21-192		346.0	348.2	2.2	1.30
NT21-192		359.0	367.0	9.0	0.72
	Incl.	366.3	367.0	0.7	3.90
NT21-193		9.0	11.0	2.0	0.72
	Incl.	9.0	9.5	0.5	2.05
NT21-193		42.3	43.6	1.3	1.37
NT21-193		224.5	225.5	1.0	3.63
NT21-193		173.5	176.4	2.9	0.64
NT21-193		245.75	261.45	15.7	0.71
	Incl.	245.75	249.0	3.25	2.31
	and	245.75	246.2	0.45	5.78
NT21-193		283.25	285.5	2.25	8.60
	Incl.	284.5	285.5	1.0	18.00
NT21-193		293.25	296.0	2.75	0.69

Supplemental Significant Interval Listing to Accompany News Release

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
Incl.	295.25	296.0	0.75	1.57
NT21-193	321.0	325.0	4.0	1.00
NT21-193	331.0	333.72	2.72	0.42
NT21-193	341.4	349.65	8.25	1.82
Incl.	342.0	344.0	2.0	4.74
Incl.	348.5	349.0	0.5	6.79
NT21-193	352.3	356.4	4.1	0.96
NT21-193	367.0	370.6	3.6	0.47
NT21-193	379.0	385.0	6.0	1.25
Incl.	382.0	383.0	1.0	5.06
NT21-193	392.7	401.45	8.75	0.52
Incl.	400.75	401.45	0.7	3.65
NT21-193	443.0	456.0	13.0	0.51
Incl.	448.5	449.3	0.8	3.38
Incl.	453.6	454.4	0.8	1.67
NT21-193	481.0	487.1	6.1	1.32
Incl.	484.0	486.0	2.0	3.20
and	484.0	484.45	0.45	6.09
NT21-193	497.7	501.1	3.4	0.55
Incl.	497.7	498.17	0.47	3.17
RV21-31	2.5	6.5	4.0	0.52
RV21-31	23.0	26.3	3.3	1.05
Incl.	23.0	24.0	1.0	2.44
RV21-31	42.5	45.6	3.1	0.64
Incl.	43.5	44.0	0.5	1.04
Incl.	44.6	45.6	1.0	1.10
RV21-31	59.0	59.4	0.4	0.99
RV21-31	78.0	78.4	0.4	1.39
RV21-31	83.38	93.5	10.12	0.78
Incl.	85.0	86.0	1.0	1.55
Incl.	86.85	87.65	0.8	1.39
Incl.	89.5	90.0	0.5	1.08
Incl.	92.0	92.4	0.4	3.51
RV21-31	105.0	107.0	2.0	0.52
RV21-31	119.0	124.0	5.0	1.34
Incl.	121.0	122.0	1.0	5.61
Incl.	122.7	123.0	0.3	1.36
RV21-31	132.0	133.0	1.0	2.23
RV21-31	291.22	293.0	1.78	1.28
RV21-31	316.0	322.0	6.0	0.48
Incl.	316.0	316.94	0.94	1.58
RV21-31	425.0	427.0	2.0	5.90
Incl.	425.0	426.0	1.0	11.70
RV21-31	440.0	441.75	1.75	1.33
Incl.	441.0	441.75	0.75	2.88
RV21-31	471.5	471.8	0.3	28.00
RV21-32	37.0	38.0	1.0	0.79

Supplemental Significant Interval Listing to Accompany News Release

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
RV21-32	87.5	87.81	0.31	1.73
RV21-32	137.0	138.0	1.0	0.93
RV21-32	141.0	146.0	5.0	1.52
Incl.	141.0	141.3	0.3	13.30
RV21-32	164.1	164.6	0.5	3.66
RV21-32	174.4	174.7	0.3	2.66
RV21-32	276.5	279.0	2.5	0.51
RV21-33	298.8	300.0	1.2	0.61
RV21-32	315.0	316.76	1.76	5.38
Incl.	315.4	316.2	0.8	11.50
RV21-32	333.7	337.0	3.3	0.61
RV21-32	342.5	343.1	0.6	7.99
Incl.	342.5	342.8	0.3	15.90
RV21-32	360.0	369.0	9.0	0.67
Incl.	360.0	361.0	1.0	1.13
Incl.	365.0	367.0	2.0	1.50
RV21-32	389.0	392.0	3.0	2.37
Incl.	389.0	390.0	1.0	6.62
RV21-32	393.3	394.0	0.7	3.05
RV21-32	408.7	411.9	3.2	0.67
Incl.	409.0	409.3	0.3	3.04
Incl.	409.6	410.0	0.4	1.51
RV21-32	438.6	438.9	0.3	10.10
RV21-32	458.0	458.7	0.7	0.80
RV21-33	11.3	11.6	0.3	1.11
RV21-33	12.8	13.1	0.3	2.23
RV21-33	165.0	165.7	0.7	54.49
Incl.	165.3	165.7	0.4	95.30
RV21-33	192.0	193.6	1.6	0.92
Incl.	192.0	193.0	1.0	1.31
RV21-33	198.5	198.9	0.4	2.17
RV21-33	247.2	248.1	0.9	2.45
RV21-33	261.4	262.3	0.9	4.59
Incl.	261.7	262.0	0.3	13.30
RV21-33	277.3	277.9	0.6	1.12
RV21-33	337.2	344.0	6.8	1.22
Incl.	339.1	340.0	0.9	8.01
RV21-34	7.05	7.35	0.3	1.18
RV21-34	156.5	157.2	0.7	0.91
RV21-34	162.46	164.65	2.19	1.98
Incl.	163.75	164.65	0.9	4.38
RV21-34	181.1	181.4	0.3	2.26
RV21-34	230.85	237.0	6.15	1.01
Incl.	231.3	232.3	1.0	2.91
Incl.	234.0	235.0	1.0	1.77
RV21-34	239.4	240.0	0.6	14.60
RV21-34	272.0	274.0	2.0	0.73

Supplemental Significant Interval Listing to Accompany News Release

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
Incl.	273.0	274.0	1.0	1.18
RV21-34	281.0	282.0	1.0	1.22
RV21-34	317.4	317.9	0.5	1.05
RV21-34	363.1	365.6	2.5	1.21
Incl.	363.1	364.0	0.9	1.13
Incl.	365.0	365.3	0.3	6.43
RV21-34	368.3	371.4	3.1	0.50
Incl.	368.9	369.4	0.5	1.11
RV21-34	372.0	374.3	2.3	2.17
Incl.	373.0	373.3	0.3	9.42
Incl.	374.0	374.3	0.3	6.59
RV21-34	382.3	384.5	2.2	25.23
Incl.	382.6	382.9	0.3	116.00
Incl.	384.2	384.5	0.3	67.70
RV21-34	402.9	403.2	0.3	1.95
RV21-34	415.0	418.0	3.0	1.07
Incl.	417.0	418.0	1.0	2.39
RV21-34	427.9	428.6	0.7	0.80
Incl.	427.9	428.2	0.3	1.41
RV21-34	470.9	471.2	0.3	4.05
RV21-35	53.0	54.0	1.0	1.50
RV21-35	175.0	180.0	5.0	1.90
Incl.	175.0	176.0	1.0	8.48
Incl.	179.0	180.0	1.0	1.02
RV21-35	197.3	198.0	0.7	29.83
Incl.	197.3	197.6	0.3	67.00
RV21-35	235.0	242.0	7.0	0.46
Incl.	235.0	236.0	1.0	1.05
RV21-35	290.0	294.0	4.0	0.85
Incl.	293.0	294.0	1.0	2.34
RV21-35	391.0	398.0	7.0	0.42
RV21-35	521.6	522.3	0.7	1.64
Incl.	521.6	522.0	0.4	2.71

All significant assay intercepts based on > 0.4 g/t Au grade and >1.0 GxM

Reported widths are core lengths