



WWW.Q-RAILING.COM

EASY ALU BOLD

Product Overview

NEW
PRODUCT

THE PREMIUM BRAND IN RAILING SYSTEMS

Q-railing



EASY ALU BOLD






Aluminum Railing System Engineered For Strength, Designed For Flexibility & Built For Speed

Constructed entirely from durable aluminum parts and components, Easy Alu Bold brings a robust yet streamlined solution to modern railing needs. Whether your project demands durability, design, or efficient installation, Easy Alu Bold is the strong, smart solution.

Specifications

Project Types:	Residential, Commercial, Multi-Unit & High Rise Buildings
Use:	Interior / Exterior
Applications:	Guardrail, Balconies & Stairs
Material:	Aluminum
Finishes:	Mill Brushed Anodized Textured Black
Glass Compatibility:	3/8" Laminated - 9/16" Laminated


System Configurations




Top Mount | Glass In Between Posts

EASY ALU BOLD

TOP MOUNT
GLASS IN BETWEEN POSTS




Posts
Top Mount Post Pre-Drilled



MOD 0596 | 160596

Aluminum	Mill		
160596-102-00-00		See Flange & Adapter	L= 39.97" QTY 1
Aluminum	Brushed Anodized		
160596-102-00-18		See Flange & Adapter	L= 39.97" QTY 1
Aluminum	Textured Black		
160596-102-00-85		See Flange & Adapter	L= 39.97" QTY 1


Posts
Top Mount Post Not Pre-Drilled



MOD 0596 | 160596

Aluminum	Mill		
160596-600-99-00		See Flange & Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
160596-600-99-18		See Flange & Adapter	L= 20' QTY 1
Aluminum	Textured Black		
160596-600-99-85		See Flange & Adapter	L= 20' QTY 1


Posts
Post Base Flange



MOD 9035 | 169035

Aluminum	Mill		
169035-00-00		QS-20 QTY 4	QTY 1
Aluminum	Brushed Anodized		
169035-00-18		QS-20 QTY 4	QTY 1
Aluminum	Textured Black		
169035-00-82		QS-20 QTY 4	QTY 1


Posts
Top Rail Post Adapter Straight



MOD 5310 | 165310

Aluminum	Mill		
165310-00-00		QS-593 QTY 8	QTY 2
Aluminum	Brushed Anodized		
165310-00-18		QS-593 QTY 8	QTY 2
Aluminum	Textured Black		
165310-00-82		QS-593 QTY 8	QTY 2


Posts
Top Rail Post Adapter Corner



MOD 5310 | 165310

Aluminum	Mill		
165310-90-00		QS-593 QTY 6	QTY 2
Aluminum	Brushed Anodized		
165310-90-18		QS-593 QTY 6	QTY 2
Aluminum	Textured Black		
165310-90-82		QS-593 QTY 6	QTY 2

Posts
Top Rail Post Adapter Angled




MOD 5310 | 165310

Aluminum	Mill		
165310-01-00		QS-593/20 QTY 2/1	QTY 2
Aluminum	Brushed Anodized		
165310-01-18		QS-593/20 QTY 2/1	QTY 2
Aluminum	Textured Black		
165310-01-82		QS-593/20 QTY 2/1	QTY 2

Posts

Bottom Glass Rail Post Adapter

H-Profile





MOD 5784 | 165784

Aluminum	Mill		
165784-00		QS-591 QTY 1	QTY 1
Aluminum	Brushed Anodized		
165784-18		QS-591 QTY 1	QTY 1
Aluminum	Textured Black		
165784-82		QS-591 QTY 1	QTY 1

Posts

Bottom Glass Rail Post Adapter

U-Profile





MOD 5787 | 165787

Aluminum	Anodized		
165787-07		QS-590 QTY 2	QTY 1

Posts

Bottom Glass Rail Post Adapter

Angled





MOD 5785 | 165785

Aluminum	Mill		
165785-00		QS-591 QTY 1	QTY 2
Aluminum	Brushed Anodized		
165785-18		QS-591 QTY 1	QTY 2
Aluminum	Textured Black		
165785-82		QS-591 QTY 1	QTY 2

Bottom Glass Rail

Bottom Glass Rail

H-Profile




MOD 5942 | 165942

Aluminum	Mill		
165942-060-00		QS-593 QTY 1	L= 20' QTY 1
Aluminum	Brushed Anodized		
165942-060-18		QS-593 QTY 1	L= 20' QTY 1
Aluminum	Textured Black		
165942-060-85		QS-593 QTY 1	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail

U-Profile





MOD 5943 | 165943

Aluminum	Mill		
165943-060-00		See Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
165943-060-18		See Adapter	L= 20' QTY 1
Aluminum	Textured Black		
165943-060-85		See Adapter	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Underside Cover

H-Profile




MOD 5946 | 165946

Aluminum	Mill		
165946-060-00		Slide-In	L= 20' QTY 1
Aluminum	Brushed Anodized		
165946-060-18		Slide-In	L= 20' QTY 1
Aluminum	Textured Black		
165946-060-82		Slide-In	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Adapter Sleeve

U-Profile




MOD 5788 | 165788

Aluminum	Mill		
165788-00		Included	QTY 2
Aluminum	Brushed Anodized		
165788-18		Included	QTY 2
Aluminum	Textured Black		
165788-82		Included	QTY 2

Bottom Glass Rail

Bottom Glass Rail Rubber Inlay

H-Profile




MOD 5142 | 155142

Rubber	5/16" Glass		
155142-060-08		Drop-In	L= 20' QTY 1
Rubber	3/8" Glass		
155142-060-11		Drop-In	L= 20' QTY 1
Rubber	9/16" Glass		
155142-060-14		Drop-In	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Rubber Inlay

U-Profile




MOD 5143 | 155143

Rubber	5/16" Glass		
155143-060-08		Drop-In	L= 20' QTY 1
Rubber	3/8" Glass		
155143-060-11		Drop-In	L= 20' QTY 1
Rubber	9/16" Glass		
155143-060-14		Drop-In	L= 20' QTY 1

Top Rail

Top Rail





MOD 5940 | 165940

Aluminum	Mill		
165940-060-00		See Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
165940-060-18		See Adapter	L= 20' QTY 1
Aluminum	Textured Black		
165940-060-85		See Adapter	L= 20' QTY 1

Top Rail

Top Rail End Cap




MOD 5780 | 165780

Aluminum	Mill		
165780-00		Included	QTY 2
Aluminum	Brushed Anodized		
165780-18		Included	QTY 2
Aluminum	Textured Black		
165780-82		Included	QTY 2

Top Rail

Top Rail Wall Flange

Wall Mounted




MOD 5507 | 165507

Aluminum	Mill		
165507-00		QS-593 QTY 2	QTY 2
Aluminum	Brushed Anodized		
165507-18		QS-593 QTY 2	QTY 2
Aluminum	Textured Black		
165507-82		QS-593 QTY 2	QTY 2

Top Rail


Top Rail Glass Rubber Inlay



MOD 5140 | 155140

Rubber	5/16" Glass		
155140-060-08		Push-In	L= 20' QTY 1
Rubber	3/8" Glass		
155140-060-11		Push-In	L= 20' QTY 1
Rubber	9/16" Glass		
155140-060-14		Push-In	L= 20' QTY 1


Top Rail
Top Rail Splice Straight



MOD 5311 | 165311

Aluminum	Anodized		
165311-00-00		Included	QTY 1


Top Rail
Top Rail Splice Horizontal-Adjustable



MOD 5311 | 165311

Aluminum	Anodized		
165311-01-00		Included	QTY 1

Top Rail
Top Rail Splice Vertical-Adjustable



MOD 5311 | 165311

Aluminum	Anodized		
165311-02-00		Included	QTY 1

Hardware
System Hardware Countersunk Hexagon Head - Coarse Thread



QS-20 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-825	M8 (DIN 7991)	1.0"	QTY 50

QS-592 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-816	M8 (DIN 7991/ISO 10642)	0.63"	QTY 50

Hardware
System Hardware Hexagon Head - Coarse Thread



QS-590 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-516	M5 (DIN 912 / ISO 4762)	0.63"	QTY 50

QS-591 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-816	M8 (DIN 912 / ISO 4762)	0.63"	QTY 50

Hardware
System Hardware Countersunk Tapping Screw



QS-593 | 240212

316 SS	Dimensions / Thread	Length	
240212-619	1/4 (ISO 14586 / TX30-A4)	0.75"	QTY 50

QS-594 | 240929

316 SS	Dimensions / Thread	Length	
240929-620	M6 (DIN 7500 / TX30-A4)	0.79"	QTY 50


QS-595 | 240929

316 SS	Dimensions / Thread	Length	
240929-640	M6 (DIN 7500 / TX30-A4)	1.57"	QTY 50

Top Mount | Glass In Front of Posts

EASY ALU BOLD


TOP MOUNT
GLASS IN FRONT OF POSTS



Posts

Top Mount Post

Pre-Drilled



MOD 0596 | 160596

Aluminum Mill



160596-102-00-00 See Flange & Adapter L= 39.97" | QTY 1

Aluminum Brushed Anodized

160596-102-00-18 See Flange & Adapter L= 39.97" | QTY 1


Aluminum Textured Black

160596-102-00-85 See Flange & Adapter L= 39.97" | QTY 1

Posts

Top Mount Post

Not Pre-Drilled



MOD 0596 | 160596

Aluminum Mill



160596-600-99-00 See Flange & Adapter L= 20" | QTY 1

Aluminum Brushed Anodized


160596-600-99-18 See Flange & Adapter L= 20" | QTY 1

Aluminum Textured Black

160596-600-99-85 See Flange & Adapter L= 20" | QTY 1

Posts

Post Base Flange



MOD 9035 | 169035

Aluminum Mill



169035-00-00 QS-20 | QTY 4 QTY 1

Aluminum Brushed Anodized

169035-00-18 QS-20 | QTY 4 QTY 1


Aluminum Textured Black

169035-00-82 QS-20 | QTY 4 QTY 1

Posts

Top Rail Post Adapter

Straight



MOD 5310 | 165310

Aluminum Mill



165310-00-00 QS-593 | QTY 8 QTY 2

Aluminum Brushed Anodized

165310-00-18 QS-593 | QTY 8 QTY 2



Aluminum Textured Black

165310-00-82 QS-593 | QTY 8 QTY 2

Posts

Top Rail Post Adapter

Corner



MOD 5310 | 165310

Aluminum Mill



165310-90-00 QS-593 | QTY 6 QTY 2

Aluminum Brushed Anodized

165310-90-18 QS-593 | QTY 6 QTY 2


Aluminum Textured Black

165310-90-82 QS-593 | QTY 6 QTY 2

Posts

Top Rail Post Adapter

Angled



MOD 5310 | 165310

Aluminum Mill



165310-01-00 QS-593/20 | QTY 2/1 QTY 2

Aluminum Brushed Anodized

165310-01-18 QS-593/20 | QTY 2/1 QTY 2

Aluminum Textured Black

165310-01-82 QS-593/20 | QTY 2/1 QTY 2



TOP MOUNT
GLASS IN FRONT OF POSTS

EASY ALU BOLD

Posts

Bottom Glass Rail Post Adapter

H-Profile





MOD 5783 | 165783

Aluminum	Mill		
165783-00		QS-20 QTY 1	QTY 2
Aluminum	Brushed Anodized		
165783-18		QS-20 QTY 1	QTY 2
Aluminum	Textured Black		
165783-82		QS-20 QTY 1	QTY 2

Bottom Glass Rail

Bottom Glass Rail

H-Profile





MOD 5942 | 165942

Aluminum	Mill		
165942-060-00		QS-593 QTY 1	L= 20' QTY 1
Aluminum	Brushed Anodized		
165942-060-18		QS-593 QTY 1	L= 20' QTY 1
Aluminum	Textured Black		
165942-060-85		QS-593 QTY 1	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Underside Cover

H-Profile




MOD 5946 | 165946

Aluminum	Mill		
165946-060-00		Slide-In	L= 20' QTY 1
Aluminum	Brushed Anodized		
165946-060-18		Slide-In	L= 20' QTY 1
Aluminum	Textured Black		
165946-060-82		Slide-In	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Rubber Inlay

H-Profile




MOD 5142 | 155142

Rubber	5/16" Glass		
155142-060-08		Drop-In	L= 20' QTY 1
Rubber	3/8" Glass		
155142-060-11		Drop-In	L= 20' QTY 1
Rubber	9/16" Glass		
155142-060-14		Drop-In	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail End Cap

H-Profile




MOD 5782 | 165782

Aluminum	Mill		
165782-00		Included	QTY 2
Aluminum	Brushed Anodized		
165782-18		Included	QTY 2
Aluminum	Textured Black		
165782-82		Included	QTY 2

Bottom Glass Rail

Bottom Glass Rail Splice

Horizontal-Adjustable




MOD 5319 | 165319

Aluminum	Mill		
165319-01-00		Included	QTY 2
Aluminum	Brushed Anodized		
165319-01-18		Included	QTY 2
Aluminum	Textured Black		
165319-01-82		Included	QTY 2

Bottom Glass Rail

Bottom Glass Rail Splice

Vertical-Adjustable



MOD 5319 | 165319



Aluminum	Mill		
165319-02-00		Included	QTY 2
Aluminum	Brushed Anodized		
165319-02-18		Included	QTY 2
Aluminum	Textured Black		
165319-02-82		Included	QTY 2

TOP MOUNT
GLASS IN FRONT OF POSTS

EASY ALU BOLD

Top Rail

Top Rail




MOD 5941 | 165941

Aluminum	Mill		
165941-060-00		See Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
165941-060-18		See Adapter	L= 20' QTY 1
Aluminum	Textured Black		
165941-060-85		See Adapter	L= 20' QTY 1

Top Rail

Top Rail Wall Flange

Wall Mounted




MOD 5507 | 165507

Aluminum	Mill		
165507-00		QS-593 QTY 2	QTY 2
Aluminum	Brushed Anodized		
165507-18		QS-593 QTY 2	QTY 2
Aluminum	Textured Black		
165507-82		QS-593 QTY 2	QTY 2

Top Rail

Top Rail Glass Rubber Inlay




MOD 5140 | 155140

Rubber	5/16" Glass		
155140-060-08		Push-In	L= 20' QTY 1
Rubber	3/8" Glass		
155140-060-11		Push-In	L= 20' QTY 1
Rubber	9/16" Glass		
155140-060-14		Push-In	L= 20' QTY 1

Top Rail

Top Rail End Cap




MOD 5781 | 165781

Aluminum	Mill		
165781-00		Included	QTY 2
Aluminum	Brushed Anodized		
165781-18		Included	QTY 2
Aluminum	Textured Black		
165781-82		Included	QTY 2

Top Rail

Top Rail Underside Cover




MOD 5945 | 165945

Aluminum	Mill		
165945-060-00		Press Fit	L= 20' QTY 1
Aluminum	Brushed Anodized		
165945-060-18		Press Fit	L= 20' QTY 1
Aluminum	Textured Black		
165945-060-85		Press Fit	L= 20' QTY 1

Top Rail

Top Rail Splice Straight




MOD 5311 | 165311

Aluminum	Anodized		
165311-00-00		Included	QTY 1

Top Rail

Top Rail Splice Horizontal-Adjustable




MOD 5311 | 165311

Aluminum	Anodized		
165311-01-00		Included	QTY 1

Top Rail

Top Rail Splice Vertical-Adjustable



MOD 5311 | 165311

Aluminum	Anodized		
165311-02-00		Included	QTY 1

Hardware

System Hardware Countersunk Hexagon Head - Coarse Thread



QS-20 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-825	M8 (DIN 7991)	1.0"	QTY 50

QS-592 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-816	M8 (DIN 7991/ISO 10642)	0.63"	QTY 50

Hardware

System Hardware Hexagon Head - Coarse Thread



QS-590 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-516	M5 (DIN 912 / ISO 4762)	0.63"	QTY 50

QS-591 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-816	M8 (DIN 912 / ISO 4762)	0.63"	QTY 50

Hardware

System Hardware Countersunk Tapping Screw



QS-593 | 240212

316 SS	Dimensions / Thread	Length	
240212-619	1/4 (ISO 14586 / TX30-A4)	0.75"	QTY 50

QS-594 | 240929

316 SS	Dimensions / Thread	Length	
240929-620	M6 (DIN 7500 / TX30-A4)	0.79"	QTY 50


QS-595 | 240929

316 SS	Dimensions / Thread	Length	
240929-640	M6 (DIN 7500 / TX30-A4)	1.57"	QTY 50

TOP MOUNT
GLASS IN FRONT OF POSTS

EASY ALU BOLD


Fascia Mount | Glass In Between Posts



Posts

Fascia Mount Post

Pre-Drilled



MOD 0597 | 160597

Aluminum Mill



160597-122-00-00 See Bracket & Adapter L= 47.98" | QTY 1

Aluminum Brushed Anodized

160597-122-00-18 See Bracket & Adapter L= 47.98" | QTY 1


Aluminum Textured Black

160597-122-00-85 See Bracket & Adapter L= 47.98" | QTY 1

Posts

Fascia Mount Post

Not Pre-Drilled



MOD 0597 | 160597

Aluminum Mill



160597-600-00-00 See Bracket & Adapter L= 20' | QTY 1

Aluminum Brushed Anodized


160597-600-00-18 See Bracket & Adapter L= 20' | QTY 1

Aluminum Textured Black

160597-600-00-85 See Bracket & Adapter L= 20' | QTY 1

Posts

Fascia Mount Post Bracket



MOD 9037 | 169037

Aluminum Mill



169037-160-00-00 QS-20 | QTY 4 QTY 2

Aluminum Brushed Anodized

169037-160-00-18 QS-20 | QTY 4 QTY 2


Aluminum Textured Black

169037-160-00-82 QS-20 | QTY 4 QTY 2

Posts

Top Rail Post Adapter

Straight



MOD 5310 | 165310

Aluminum Mill



165310-00-00 QS-593 | QTY 8 QTY 2

Aluminum Brushed Anodized

165310-00-18 QS-593 | QTY 8 QTY 2



Aluminum Textured Black

165310-00-82 QS-593 | QTY 8 QTY 2

Posts

Top Rail Post Adapter

Corner



MOD 5310 | 165310

Aluminum Mill



165310-90-00 QS-593 | QTY 6 QTY 2

Aluminum Brushed Anodized

165310-90-18 QS-593 | QTY 6 QTY 2


Aluminum Textured Black

165310-90-82 QS-593 | QTY 6 QTY 2

Posts

Top Rail Post Adapter

Angled



MOD 5310 | 165310

Aluminum Mill



165310-01-00 QS-593/20 | QTY 2/1 QTY 2

Aluminum Brushed Anodized

165310-01-18 QS-593/20 | QTY 2/1 QTY 2

Aluminum Textured Black

165310-01-82 QS-593/20 | QTY 2/1 QTY 2


FASCIA MOUNT
GLASS IN BETWEEN POSTS

EASY ALU BOLD

Posts

Bottom Glass Rail Post Adapter

H-Profile




MOD 5784 | 165784

Aluminum	Mill		
165784-00		QS-591 QTY 1	QTY 1
Aluminum	Brushed Anodized		
165784-18		QS-591 QTY 1	QTY 1
Aluminum	Textured Black		
165784-82		QS-591 QTY 1	QTY 1

Posts

Bottom Glass Rail Post Adapter

Angled




MOD 5785 | 165785

Aluminum	Mill		
165785-00		QS-591 QTY 1	QTY 2
Aluminum	Brushed Anodized		
165785-18		QS-591 QTY 1	QTY 2
Aluminum	Textured Black		
165785-82		QS-591 QTY 1	QTY 2

Posts

Bottom Glass Rail Post Adapter

U-Profile




MOD 5787 | 165787

Aluminum	Anodized		
165787-07		QS-590 QTY 2	QTY 1

Posts

Fascia Mount Post End Cap





MOD 5789 | 165789

Aluminum	Mill		
165789-00		QS-593 QTY 2	QTY 2
Aluminum	Brushed Anodized		
165789-18		QS-593 QTY 2	QTY 2
Aluminum	Textured Black		
165789-82		QS-593 QTY 2	QTY 2

Bottom Glass Rail

Bottom Glass Rail

H-Profile





MOD 5942 | 165942

Aluminum	Mill		
165942-060-00		QS-593 QTY 1	L= 20' QTY 1
Aluminum	Brushed Anodized		
165942-060-18		QS-593 QTY 1	L= 20' QTY 1
Aluminum	Textured Black		
165942-060-85		QS-593 QTY 1	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail

U-Profile





MOD 5943 | 165943

Aluminum	Mill		
165943-060-00		See Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
165943-060-18		See Adapter	L= 20' QTY 1
Aluminum	Textured Black		
165943-060-85		See Adapter	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Underside Cover

H-Profile




MOD 5946 | 165946

Aluminum	Mill		
165946-060-00		Slide-In	L= 20' QTY 1
Aluminum	Brushed Anodized		
165946-060-18		Slide-In	L= 20' QTY 1
Aluminum	Textured Black		
165946-060-82		Slide-In	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Adapter Sleeve

U-Profile




MOD 5788 | 165788

Aluminum	Mill		
165788-00		Included	QTY 2
Aluminum	Brushed Anodized		
165788-18		Included	QTY 2
Aluminum	Textured Black		
165788-82		Included	QTY 2

Bottom Glass Rail

Bottom Glass Rail Rubber Inlay

H-Profile





MOD 5142 | 155142

Rubber	5/16" Glass		
155142-060-08		Drop-In	L= 20' QTY 1
Rubber	3/8" Glass		
155142-060-11		Drop-In	L= 20' QTY 1
Rubber	9/16" Glass		
155142-060-14		Drop-In	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Rubber Inlay

U-Profile



MOD 5143 | 155143


Rubber	5/16" Glass		
155143-060-08		Drop-In	L= 20' QTY 1
Rubber	3/8" Glass		
155143-060-11		Drop-In	L= 20' QTY 1
Rubber	9/16" Glass		
155143-060-14		Drop-In	L= 20' QTY 1

FASCIA MOUNT
GLASS IN BETWEEN POSTS

EASY ALU BOLD

Top Rail

Top Rail




MOD 5940 | 165940

Aluminum	Mill		
165940-060-00		See Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
165940-060-18		See Adapter	L= 20' QTY 1
Aluminum	Textured Black		
165940-060-85		See Adapter	L= 20' QTY 1

Top Rail

Top Rail End Cap




MOD 5780 | 165780

Aluminum	Mill		
165780-00		Included	QTY 2
Aluminum	Brushed Anodized		
165780-18		Included	QTY 2
Aluminum	Textured Black		
165780-82		Included	QTY 2

Top Rail

Top Rail Wall Flange

Wall Mounted




MOD 5507 | 165507

Aluminum	Mill		
165507-00		QS-593 QTY 2	QTY 2
Aluminum	Brushed Anodized		
165507-18		QS-593 QTY 2	QTY 2
Aluminum	Textured Black		
165507-82		QS-593 QTY 2	QTY 2

Top Rail

Top Rail Underside Cover




MOD 5945 | 165945

Aluminum	Mill		
165945-060-00		Press Fit	L= 20' QTY 1
Aluminum	Brushed Anodized		
165945-060-18		Press Fit	L= 20' QTY 1
Aluminum	Textured Black		
165945-060-85		Press Fit	L= 20' QTY 1

Top Rail

Top Rail Glass Rubber Inlay




MOD 5140 | 155140

Rubber	5/16" Glass		
155140-060-08		Push-In	L= 20' QTY 1
Rubber	3/8" Glass		
155140-060-11		Push-In	L= 20' QTY 1
Rubber	9/16" Glass		
155140-060-14		Push-In	L= 20' QTY 1

Top Rail

Top Rail Splice Straight




MOD 5311 | 165311

Aluminum	Anodized		
165311-00-00		Included	QTY 1

Top Rail

Top Rail Splice Horizontal-Adjustable




MOD 5311 | 165311

Aluminum	Anodized		
165311-01-00		Included	QTY 1

Top Rail

Top Rail Splice Vertical-Adjustable



MOD 5311 | 165311

Aluminum	Anodized		
165311-02-00		Included	QTY 1

Hardware

System Hardware Countersunk Hexagon Head - Coarse Thread



QS-20 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-825	M8 (DIN 7991)	1.0"	QTY 50

QS-592 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-816	M8 (DIN 7991/ISO 10642)	0.63"	QTY 50

Hardware

System Hardware Hexagon Head - Coarse Thread



QS-590 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-516	M5 (DIN 912 / ISO 4762)	0.63"	QTY 50

QS-591 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-816	M8 (DIN 912 / ISO 4762)	0.63"	QTY 50

Hardware

System Hardware Countersunk Tapping Screw



QS-593 | 240212

316 SS	Dimensions / Thread	Length	
240212-619	1/4 (ISO 14586 / TX30-A4)	0.75"	QTY 50


QS-594 | 240929

316 SS	Dimensions / Thread	Length	
240929-620	M6 (DIN 7500 / TX30-A4)	0.79"	QTY 50

QS-595 | 240929

316 SS	Dimensions / Thread	Length	
240929-640	M6 (DIN 7500 / TX30-A4)	1.57"	QTY 50


Fascia Mount | Glass In Front of Posts



Posts

Fascia Mount Post

Pre-Drilled



MOD 0597 | 160597

Aluminum Mill



160597-122-00-00 See Bracket & Adapter L= 47.98" | QTY 1

Aluminum Brushed Anodized

160597-122-00-18 See Bracket & Adapter L= 47.98" | QTY 1


Aluminum Textured Black

160597-122-00-85 See Bracket & Adapter L= 47.98" | QTY 1

Posts

Fascia Mount Post

Not Pre-Drilled



MOD 0597 | 160597

Aluminum Mill



160597-600-00-00 See Bracket & Adapter L= 20' | QTY 1

Aluminum Brushed Anodized


160597-600-00-18 See Bracket & Adapter L= 20' | QTY 1

Aluminum Textured Black

160597-600-00-85 See Bracket & Adapter L= 20' | QTY 1

Posts

Fascia Mount Post Bracket



MOD 9037 | 169037

Aluminum Mill



169037-160-00-00 QS-20 | QTY 4 QTY 2

Aluminum Brushed Anodized

169037-160-00-18 QS-20 | QTY 4 QTY 2


Aluminum Textured Black

169037-160-00-82 QS-20 | QTY 4 QTY 2

Posts

Top Rail Post Adapter

Straight



MOD 5310 | 165310

Aluminum Mill



165310-00-00 QS-593 | QTY 8 QTY 2

Aluminum Brushed Anodized

165310-00-18 QS-593 | QTY 8 QTY 2



Aluminum Textured Black

165310-00-82 QS-593 | QTY 8 QTY 2

Posts

Top Rail Post Adapter

Corner



MOD 5310 | 165310

Aluminum Mill



165310-90-00 QS-593 | QTY 6 QTY 2

Aluminum Brushed Anodized

165310-90-18 QS-593 | QTY 6 QTY 2


Aluminum Textured Black

165310-90-82 QS-593 | QTY 6 QTY 2

Posts

Top Rail Post Adapter

Angled



MOD 5310 | 165310

Aluminum Mill



165310-01-00 QS-593/20 | QTY 2/1 QTY 2

Aluminum Brushed Anodized

165310-01-18 QS-593/20 | QTY 2/1 QTY 2

Aluminum Textured Black

165310-01-82 QS-593/20 | QTY 2/1 QTY 2


FASCIA MOUNT
GLASS IN FRONT OF POSTS

EASY ALU BOLD

Posts

Bottom Glass Rail Post Adapter

H-Profile




MOD 5783 | 165783

Aluminum	Mill		
165783-00		QS-20 QTY 1	QTY 2
Aluminum	Brushed Anodized		
165783-18		QS-20 QTY 1	QTY 2
Aluminum	Textured Black		
165783-82		QS-20 QTY 1	QTY 2

Posts

Fascia Mount Post End Cap





MOD 5789 | 165789

Aluminum	Mill		
165789-00		QS-593 QTY 2	QTY 2
Aluminum	Brushed Anodized		
165789-18		QS-593 QTY 2	QTY 2
Aluminum	Textured Black		
165789-82		QS-593 QTY 2	QTY 2

Bottom Glass Rail

Bottom Glass Rail

H-Profile





MOD 5942 | 165942

Aluminum	Mill		
165942-060-00		QS-593 QTY 1	L= 20' QTY 1
Aluminum	Brushed Anodized		
165942-060-18		QS-593 QTY 1	L= 20' QTY 1
Aluminum	Textured Black		
165942-060-85		QS-593 QTY 1	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Underside Cover

H-Profile




MOD 5946 | 165946

Aluminum	Mill		
165946-060-00		Slide-In	L= 20' QTY 1
Aluminum	Brushed Anodized		
165946-060-18		Slide-In	L= 20' QTY 1
Aluminum	Textured Black		
165946-060-82		Slide-In	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Rubber Inlay

H-Profile




MOD 5142 | 155142

Rubber	5/16" Glass		
155142-060-08		Drop-In	L= 20' QTY 1
Rubber	3/8" Glass		
155142-060-11		Drop-In	L= 20' QTY 1
Rubber	9/16" Glass		
155142-060-14		Drop-In	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail End Cap

H-Profile




MOD 5782 | 165782

Aluminum	Mill		
165782-00		Included	QTY 2
Aluminum	Brushed Anodized		
165782-18		Included	QTY 2
Aluminum	Textured Black		
165782-82		Included	QTY 2

Bottom Glass Rail

Bottom Glass Rail Splice

Horizontal-Adjustable




MOD 5319 | 165319

Aluminum	Mill		
165319-01-00		Included	QTY 2
Aluminum	Brushed Anodized		
165319-01-18		Included	QTY 2
Aluminum	Textured Black		
165319-01-82		Included	QTY 2

Bottom Glass Rail

Bottom Glass Rail Splice

Vertical-Adjustable



MOD 5319 | 165319


Aluminum	Mill		
165319-02-00		Included	QTY 2
Aluminum	Brushed Anodized		
165319-02-18		Included	QTY 2
Aluminum	Textured Black		
165319-02-82		Included	QTY 2

FASCIA MOUNT
GLASS IN FRONT OF POSTS

EASY ALU BOLD

Top Rail

Top Rail




MOD 5941 | 165941

Aluminum	Mill		
165941-060-00		See Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
165941-060-18		See Adapter	L= 20' QTY 1
Aluminum	Textured Black		
165941-060-85		See Adapter	L= 20' QTY 1

Top Rail

Top Rail End Cap




MOD 5781 | 165781

Aluminum	Mill		
165781-00		Included	QTY 2
Aluminum	Brushed Anodized		
165781-18		Included	QTY 2
Aluminum	Textured Black		
165781-82		Included	QTY 2

Top Rail

Top Rail Wall Flange

Wall Mounted




MOD 5507 | 165507

Aluminum	Mill		
165507-00		QS-593 QTY 2	QTY 2
Aluminum	Brushed Anodized		
165507-18		QS-593 QTY 2	QTY 2
Aluminum	Textured Black		
165507-82		QS-593 QTY 2	QTY 2

Top Rail

Top Rail Underside Cover




MOD 5945 | 165945

Aluminum	Mill		
165945-060-00		Press Fit	L= 20' QTY 1
Aluminum	Brushed Anodized		
165945-060-18		Press Fit	L= 20' QTY 1
Aluminum	Textured Black		
165945-060-85		Press Fit	L= 20' QTY 1

Top Rail

Top Rail Glass Rubber Inlay




MOD 5140 | 155140

Rubber	5/16" Glass		
155140-060-08		Push-In	L= 20' QTY 1
Rubber	3/8" Glass		
155140-060-11		Push-In	L= 20' QTY 1
Rubber	9/16" Glass		
155140-060-14		Push-In	L= 20' QTY 1

Top Rail

Top Rail Splice Straight




MOD 5311 | 165311

Aluminum	Anodized		
165311-00-00		Included	QTY 1

Top Rail

Top Rail Splice Horizontal-Adjustable




MOD 5311 | 165311

Aluminum	Anodized		
165311-01-00		Included	QTY 1

Top Rail

Top Rail Splice Vertical-Adjustable



MOD 5311 | 165311

Aluminum	Anodized		
165311-02-00		Included	QTY 1

Hardware

System Hardware Countersunk Hexagon Head - Coarse Thread



QS-20 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-825	M8 (DIN 7991)	1.0"	QTY 50

QS-592 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-816	M8 (DIN 7991/ISO 10642)	0.63"	QTY 50

Hardware

System Hardware Hexagon Head - Coarse Thread



QS-590 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-516	M5 (DIN 912 / ISO 4762)	0.63"	QTY 50

QS-591 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-816	M8 (DIN 912 / ISO 4762)	0.63"	QTY 50

Hardware

System Hardware Countersunk Tapping Screw



QS-593 | 240212

316 SS	Dimensions / Thread	Length	
240212-619	1/4 (ISO 14586 / TX30-A4)	0.75"	QTY 50


QS-594 | 240929

316 SS	Dimensions / Thread	Length	
240929-620	M6 (DIN 7500 / TX30-A4)	0.79"	QTY 50

QS-595 | 240929

316 SS	Dimensions / Thread	Length	
240929-640	M6 (DIN 7500 / TX30-A4)	1.57"	QTY 50


Top Mount | Pickets In Between Posts



Posts

Top Mount Post

Pre-Drilled




MOD 0596 | 160596

Aluminum	Mill		
160596-102-00-00		See Flange & Adapter	L= 39.97" QTY 1
Aluminum	Brushed Anodized		
160596-102-00-18		See Flange & Adapter	L= 39.97" QTY 1
Aluminum	Textured Black		
160596-102-00-85		See Flange & Adapter	L= 39.97" QTY 1

Posts

Top Mount Post

Not Pre-Drilled




MOD 0596 | 160596

Aluminum	Mill		
160596-600-99-00		See Flange & Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
160596-600-99-18		See Flange & Adapter	L= 20' QTY 1
Aluminum	Textured Black		
160596-600-99-85		See Flange & Adapter	L= 20' QTY 1

Posts

Post Base Flange




MOD 9035 | 169035

Aluminum	Mill		
169035-00-00		QS-20 QTY 4	QTY 1
Aluminum	Brushed Anodized		
169035-00-18		QS-20 QTY 4	QTY 1
Aluminum	Textured Black		
169035-00-82		QS-20 QTY 4	QTY 1

Posts

Top Rail Post Adapter

Straight





MOD 5310 | 165310

Aluminum	Mill		
165310-00-00		QS-593 QTY 8	QTY 2
Aluminum	Brushed Anodized		
165310-00-18		QS-593 QTY 8	QTY 2
Aluminum	Textured Black		
165310-00-82		QS-593 QTY 8	QTY 2

Posts

Top Rail Post Adapter

Corner




MOD 5310 | 165310

Aluminum	Mill		
165310-90-00		QS-593 QTY 6	QTY 2
Aluminum	Brushed Anodized		
165310-90-18		QS-593 QTY 6	QTY 2
Aluminum	Textured Black		
165310-90-82		QS-593 QTY 6	QTY 2

Posts

Top Rail Post Adapter

Angled





MOD 5310 | 165310

Aluminum	Mill		
165310-01-00		QS-593/20 QTY 2/1	QTY 2
Aluminum	Brushed Anodized		
165310-01-18		QS-593/20 QTY 2/1	QTY 2
Aluminum	Textured Black		
165310-01-82		QS-593/20 QTY 2/1	QTY 2

Posts

Bottom Glass Rail Post Adapter

U-Profile



MOD 5787 | 165787

Aluminum

Anodized



165787-07


QS-590 | QTY 2

QTY 1

Picket Infill

Infill Picket

Square Profile



MOD 0535 | 160535

Aluminum

Mill



160535-060-00

QS-594 | QTY 2

L= 20' | QTY 1

Aluminum

Brushed Anodized

160535-060-18

QS-594 | QTY 2

L= 20' | QTY 1

Aluminum

Textured Black

160535-060-85


QS-594 | QTY 2

L= 20' | QTY 1

Picket Infill

Picket Infill

Round Profile



MOD 0536 | 160536

Aluminum

Mill



160536-060-00

QS-594 | QTY 2

L= 20' | QTY 1

Aluminum

Brushed Anodized

160536-060-18

QS-594 | QTY 2

L= 20' | QTY 1

Aluminum

Textured Black



160536-060-85

QS-594 | QTY 2

Picket Infill

Adapter

Angled



MOD 0539 | 160539

Aluminum

Mill



160539-00

QS-595 | QTY 1

QTY 2

Aluminum

Textured Black

160539-82


QS-595 | QTY 1

QTY 2

Bottom Glass Rail

Bottom Glass Rail

U-Profile




MOD 5943 | 165943

Aluminum	Mill		
165943-060-00		See Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
165943-060-18		See Adapter	L= 20' QTY 1
Aluminum	Textured Black		
165943-060-85		See Adapter	L= 20' QTY 1

Bottom Glass Rail

Bottom Glass Rail Adapter Sleeve

U-Profile




MOD 5788 | 165788

Aluminum	Mill		
165788-00		Included	QTY 2
Aluminum	Brushed Anodized		
165788-18		Included	QTY 2
Aluminum	Textured Black		
165788-82		Included	QTY 2

Bottom Glass Rail

Bottom Glass Rail Picket Adapter

U-Profile




MOD 0538 | 160538

Aluminum	Mill		
160538-060-00		Press-In	L= 20' QTY 1
Aluminum	Brushed Anodized		
160538-060-18		Press-In	L= 20' QTY 1
Aluminum	Textured Black		
160538-060-85		Press-In	L= 20' QTY 1

Top Rail

Top Rail




MOD 5940 | 165940

Aluminum	Mill		
165940-060-00		See Adapter	L= 20' QTY 1
Aluminum	Brushed Anodized		
165940-060-18		See Adapter	L= 20' QTY 1
Aluminum	Textured Black		
165940-060-85		See Adapter	L= 20' QTY 1

Top Rail

Top Rail Wall Flange Wall Mounted





MOD 5507 | 165507

Aluminum	Mill		
165507-00		QS-593 QTY 2	QTY 2
Aluminum	Brushed Anodized		
165507-18		QS-593 QTY 2	QTY 2
Aluminum	Textured Black		
165507-82		QS-593 QTY 2	QTY 2

Top Rail

Top Rail End Cap




MOD 5780 | 165780

Aluminum	Mill		
165780-00		Included	QTY 2
Aluminum	Brushed Anodized		
165780-18		Included	QTY 2
Aluminum	Textured Black		
165780-82		Included	QTY 2

Top Rail


Top Rail Picket Adapter



MOD 0537 | 160537

Aluminum	Mill		
160537-060-00		Slide-In	L= 20' QTY 1
Aluminum	Brushed Anodized		
160537-060-18		Slide-In	L= 20' QTY 1
Aluminum	Textured Black		
160537-060-85		Slide-In	L=20' QTY 1


Top Rail
Top Rail Splice Straight



MOD 5311 | 165311

Aluminum	Anodized		
165311-00-00		Included	QTY 1


Top Rail
Top Rail Splice Horizontal-Adjustable



MOD 5311 | 165311

Aluminum	Anodized		
165311-01-00		Included	QTY 1

Top Rail
Top Rail Splice Vertical-Adjustable



MOD 5311 | 165311

Aluminum	Anodized		
165311-02-00		Included	QTY 1

Hardware
System Hardware Countersunk Hexagon Head - Coarse Thread



QS-20 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-825	M8 (DIN 7991)	1.0"	QTY 50

QS-592 | MOD 0670 (240670)

316 SS	Dimensions / Thread	Length	
240670-816	M8 (DIN 7991/ISO 10642)	0.63"	QTY 50

Hardware
System Hardware Hexagon Head - Coarse Thread



QS-590 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-516	M5 (DIN 912 / ISO 4762)	0.63"	QTY 50

QS-591 | MOD 0680 (240680)

316 SS	Dimensions / Thread	Length	
240680-816	M8 (DIN 912 / ISO 4762)	0.63"	QTY 50

Hardware
System Hardware Countersunk Tapping Screw



QS-593 | 240212

316 SS	Dimensions / Thread	Length	
240212-619	1/4 (ISO 14586 / TX30-A4)	0.75"	QTY 50

QS-594 | 240929

316 SS	Dimensions / Thread	Length	
240929-620	M6 (DIN 7500 / TX30-A4)	0.79"	QTY 50

QS-595 | 240929

316 SS	Dimensions / Thread	Length	
240929-640	M6 (DIN 7500 / TX30-A4)	1.57"	QTY 50



IT'S TIME TO START THINKING BOLD

Contact Q-railing Today

sales.us@q-railing.com



Q-railing



WWW.Q-RAILING.COM

Q-railing - North America

Q-RAILING CALIFORNIA

14321 Franklin Ave.
Tustin, CA 92780 - USA

T. +1 714 259 1372
F. +1 714 259 1720
sales.us@q-railing.com

Q-RAILING NEW YORK

2555 Stillwell Avenue
Brooklyn, NY 11223 - USA

T. +1 718 266 2662
F. +1 718 266 2667
sales.ny@q-railing.com

Q-RAILING FLORIDA

3734 Mercy Star Court, Suite 130
Orlando, FL 32808 - USA

T. +1 714 259 1372
F. +1 714 259 1720
sales.us@q-railing.com

THE PREMIUM BRAND IN RAILING SYSTEMS

Q-railing