

Eleonore Gold Mine Area James Bay Region, Quebec, Canada



Drill hole (D)

- Collar location (Azimut's properties and Cheechoo property)

Drilling results over core lengths (true widths unknown)

Rock samples (Azimut and partners)

- ≥ 1 g/t Au
- 0.1 - 1 g/t Au

Inex Prospect
up to 50.9 g/t Au

Charles Prospect
up to 35.9 g/t Au

Smiley Prospect
4.24 g/t Au / 1 m (D)

OPINACA A
(Azimut / Everton)

OPINACA D
(Azimut)

7.32 g/t Au (soil)

Cheechoo Property
(Sirios)

ELEONORE MINE (Goldcorp)

Surface projection
Proven and probable reserves:
23.44 Mt @ 6.07 g/t Au (4.57 Moz Au)
Measured and indicated resources:
5.14 Mt @ 5.66 g/t Au (0.93 Moz Au)
Inferred resources:
9.73 Mt @ 7.52 g/t Au (2.35 Moz Au)
(as of June 30, 2016)

Eleonore Property (Goldcorp)

FD Prospect

Moni Prospect
49.18 g/t Au / 4 m (channel)

JT Prospect

OPINACA B
(Azimut / Everton / Hecla Option)

Dominic Prospect

Claude Prospect
0.22 g/t Au / 187 m
incl. 1 g/t Au / 21.5 m (D)

P n lope Prospect
4.26 g/t Au

D8 Prospect
2.3 g/t Au / 1.0 m (channel)
0.55 g/t Au / 4.0 m (channel)

10 km



ELEONORE SOUTH
(Azimut / Goldcorp / Eastmain)

4.9 g/t Au / 45.0 m (Hole ES17-64)

See close-up on Figure 2

Figure 1 - Press release dated May 30, 2017

75°50'W

76°20'W


76°30'W


75°40'W


52°45'N


52°45'N

Access road









Summary of Drilling Results (Phase 2) Eleonore South Property (Azimut-Eastmain-Goldcorp JV)

Hole #	UTM zone 18 - NAD83		Azimuth	Inclination	Length (m)		Au (g/t)	Intercepts (m)			Vertical Depth (m)
	Easting	Northing						Length	From	To	
ES17-69	437,334	5,829,578	N320°	-50°	231		0.49	3.0	51.0	54.0	50.9
							1.07	1.1	62.9	64.0	58.7
							2.01	3.7	110.5	114.2	102.0
							1.20	6.0	136.5	142.5	133.4
							0.54	3.0	187.5	190.5	162.3
ES17-70	437,494	5,829,381	N320°	-50°	231		0.50	3.0	37.5	40.5	37.5
							0.84	3.0	58.5	61.5	54.3
							6.61	3.0	71.0	74.0	63.6
							13.03	1.5	72.5	74.0	64.2
							0.61	4.5	90.0	94.5	86.9
							Incl.	1.40	1.5	91.5	93.0
ES17-71	437,172	5,829,555	N320°	-50°	135		1.38	6.4	38.6	45.0	28.3
							4.97	1.5	94.5	96.0	72.2
ES17-72	437,107	5,829,305	N320°	-50°	231		0.56	4.5	163.5	168.0	126.9
ES17-73	436,716	5,829,535	N320°	-50°	231		0.24	3.0	145.5	148.5	134.4

Reported intervals are along core length and may not represent the true width of intervals. Uncut gold grades. Vertical depth is measured from the surface to the mid-point of the reported interval.