

**Table 2**  
**All Intersections**

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)	
<b>AREA 134</b>	UDD19458	4609	12605	1084	51	89	59	16.70	17.20	0.50	6.5	0.4	
	UDD19459	4600	12611	1086	80	241	47	3.40	3.90	0.50	5.4	0.4	
							and	5.40	5.80	0.40	8.5	0.3	
							and	12.90	13.90	1.00	6.2	0.7	
							and	19.40	21.20	1.80	11.4	1.3	
	UDD19460	4613	12601	1084	73	157	51	8.10	8.60	0.50	5.7	0.4	
							and	38.90	39.50	0.60	10.1	0.4	
	UDD19462	4595	12627	1089	77	283	51	1.00	2.60	1.60	42.2	1.1	
	UDD19463	4599	12625	1088	58	84	59	1.10	2.10	1.00	13.6	0.7	
							and	56.90	58.10	1.20	11.1	0.8	
<b>BALTIC</b>	UDD19075	4175	11771	942	-55	189	18	No Significant Intersections					
<b>CARIBBEAN</b>	UDD19091	4758	11461	1281	31	164	68	55.95	56.95	1.00	5.1	0.7	
	UDD19278	4800	11854	1178	-3	298	85	66.20	67.50	1.30	33.2	0.9	
							and	70.20	70.70	0.50	18.7	0.4	
							and	76.20	76.75	0.55	21.7	0.4	
							and	78.95	79.45	0.50	13.4	0.4	
	UDD19279	4800	11854	1179	24	287	38	17.95	18.30	0.35	8.2	0.2	
						and	19.85	20.20	0.35	5.4	0.2		
<b>CASPIAN</b>	UDD19217	4313	11055	1271	-21	350	31	10.70	11.70	1.00	5.2	0.7	
							and	18.30	20.95	2.65	17.4	1.9	
		UDD19218	4313	11055	1274	4	333	27	No Significant Intersections				
		UDD19305	4796	11052	1269	-36	72	98	27.35	28.65	1.30	8.1	0.9
							and	37.80	38.10	0.30	9.1	0.2	
		UDD19416	4786	11051	1273	57	189	21	No Significant Intersections				
	UDD19418	4786	11050	1270	1	189	36	25.75	26.05	0.30	7.6	0.2	
	UDD19420	4786	11050	1272	27	189	30	17.60	18.10	0.50	39.3	0.4	
	UDD19422	4776	11048	1271	9	230	54	No Significant Intersections					
	UDD19424	4776	11048	1271	9	251	48	8.80	9.80	1.00	6.0	0.7	
						and	10.80	11.80	1.00	6.5	0.7		
	UDD19425	4789	11049	1271	0	171	51	10.40	11.00	0.60	5.4	0.4	
	UDD19427	4789	11049	1270	-28	171	75	No Significant Intersections					
	UDD19428	4790	11050	1269	-62	171	42	No Significant Intersections					
	UDD19429	4796	11048	1270	-3	131	93	No Significant Intersections					

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
<b>CASPIAN</b>	UDD19430	4796	11049	1270	-58	147	81	28.70	40.15	11.45	11.7	7.4
						Including		28.70	30.05	1.35	31.0	0.9
						and		32.50	33.20	0.70	12.5	0.5
						and		34.50	36.75	2.25	18.2	1.6
						and		39.70	40.15	0.45	74.6	0.3
	UDD19432	4795	11048	1272	31	147	162	149.50	161.50	12.00	4.9	7.8
						Including		150.55	154.00	3.45	7.8	2.4
						and		156.00	157.00	1.00	5.3	0.7
	UDD19433	4796	11048	1271	12	147	141	No Significant Intersections				
	UDD19434	4796	11048	1273	36	131	148	126.60	127.10	0.50	10.6	0.4
<b>INDIAN</b>	UDD19312	3905	11552	1007	40	261	97	No Significant Intersections				
	UDD19313	3905	11551	1007	44	251	97	7.20	7.80	0.60	33.6	0.4
	UDD19314	3905	11551	1007	39	247	121	No Significant Intersections				
	UDD19315	3906	11551	1007	43	244	103	No Significant Intersections				
	UDD19317	3906	11551	1008	51	240	89	No Significant Intersections				
	UDD19321	3907	11549	1008	53	205	82	34.40	35.50	1.10	24.7	0.8
	UDD19322	3908	11549	1009	58	193	72	No Significant Intersections				
	UDD19324	3908	11549	1009	61	178	71	18.65	19.15	0.50	5.0	0.4
						and		61.90	62.40	0.50	7.6	0.4
	UDD19325	3905	11551	1007	39	254	110	94.10	95.40	1.30	7.1	0.9
	UDD19326	3906	11552	1008	45	260	100	No Significant Intersections				
	UDD19409	4342	11459	1098	14	134	14	No Significant Intersections				
	UDD19500	4008	11141	1206	-49	188	24	No Significant Intersections				
	UDD19501	4008	11141	1206	-25	197	33	26.45	28.05	1.60	9.2	1.1
	UDD19502	4008	11141	1206	-29	222	36	31.30	32.20	0.90	8.2	0.6
	UDD19503	4008	11149	1207	-16	235	51	No Significant Intersections				
	UDD19504	4008	11149	1206	-38	233	39	No Significant Intersections				
	UDD19505	4008	11149	1206	-39	253	45	No Significant Intersections				
	UDD19506	4009	11149	1206	-55	230	33	30.70	31.70	1.00	5.4	0.7
	UDD19507	4008	11141	1206	-44	228	36	25.60	26.30	0.70	13.7	0.5
	UDD19508	4008	11141	1206	-71	175	39	21.20	21.55	0.35	6.6	0.2
	UDD19509	4013	11148	1206	-44	139	51	11.10	11.70	0.60	8.7	0.4
						and		34.00	34.60	0.60	10.6	0.4
	UDD19510	4019	11143	1207	31	39	14	1.90	7.80	5.90	3.9	3.8
						Including		1.90	2.20	0.30	10.2	0.2
						and		6.00	7.80	1.80	5.6	1.3
	UDD19511	4019	11143	1205	-12	39	22	No Significant Intersections				
	UDD19513	4023	11139	1206	26	39	14	No Significant Intersections				
	UDD19515	4013	11149	1206	-45	49	24	2.90	4.55	1.65	6.9	1.2
	UDD19558	4451	11239	1251	-18	94	52	No Significant Intersections				

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
INDIAN	UDD19559	4451	11239	1251	-13	57	80	34.70	37.20	2.50	10.8	1.8
	UDD19560	4451	11239	1251	-12	47	70	34.00	35.00	1.00	5.1	0.7
							and	56.60	57.30	0.70	5.3	0.5
	UDD19561	4256	11265	1241	-35	114	78	No Significant Intersections				
	UDD19562	4256	11265	1241	-27	105	95	48.40	48.90	0.50	7.8	0.4
							and	71.60	73.25	1.65	29.0	1.2
	UDD19563	4256	11265	1241	-40	104	74	67.20	69.20	2.00	6.20	1.4
							Including	67.20	67.80	0.60	9.9	0.4
							and	68.80	69.20	0.40	14.5	0.3
	UDD19564	4256	11265	1241	-45	87	64	27.40	28.35	0.95	11.4	0.7
							and	48.30	48.80	0.50	7.6	0.4
	UDD19565	4256	11265	1241	-47	72	56	No Significant Intersections				
	UDD19566	4256	11265	1241	-38	82	72	66.35	67.05	0.70	9.3	0.5
	UDD19567	4256	11265	1241	-36	92	75	66.15	66.75	0.60	5.7	0.4
	UDD19568	4256	11267	1241	-30	90	102	79.40	79.80	0.40	14.0	0.3
						and	81.40	81.90	0.50	12.6	0.4	
						and	87.90	88.80	0.90	16.4	0.6	
UDD19569	4256	11267	1241	-24	83	116	44.50	45.80	1.30	10.9	0.9	
						and	81.60	82.60	1.00	7.6	0.7	
						and	102.10	103.00	0.90	8.6	0.6	
PACIFIC	UDD17710	4895	13002	1192	29	212	114	33.59	38.01	4.42	8.2	2.9
						Including	34.54	35.65	1.11	17.8	0.8	
						and	36.01	37.01	1.00	8.0	0.7	
	UDD17711	4890	13006	1191	28	244	124	No Significant Intersections				
	UDD17713	4890	13006	1192	48	243	104	3.50	4.30	0.80	8.0	0.6
							and	77.65	78.30	0.65	16.2	0.5
	UDD17714	4890	13006	1193	57	253	95	1.80	2.50	0.70	9.2	0.5
							and	82.60	83.20	0.60	7.3	0.4
	UDD18026	5087	13108	1182	29	168	12	No Significant Intersections				
	UDD18027	5068	13108	1183	57	349	15	No Significant Intersections				
	UDD18028	5060	13108	1184	69	348	15	No Significant Intersections				
	UDD18029	5048	13111	1183	78	336	12	No Significant Intersections				
	UDD18030	5069	13106	1184	90	348	15	No Significant Intersections				
	UDD18031	5076	13106	1183	38	168	21	4.00	7.90	3.90	18.2	2.7
	UDD18032	5077	13108	1184	85	168	13	0.60	2.30	1.70	6.4	1.2
UDD18033	5086	13108	1184	57	168	8	No Significant Intersections					
UDD18050	5072	13104	1182	26	164	53	No Significant Intersections					
UDD18051	5081	13107	1182	23	164	62	6.75	7.45	0.70	16.2	0.5	
						and	8.70	9.85	1.15	33.4	0.8	
						and	17.55	18.10	0.55	5.8	0.4	

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)		
PACIFIC	UDD18052	5082	13107	1181	0	164	22	No Significant Intersections						
	UDD18053	5092	13109	1182	20	164	55	41.70	42.70	1.00	15.2	0.7		
	UDD18054	5100	13111	1182	16	153	63	2.00	5.40	3.40	6.0	2.4		
								Including		2.00	3.50	1.50	9.1	1.1
								and		4.70	5.40	0.70	5.7	0.5
								and		49.90	50.90	1.00	11.8	0.7
	UDD18055	5100	13111	1182	26	164	74	4.40	5.20	0.80	18.8	0.6		
	UDD18056	5092	13109	1181	-6	164	18	1.00	2.00	1.00	5.8	0.7		
	UDD19436	5021	12959	1182	45	160	59	2.25	2.85	0.60	8.0	0.4		
	UDD19437	5021	12958	1180	15	160	50	1.00	1.65	0.65	11.7	0.5		
	UDD19438	5022	12960	1180	30	120	105	No Significant Intersections						
	UDD19439	5021	12960	1182	60	120	68	55.35	57.25	1.90	5.9	1.3		
								Including		55.35	55.85	0.50	8.3	0.4
								and		56.20	57.25	1.05	6.7	0.7
	UDD19440	5021	12959	1181	35	140	92	No Significant Intersections						
	UDD19441	5009	12963	1181	45	160	59	0.00	0.70	0.70	15.7	0.5		
								and		20.40	20.70	0.30	7.4	0.2
	UDD19443	5010	12962	1180	20	160	73	No Significant Intersections						
	UDD19444	5010	12962	1180	25	180	80	7.80	8.40	0.60	6.4	0.4		
	UDD19445	5010	12962	1181	45	180	56	0.00	0.50	0.50	9.5	0.4		
	UDD19446	5010	12963	1182	60	200	55	1.00	3.50	2.50	7.8	1.8		
	UDD19447	5010	12962	1181	40	200	68	8.60	9.60	1.00	18.8	0.7		
	UDD19450	4983	12974	1180	30	170	74	No Significant Intersections						
	UDD19451	4983	12974	1181	45	200	77	24.20	25.30	1.10	9.7	0.8		
	UDD19452	4983	12975	1182	70	220	84	53.60	54.50	0.90	5.5	0.6		
	UDD19453	4983	12974	1181	40	220	86	No Significant Intersections						
	UDD19455	5009	12963	1181	45	220	68	0.00	1.10	1.10	23.3	0.8		
								and		12.10	12.60	0.50	6.2	0.4
	UDD19493	4892	12877	1163	30	10	98	87.60	88.60	1.00	5.8	0.7		
	UDD19494	4892	12877	1162	-10	10	86	48.35	49.35	1.00	5.6	0.7		
								and		79.70	80.60	0.90	9.4	0.6
	UDD19495	4892	12877	1163	20	20	94	No Significant Intersections						
	UDD19496	4892	12877	1162	0	20	81	63.80	64.35	0.55	9.1	0.4		
	UDD19497	4892	12877	1163	35	40	90	No Significant Intersections						
	UDD19498	4892	12877	1162	10	40	90	No Significant Intersections						
	UDD19499	4892	12877	1162	-15	40	71	No Significant Intersections						