

Table 2
All Intersections

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)		
AREA 134	UDD19456	4643	12601	1079	57	98	42	22.70	23.70	1.00	16.8	0.7		
								28.25	28.75	0.50	5.2	0.4		
	UDD19457	4628	12598	1081	75	92	46	3.70	5.35	1.65	32.2	1.2		
								44.10	44.60	0.50	12.1	0.4		
	UDD19461	4611	12597	1083	47	269	56	16.00	16.80	0.80	5.5	0.6		
								23.95	24.25	0.30	11.4	0.2		
							52.00	52.40	0.40	9.5	0.3			
	UDD19516	4751	12330	1063	39	304	72	No Significant Intersections						
	UDD19517	4724	12339	1061	85	130	21	No Significant Intersections						
	UDD19518	4725	12298	1076	53	10	56	18.70	19.20	0.50	12.7	0.4		
								24.10	24.60	0.50	14.5	0.4		
								53.00	53.40	0.40	10.2	0.3		
	UDD19519	4726	12297	1074	26	15	83	47.60	48.80	1.20	38.3	0.8		
								55.00	55.60	0.60	14.1	0.4		
								58.80	59.30	0.50	5.2	0.4		
	UDD19520	4732	12350	1060	84	358	40	28.30	30.25	1.95	11.1	1.4		
								33.60	35.30	1.70	9.1	1.2		
								Including		33.60	34.30	0.70	12.5	0.5
								And		34.85	35.30	0.45	14.3	0.3
	UDD19521	4739	12293	1072	39	2	75	35.35	36.00	0.65	8.8	0.5		
								37.70	38.15	0.45	67.7	0.3		
								46.90	51.50	4.60	5.8	3.2		
								Including		46.90	48.60	1.70	7.9	1.2
								And		50.60	51.50	0.90	9.1	0.6
	UDD19522	4726	12294	1077	83	39	47	22.40	23.55	1.15	18.5	0.8		
								32.60	33.00	0.40	15.0	0.3		
	UDD19523	4739	12293	1074	57	339	56	25.20	27.50	2.30	22.6	1.6		
								Including		25.20	26.20	1.00	24.8	0.7
								And		26.80	27.50	0.70	38.1	0.5
								37.00	37.40	0.40	9.1	0.3		
	UDD19524	4740	12293	1073	52	20	61	18.40	19.75	1.35	17.7	0.9		
								21.25	21.85	0.60	13.9	0.4		
								38.80	39.10	0.30	5.2	0.2		
	UDD19525	4737	12289	1075	84	227	49	20.60	21.30	0.70	10.0	0.5		
								36.30	36.80	0.50	5.7	0.4		

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)		
AREA 134	UDD19526	4739	12289	1074	49	192	35	No Significant Intersections						
	UDD19527	4745	12289	1073	70	181	43	No Significant Intersections						
	UDD19528	4702	12272	1070	80	88	50	16.00	21.60	5.60	9.30	3.9		
								Including		16.00	17.00	1.00	5.3	0.7
								And		17.35	18.25	0.90	20.2	0.6
								And		18.75	19.60	0.85	19.3	0.6
								And		20.00	20.30	0.30	16.1	0.2
								30.80	31.35	0.55	13.3	0.4		
								38.00	39.00	1.00	14.2	0.7		
	UDD19529	4757	12290	1071	58	141	36	No Significant Intersections						
	UDD19530	4763	12300	1069	69	310	56	No Significant Intersections						
	UDD19531	4765	12298	1070	60	128	57	No Significant Intersections						
	UDD19532	4766	12298	1069	50	115	56	No Significant Intersections						
	UDD19533	4766	12299	1070	68	110	59	55.80	56.55	0.75	5.1	0.5		
	UDD19534	4769	12307	1067	37	102	56	No Significant Intersections						
	UDD19535	4769	12307	1067	38	94	76	No Significant Intersections						
	UDD19536	4769	12316	1065	24	62	79	No Significant Intersections						
	UDD19537	4769	12315	1066	35	60	78	68.60	68.90	0.30	10.1	0.2		
	UDD19538	4769	12314	1067	58	64	62	50.05	50.60	0.55	8.8	0.4		
	UDD19539	4758	12325	1066	62	213	29	No Significant Intersections						
	UDD19540	4758	12324	1066	83	218	29	22.20	24.50	2.30	5.50	1.6		
								Including		22.70	23.40	0.70	11.5	0.5
								And		24.00	24.50	0.50	6.7	0.4
	UDD19541	4766	12321	1066	48	58	44	No Significant Intersections						
	UDD19542	4765	12321	1067	70	58	53	43.60	45.10	1.50	16.4	1.1		
	UDD19543	4765	12321	1067	81	78	48	No Significant Intersections						
	UDD19544	4764	12325	1063	3	31	75	No Significant Intersections						
	UDD19545	4763	12325	1066	63	37	55	39.65	39.95	0.30	5.0	0.2		
								40.25	40.60	0.35	18.9	0.2		
								52.35	53.60	1.25	23.2	0.9		
	UDD19546	4763	12325	1065	36	22	33	No Significant Intersections						
	UDD19547	4757	12370	1054	27	106	97	No Significant Intersections						
	UDD19548	4763	12325	1065	19	14	38	No Significant Intersections						
	UDD19549	4752	12330	1063	33	354	93	42.80	43.30	0.50	104.0	0.4		
								80.70	81.70	1.00	6.3	0.7		
	UDD19550	4746	12366	1057	65	313	35	No Significant Intersections						
	UDD19551	4752	12329	1064	61	351	57	31.90	32.50	0.60	192.0	0.4		
								41.90	43.80	1.90	7.4	1.3		
	UDD19552	4752	12330	1062	20	12	56	No Significant Intersections						
	UDD19553	4752	12330	1064	43	11	77	50.80	53.70	2.90	8.10	2.0		

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
AREA 134						Including		50.80	52.10	1.30	9.2	0.9
						And		53.10	53.70	0.60	17.2	0.4
								61.45	61.75	0.30	6.8	0.2
								73.90	74.30	0.40	53.7	0.3
	UDD19554	4754	12328	1065	73	28	56	38.70	39.20	0.50	19.8	0.4
								53.00	53.40	0.40	9.7	0.3
	UDD19555	4759	12328	1062	3	8	52	No Significant Intersections				
	UDD19556	4761	12327	1066	53	12	65	38.55	39.55	1.00	6.1	0.7
								40.55	41.10	0.55	5.8	0.4
								57.70	63.40	5.70	19.6	4.0
						Including		58.70	59.70	1.00	83.9	0.7
						And		60.70	62.70	2.00	10.8	1.4
	UDD19557	4759	12328	1062	10	12	56	No Significant Intersections				
	UDD19705	4974	12294	1153	9	340	140	No Significant Intersections				
	UDD19706	4975	12294	1153	22	340	96	11.65	13.10	1.45	22.6	1.0
								17.35	19.65	2.30	7.6	1.6
						Including		17.35	18.45	1.10	10.4	0.8
						And		18.95	19.65	0.70	7.6	0.5
								28.30	28.60	0.30	9.0	0.2
								68.95	69.60	0.65	12.8	0.5
	UDD19707	4977	12294	1153	21	360	111	13.35	14.20	0.85	18.6	0.6
								16.20	17.10	0.90	5.9	0.6
								23.50	27.30	3.80	8.0	2.7
						Including		24.15	25.15	1.00	22.1	0.7
						And		25.90	26.40	0.50	5.1	0.4
	UDD19708	4977	12294	1153	11	359	138	16.05	17.05	1.00	6.8	0.7
								31.00	31.35	0.35	6.8	0.2
	UDD19709	4976	12294	1152	0	360	143	21.95	22.25	0.30	83.3	0.2
								26.25	27.90	1.65	18.8	1.2
								35.90	36.30	0.40	5.8	0.3
	UDD19710	4974	12294	1152	-9	340	140	65.20	65.50	0.30	5.4	0.2
								109.10	109.50	0.40	5.1	0.3
	UDD19711	4977	12294	1152	-10	360	143	35.15	35.65	0.50	55.1	0.4
	UDD19712	4980	12294	1153	19	20	135	15.60	16.10	0.50	14.6	0.4
								28.90	29.70	0.80	7.0	0.6
								36.90	37.40	0.50	19.7	0.4
	UDD19713	4979	12295	1153	8	20	181	20.10	20.50	0.40	43.6	0.3
								37.00	37.70	0.70	5.9	0.5
								91.30	92.20	0.90	11.0	0.6
	UDD19714	4979	12295	1152	0	20	178	28.90	29.50	0.60	19.6	0.4

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)		
AREA 134								42.30	43.30	1.00	7.4	0.7		
								44.30	45.30	1.00	6.5	0.7		
								53.70	54.70	1.00	6.2	0.7		
	UDD19715	4979	12295	1152	-8	20	178	58.55	59.15	0.60	7.1	0.4		
								141.25	141.80	0.55	14.7	0.4		
	UDD19716	4974	12294	1152	1	340	140	18.70	19.70	1.00	17.6	0.7		
								26.50	27.00	0.50	7.3	0.4		
CARIBBEAN	UDD19090	4759	11461	1279	-5	170	77	16.10	17.10	1.00	5.5	0.7		
								33.70	34.10	0.40	10.7	0.3		
	UDD19659	4571	11698	1106	-17	149	40	No Significant Intersections						
	UDD19660	4571	11698	1106	-30	149	35	No Significant Intersections						
	UDD19661	4571	11699	1105	-60	149	30	No Significant Intersections						
	UDD19662	4572	11699	1105	-25	125	29	No Significant Intersections						
	UDD19663	4571	11699	1105	-43	125	29	No Significant Intersections						
	UDD19664	4570	11699	1105	-65	180	32	1.30	1.70	0.40	30.8	0.3		
								19.40	19.80	0.40	7.3	0.3		
								21.10	21.80	0.70	6.5	0.5		
								28.50	28.80	0.30	7.2	0.2		
	UDD19665	4571	11699	1105	-45	180	30	1.30	1.60	0.30	8.6	0.2		
								27.10	28.10	1.00	19.0	0.7		
	UDD19666	4576	11706	1104	-50	40	53	33.80	36.60	2.80	7.9	2.0		
								Including		33.80	34.30	0.50	11.6	0.4
								And		35.40	35.90	0.50	24.4	0.4
	UDD19667	4576	11706	1104	-37	40	53	No Significant Intersections						
CASPIAN	UDD19415	4790	11050	1274	58	158	15	2.00	3.00	1.00	9.9	0.7		
								10.50	11.10	0.60	5.3	0.4		
	UDD19417	4787	11054	1274	58	9	21	13.30	14.30	1.00	5.2	0.7		
	UDD19419	4791	11053	1274	55	35	12	No Significant Intersections						
	UDD19421	4787	11052	1274	88	9	17	9.20	9.70	0.50	5.9	0.4		
	UDD19423	4776	11047	1273	39	230	44	20.35	20.70	0.35	5.8	0.2		
								23.80	24.10	0.30	5.9	0.2		
								37.70	40.80	3.10	6.6	2.2		
								Including		37.70	39.60	1.90	7.9	1.3
								And		40.10	40.80	0.70	5.2	0.5
	UDD19426	4789	11050	1272	26	171	40	No Significant Intersections						
	UDD19431	4795	11048	1270	-21	147	205	166.90	167.40	0.50	8.7	0.4		
	UDD19435	4795	11048	1270	-33	132	66	42.60	44.40	1.80	9.6	1.3		
								Including		42.60	43.10	0.50	7.4	0.4
								And		43.70	44.40	0.70	17.5	0.5
								48.90	49.30	0.40	5.7	0.3		

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CASPIAN								56.40	56.80	0.40	8.8	0.3
	UDD19637	4347	10957	1334	-65	212	26	20.00	22.00	2.00	8.4	1.4
							Including	20.00	20.70	0.70	12.9	0.5
							And	21.00	22.00	1.00	7.2	0.7
	UDD19638	4345	10956	1334	-51	236	11	9.40	10.10	0.70	46.2	0.5
	UDD19639	4360	10948	1333	-77	204	20	2.50	3.20	0.70	10.7	0.5
	UDD19640	4384	10940	1333	-70	184	18	No Significant Intersections				
	UDD19641	4380	10939	1333	-61	215	18	No Significant Intersections				
	UDD19642	4376	10950	1333	-66	212	39	No Significant Intersections				
	UDD19643	4377	10951	1333	-73	212	44	No Significant Intersections				
	UDD19644	4376	10943	1332	-76	182	45	No Significant Intersections				
	UDD19645	4373	10948	1332	-62	254	39	No Significant Intersections				
	UDD19646	4353	10952	1334	-82	202	35	21.20	21.80	0.60	32.0	0.4
	UDD19647	4353	10950	1334	-63	198	15	2.00	2.50	0.50	42.6	0.4
	UDD19648	4375	10950	1333	-69	251	47	No Significant Intersections				
CORTEZ	UDD19613	4876	12124	1161	15	10	178	71.40	72.60	1.20	34.40	0.8
							Including	71.40	71.70	0.30	56.20	0.21
							And	72.30	72.60	0.30	74.20	0.2
	UDD19614	4876	12124	1161	20	5	168	14.05	15.05	1.00	6.4	0.7
								50.60	51.25	0.65	6.0	0.5
								66.00	66.40	0.40	14.8	0.3
								68.70	71.10	2.40	5.3	1.7
	UDD19615	4876	12124	1161	10	5	180	87.30	89.00	1.70	10.6	1.2
								126.00	127.00	1.00	11.4	0.7
	UDD19616	4875	12124	1161	20	21	199	99.70	100.00	0.30	9.7	0.2
								157.20	158.40	1.20	11.5	0.8
	UDD19617	4876	12124	1161	13	21	160	106.80	107.80	1.00	8.1	0.7
								122.90	123.90	1.00	5.6	0.7
	UDD19618	4876	12124	1161	15	0	167	111.40	115.40	4.00	36.5	2.8
	UDD19619	4875	12124	1161	23	350	165	No Significant Intersections				
	UDD19620	4876	12124	1161	20	355	160	79.20	79.90	0.70	5.3	0.5
								82.60	83.15	0.55	13.0	0.4
	UDD19621	4876	12124	1161	7	15	188	100.30	101.70	1.40	29.1	1.0
								106.85	109.40	2.55	7.3	1.8
							Including	106.85	107.85	1.00	9.0	0.7
							And	108.45	109.40	0.95	8.7	0.7
								113.00	117.10	4.10	11.0	0.7
							Including	113.00	114.00	1.00	15.3	0.7
							And	115.30	116.20	0.90	9.5	0.6
							And	116.80	117.10	0.30	49.0	0.2

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)		
CORTEZ	UDD19622	4809	12226	1145	60	97	100	0.50	1.50	1.00	10.7	0.7		
								29.60	31.10	1.50	13.8	1.1		
								34.25	37.20	2.95	30.6	2.1		
								Including		34.25	35.25	1.00	30.0	0.7
								And		36.50	37.20	0.70	81.6	0.5
								54.30	55.60	1.30	13.4	0.9		
		UDD19623	4809	12225	1145	61	80	101	1.20	1.55	0.35	5.9	0.2	
								30.05	30.80	0.75	99.9	0.5		
								32.45	33.65	1.20	15.7	0.8		
								68.10	69.10	1.00	6.6	0.7		
	UDD19624	4809	12226	1145	65	110	100	1.30	1.80	0.50	8.7	0.4		
							32.40	33.55	1.15	19.9	0.8			
	UDD19625	4808	12227	1145	70	90	99	3.30	3.60	0.30	5.5	0.2		
							13.10	13.70	0.60	7.1	0.4			
							24.80	26.60	1.80	17.6	1.3			
							31.40	32.65	1.25	16.0	0.9			
							67.60	67.90	0.30	5.3	0.2			
	UDD19626	4809	12225	1145	85	90	83	1.10	1.45	0.35	10.1	0.2		
							21.20	26.70	5.50	7.8	3.9			
							Including		22.70	24.20	1.50	12.4	1.1	
							And		25.70	26.70	1.00	16.3	0.7	
							30.00	30.60	0.60	8.1	0.4			
							65.15	65.50	0.35	11.1	0.2			
							66.75	67.10	0.35	16.2	0.2			
	UDD19627	4809	12226	1145	65	55	96	0.90	2.10	1.20	9.7	0.8		
							12.70	13.30	0.60	8.0	0.4			
							20.95	21.50	0.55	16.8	0.4			
							29.30	30.20	0.90	32.5	0.6			
	UDD19628	4809	12225	1145	75	65	90	0.90	1.20	0.30	11.9	0.2		
							20.05	25.10	5.05	9.5	3.5			
							Including		21.05	21.70	0.65	8.5	0.5	
							And		22.80	25.10	2.30	16.4	1.6	
							63.15	67.10	3.95	12.4	2.8			
							Including		63.15	64.70	1.55	14.4	1.1	
							And		65.10	67.10	2.00	12.4	1.4	
	UDD19694	4977	12294	1155	40	340	52	18.60	19.00	0.40	6.1	0.3		
	UDD19695	4977	12294	1153	3	350	44	18.00	18.80	0.80	22.8	0.6		
							26.10	33.70	12.90	7.6	9.0			
							Including		26.10	26.80	0.70	15.5	0.5	
							And		27.80	29.50	1.70	12.9	1.2	

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CORTEZ						And		33.20	33.70	0.50	116.0	0.4
	UDD19698	4980	12294	1154	30	48	79	13.35	13.95	0.60	20.4	0.4
								19.10	22.60	3.50	6.8	2.5
						Including		19.10	19.60	0.50	6.1	0.4
						And		20.20	22.20	2.00	9.1	1.4
								29.90	33.70	3.80	8.7	2.7
						Including		30.65	32.00	1.35	16.5	0.9
						And		32.70	33.70	1.00	7.2	0.7
								44.10	45.10	1.00	5.3	0.7
	UDD19699	4980	12294	1153	15	48	100	21.60	24.30	2.70	5.8	1.9
						Including		21.60	22.10	0.50	14.0	0.4
						And		23.75	24.30	0.55	8.6	0.4
								29.00	29.35	0.35	32.7	0.2
								54.40	55.65	1.25	6.3	0.9
								57.90	58.75	0.85	5.9	0.6
								64.80	82.00	17.20	8.0	12.0
						Including		64.80	65.75	0.95	9.2	0.7
						And		67.10	72.60	5.50	12.3	3.9
						And		76.40	78.10	1.70	24.8	1.2
						And		81.10	82.00	0.90	5.0	0.6
	UDD19700	4981	12293	1156	53	72	130	No Significant Intersections				
	UDD19701	4981	12292	1154	30	80	150	75.70	77.30	1.60	10.6	1.1
								96.10	96.80	0.70	8.3	0.5
								110.50	111.50	1.00	6.0	0.7
	UDD19702	4981	12291	1156	55	90	100	1.85	2.30	0.45	26.7	0.3
								5.00	6.00	1.00	7.5	0.7
								7.00	7.40	0.40	247.0	0.3
								22.00	22.80	0.80	6.3	0.6
								24.60	25.25	0.65	6.1	0.5
								33.85	34.80	0.95	13.5	0.7
								58.50	59.10	0.60	6.8	0.4
								61.35	62.40	1.05	9.9	0.7
								74.65	75.45	0.80	8.0	0.6
								92.65	94.70	2.05	12.6	1.4
	UDD19703	4981	12293	1154	39	90	157	149.20	149.90	0.70	8.1	0.5
	UDD19704	4981	12291	1155	50	120	101	2.40	3.10	0.70	21.2	0.5
								21.33	22.40	1.07	8.4	0.7
								26.00	33.45	7.45	10.6	5.2
						Including		27.00	29.00	2.00	18.8	1.4
						And		30.00	32.90	2.90	11.3	2.0

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CORTEZ								87.70	88.00	0.30	6.5	0.2
INDIAN	UDD19130	4154	11003	1396	-60	185	125	118.00	119.00	1.00	40.0	0.7
	UDD19504	4008	11149	1206	-38	233	39	33.40	34.00	0.60	11.8	0.4
	UDD19512	4018	11143	1205	-48	39	36	19.50	20.50	1.00	5.6	0.7
								22.30	22.60	0.30	50.0	0.2
	UDD19514	4023	11139	1204	-38	39	21	No Significant Intersections				
	UDD19558	4451	11239	1251	-18	94	52	37.70	38.00	0.30	36.4	0.2
								45.10	46.30	1.20	16.5	0.8
	UDD19595	4310	11351	1143	75	144	15	No Significant Intersections				
	UDD19598	4311	11351	1142	31	144	96	No Significant Intersections				
	UDD19602	4320	11358	1142	70	119	79	No Significant Intersections				
	UDD19603	4320	11358	1142	56	132	96	No Significant Intersections				
	UDD19604	4320	11358	1141	40	136	118	69.90	70.30	0.40	8.2	0.3
								78.50	79.20	0.70	35.3	0.5
								109.00	109.65	0.65	32.2	0.5
	UDD19605	4320	11358	1141	30	137	112	No Significant Intersections				
	UDD19606	4319	11358	1142	82	55	75	37.70	38.10	0.40	9.4	0.3
	UDD19610	4348	11376	1146	46	142	125	53.10	53.40	0.30	18.8	0.2
								81.00	82.20	1.20	12.5	0.8
	UDD19611	4348	11376	1144	7	142	120	89.40	90.10	0.70	6.8	0.5
	UDD19612	4348	11376	1142	-35	142	71	No Significant Intersections				
	UDD19649	4299	11441	1146	8	41	70	47.20	47.60	0.40	7.2	0.3
								52.00	52.50	0.50	31.5	0.4
	UDD19650	4299	11441	1146	20	41	48	30.80	31.20	0.40	7.4	0.3
	UDD19651	4299	11441	1147	41	40	37	No Significant Intersections				
	UDD19652	4296	11446	1147	21	25	35	18.90	19.50	0.60	5.7	0.4
	UDD19653	4296	11447	1146	4	25	47	21.70	22.70	1.00	5.5	0.7
	UDD19654	4291	11453	1148	52	337	29	4.75	5.10	0.35	6.5	0.2
	UDD19655	4283	11468	1146	55	19	23	2.90	3.75	0.85	7.7	0.6
								8.00	8.30	0.30	108.0	0.2
	UDD19656	4295	11447	1148	62	25	32	No Significant Intersections				
	UDD19657	4292	11454	1145	8	10	30	6.70	7.40	0.70	9.9	0.5
								18.40	20.40	2.00	9.1	1.4
	UDD19658	4292	11454	1146	23	356	30	8.40	9.10	0.70	11.7	0.5
								13.40	13.80	0.40	45.9	0.3
	UDD19734	4367	11447	1147	10	340	50	No Significant Intersections				
	UDD19735	4368	11447	1147	20	350	40	No Significant Intersections				
	UDD19736	4368	11446	1145	-10	0	62	No Significant Intersections				
	UDD19737	4368	11446	1146	-30	0	50	NO Significant Intersections				
	UDD19738	4369	11446	1146	5	20	78	69.55	70.20	0.65	19.6	0.5

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)	
INDIAN	UDD19739	4369	11446	1146	-5	20	78	No Significant Intersections					
	UDD19740	4368	11446	1145	-25	20	46	No Significant Intersections					
	UDD19741	4368	11446	1145	-45	20	40	No Significant Intersections					
	UDD19744	4369	11447	1146	5	35	91	No Significant Intersections					
	UDD19745	4369	11447	1146	-15	35	61	No Significant Intersections					
	UDD19746	4368	11446	1146	-35	35	48	No Significant Intersections					
	UDD19747	4369	11447	1146	-5	55	35	No Significant Intersections					
	UDD19748	4368	11446	1146	-28	55	30	No Significant Intersections					
	UDD19749	4307	11373	1172	45	340	15	No Significant Intersections					
	UDD19750	4308	11371	1172	90	90	24	No Significant Intersections					
	UDD19751	4309	11369	1172	60	160	27	No Significant Intersections					
	UDD19752	4317	11376	1173	60	340	27	No Significant Intersections					
	UDD19753	4318	11373	1173	85	160	25	1.80	2.25	0.45	7.6	0.3	
	UDD19754	4318	11372	1172	45	160	38	3.55	3.90	0.35	23.8	0.2	
	UDD19755	4328	11380	1172	40	340	26	3.15	3.55	0.40	6.3	0.3	
	UDD19756	4329	11379	1173	80	340	25	0.65	1.20	0.55	5.3	0.4	
	UDD19757	4330	11376	1173	50	160	37	No Significant Intersections					
	UDD19758	4337	11384	1172	25	340	26	3.50	3.80	0.30	17.8	0.2	
	UDD19759	4337	11383	1173	60	340	18	7.20	7.50	0.30	17.9	0.2	
	UDD19760	4339	11380	1174	60	160	31	No Significant Intersections					
	UDD19761	4339	11379	1173	35	160	47	3.90	4.30	0.40	9.3	0.3	
								30.70	33.40	2.70	10.2	1.9	
								Including	30.70	31.00	0.30	7.4	0.2
								And	32.20	33.40	1.20	20.2	0.8
	UDD19762	4346	11387	1173	35	340	27	3.60	4.05	0.45	37.4	0.3	
	UDD19763	4347	11386	1174	70	340	18	4.00	4.30	0.30	6.7	0.2	
	UDD19764	4308	11368	1171	40	205	34	No Significant Intersections					
	UDD19765	4306	11372	1171	35	295	42	No Significant Intersections					
PACIFIC	UDD17708	4894	13002	1192	31	241	119	28.30	29.30	1.00	8.1	0.7	
								110.70	111.60	0.90	5.6	0.6	
	UDD19448	5009	12962	1180	25	220	76	No Significant Intersections					
	UDD19449	4983	12974	1181	50	170	73	No Significant Intersections					
	UDD19454	4983	12973	1180	25	200	64	19.80	20.80	1.00	16.9	0.7	
								49.10	49.40	0.30	64.9	0.2	
	UDD19668	4623	12715	1073	77	88	38	6.70	7.00	0.30	9.0	0.2	
	UDD19669A	4620	12708	1073	63	277	66	1.30	1.60	0.30	5.2	0.2	
	UDD19670	4620	12708	1073	74	276	45	No Significant Intersections					
	UDD19671	4624	12704	1073	62	80	56	0.75	2.50	1.75	18.10	1.2	
								Including	0.75	1.50	0.75	37.3	0.5
								And	2.15	2.50	0.35	8.7	0.2

Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
PACIFIC								12.30	15.80	3.50	5.8	2.5
						Including		12.30	13.10	0.80	14.5	0.6
						And		15.50	15.80	0.30	5.8	0.2
	UDD19672	4625	12703	1071	29	91	83	35.25	35.55	0.30	7.5	0.2
								38.30	40.80	2.50	15.9	1.8
								61.30	62.70	1.40	5.6	1.0
	UDD19673	4624	12712	1071	35	92	59	26.70	32.00	5.30	4.8	3.7
						Including		26.70	29.15	2.45	6.4	1.7
						And		30.00	30.30	0.30	8.4	0.2
						And		31.00	31.40	0.40	6.7	0.3
								33.00	33.95	0.95	7.4	0.7
								36.20	36.75	0.55	6.5	0.4
								48.10	49.25	1.15	10.2	0.8
	UDD19683	4624	12712	1070	22	92	86	36.70	37.70	1.00	10.2	0.7
	UDD19685	4621	12703	1073	67	267	65	No Significant Intersections				
	UDD19686	4621	12695	1072	70	275	72	5.55	15.70	10.15	25.2	7.2
						Including		5.55	10.75	5.20	45.0	3.6
						And		11.05	12.00	0.95	7.9	0.7
						And		13.70	14.70	1.00	7.8	0.7
	UDD19690	4623	12695	1072	88	100	61	9.55	11.15	1.60	17.3	1.1
	UDD19691	4621	12708	1073	89	90	36	9.65	10.10	0.45	58.4	0.3
	UDD19692	4624	12712	1070	16	92	68	18.95	19.90	0.95	7.4	0.7
TIMOR	UDD19046	4546	12795	1220	-86	81	196	165.35	166.35	1.00	7.5	0.7
	UDD19767	4063	13039	947	-76	231	122	No Significant Intersections				
	UDD19769	4061	13037	947	-54	231	180	No Significant Intersections				
	UDD19770	4138	13000	958	-62	231	207	No Significant Intersections				
	UDD19772	4061	13037	947	-39	225	159	No Significant Intersections				
	UDD19774	4061	13037	948	-24	231	219	No Significant Intersections				
	UDD19775	4061	13037	948	-16	238	195	No Significant Intersections				
	UDD19777	4061	13037	948	-3	231	168	67.90	68.30	0.40	10.1	0.3