


# Eleonore Gold Mine Area James Bay Region, Quebec, Canada



## Gold Prospects (Azimut and partners)

- $\geq 1$  g/t Au
- 0.1 - 1 g/t Au

- Inex Prospect**  
up to 50.9 g/t Au
- Charles Prospect**  
up to 35.9 g/t Au
- Smiley Prospect**  
4.24 g/t Au / 1 m (D)

**OPINACA D**  
(Azimut)

7.32 g/t Au (soil)

**OPINACA A**  
(Azimut / Everton)

**ELEONORE MINE (Goldcorp)**  
Surface projection  
Proven and probable reserves:  
19.61 Mt @ 6.02 g/t Au (3.79 Moz Au)  
Measured and indicated resources:  
7.15 Mt @ 5.86 g/t Au (1.34 Moz Au)  
Inferred resources:  
8.45 Mt @ 7.31 g/t Au (1.98 Moz Au)  
(as of June 30, 2017)

**Eleonore Property (Goldcorp)**

FD Prospect

**Moni Prospect**  
79.6 g/t Au / 4.25 m (channel)  
79.5 g/t Au / 5.87 m (channel)

JT Prospect

**Cheechoo Property**  
(Sirios)

**OPINACA B**  
(Azimut / Everton / Hecla Option)

- Fishhook Prospect**
- Dominic Prospect**  
0.61 g/t Au / 30.7 m (D)
- Claude Prospect**  
0.22 g/t Au / 187 m  
incl. 1 g/t Au / 21.5 m (D)
- P n lope Prospect**  
4.26 g/t Au
-  ric Prospect**
- D8 Prospect**  
2.3 g/t Au / 1.0 m (channel)  
0.55 g/t Au / 4.0 m (channel)

**ELEONORE SOUTH**  
(Azimut / Goldcorp / Eastmain)

- 4.9 g/t Au / 45.0 m (Hole ES17-64)
- 101 g/t Au (outcrop)
- 1,500 g/t Au (boulder)







Figure 1 - Press release dated December 12, 2017




# Prospective Corridor Eleonore South Property (Azimut-Eastmain-Goldcorp JV)



**Figure 2 - Press release dated December 12, 2017**



# Prospective Corridor Eleonore South Property (Azimut-Eastmain-Goldcorp JV)



**Figure 3 - Press release dated December 12, 2017**






436,500

438,500

# Prospective Corridor Eleonore South Property (Azimut-Eastmain-Goldcorp JV)

CHEECHOO PROPERTY (Sirios)

ELEONORE SOUTH PROPERTY  
(Azimut/ Eastmain/ Goldcorp)



5,829,500

437,000

Figure 4 - Press release dated December 12, 2017


- Samples**
- ≥ 1.0 g/t Au : Drilling (187) and prospecting (109)
  - 0.5 - 1.0 g/t Au : Drilling (253) and prospecting (39)

- ⊕ Drill hole location
- Tonalite / metasediment contact
- Prospective Corridor incl. Moni Trend

**High Resolution Magnetic Survey**

Downward continuation to the ground and reduction to pole

nT



NOVATEM Survey, 2017

250 m



# Prospective Corridor Eleonore South Property (Azimut-Eastmain-Goldcorp JV)




Figure 5 - Press release dated December 12, 2017

**Summary of Drilling Results (2017) - 1/3**  
**Eleonore South Property**  
**(Azimut-Eastmain-Goldcorp JV)**

Hole #	UTM zone 18 - NAD83		Azimuth	Dip	Length (m)		Au (g/t) <sup>(1)</sup>	Intercepts (m)			Vertical Depth <sup>(3)</sup>
	Easting	Northing						Length <sup>(2)</sup>	From	To	
ES17-74	437 943	5 829 837	N320°	-51°	252	Incl.	0.97	0.8	117.7	118.5	
							<b>0.45</b>	<b>87.0</b>	<b>163.5</b>	<b>250.5</b>	<b>155.2</b>
							<b>0.56</b>	<b>54.0</b>	<b>190.5</b>	<b>244.5</b>	<b>163.4</b>
							1.18	3.0	190.5	193.5	
							1.79	1.1	199.9	201.0	
							0.99	3.0	207.0	210.0	
							0.88	21.0	223.5	244.5	
ES17-75	437 985	5 829 784	N320°	-49°	282	Incl.	0.53	2.5	12.5	15.0	
							0.81	2.3	39.9	42.2	
							2.01	1.1	48.3	49.4	
							<b>0.49</b>	<b>63.0</b>	<b>180.0</b>	<b>243.0</b>	<b>147.7</b>
							1.79	1.5	180.0	181.5	
							<b>0.94</b>	<b>10.5</b>	<b>190.5</b>	<b>201.0</b>	<b>135.8</b>
							1.12	1.5	208.5	210.0	
1.35	3.0	240.0	243.0								
ES17-76	437 942	5 829 794	N320°	-51°	252	Incl.	1.10	0.5	14.8	15.4	
							0.60	3.3	16.5	19.8	
							0.58	7.5	112.5	120.0	
							1.39	1.5	118.5	120.0	
							0.56	7.5	181.5	189.0	
							1.36	1.5	187.5	189.0	
							0.65	9.0	238.5	247.5	
1.08	1.5	240.0	241.5								
1.41	1.5	246.0	247.5								
ES17-77	438 463	5 829 831	N320°	-50°	309	Incl.	5.88	0.6	12.0	12.6	
							0.80	3.0	85.0	88.0	
							<b>1.46</b>	<b>45.5</b>	<b>142.5</b>	<b>188.0</b>	<b>128.6</b>
							1.35	2.5	142.5	145.0	
							1.33	4.5	152.5	157.0	
							1.06	7.5	171.5	179.0	
							<b>23.10</b>	<b>1.5</b>	<b>186.5</b>	<b>188.0</b>	<b>145.8</b>
							0.98	1.5	194.0	195.5	
							<b>0.53</b>	<b>106.0</b>	<b>203.0</b>	<b>309.0</b>	<b>201.9</b>
							0.97	3.0	219.5	222.5	
							1.49	1.5	219.5	221.0	
							0.83	6.0	242.0	248.0	
							2.01	1.5	246.5	248.0	
							1.67	3.0	252.5	255.5	
							0.65	6.0	260.0	266.0	
0.87	7.1	295.6	302.7								
1.10	1.5	295.6	297.1								
1.46	3.0	299.7	302.7								
<b>11.85</b>	<b>1.5</b>	<b>307.5</b>	<b>309.0</b>	<b>245.0</b>							

Table 1 - Press release dated December 12, 2017



**Summary of Drilling Results (2017) - 2/3**  
**Eleonore South Property**  
**(Azimut-Eastmain-Goldcorp JV)**

Hole #	UTM zone 18 - NAD83		Azimuth	Dip	Length (m)		Au (g/t) <sup>(1)</sup>	Intercepts (m)			Vertical Depth <sup>(3)</sup>
	Easting	Northing						Length <sup>(2)</sup>	From	To	
ES17-78	438 207	5 829 795	N320°	-50°	252		1.64	1.1	13.6	14.7	
							1.20	3.0	112.5	115.5	
							1.00	1.5	177.5	179.0	
							0.57	2.9	186.5	189.4	
							1.74	1.0	194.7	195.7	
							<b>0.51</b>	<b>17.1</b>	<b>212.5</b>	<b>229.5</b>	<b>172.9</b>
							Incl. 3.95	0.7	217.0	217.7	
							0.84	6.5	217.0	223.5	
						0.53	3.1	238.5	241.6		
ES17-79	437 985	5 829 786	N320°	-70°	222		0.95	1.0	7.1	8.1	
							0.54	1.5	10.1	11.5	
							0.78	0.7	40.6	41.3	
							1.45	1.5	194.0	195.5	
ES17-80	437 519	5 829 367	N320°	-50°	222		<b>0.62</b>	<b>147.5</b>	<b>61.5</b>	<b>209.0</b>	<b>103.9</b>
							0.74	1.5	99.5	101.0	
							<b>1.11</b>	<b>6.0</b>	<b>120.5</b>	<b>126.5</b>	<b>94.8</b>
							1.65	1.5	120.5	122.0	
							2.42	1.5	125.0	126.5	
							Incl. 1.18	1.5	146.0	147.5	
							<b>5.76</b>	<b>9.0</b>	<b>170.0</b>	<b>179.0</b>	<b>133.9</b>
							<b>22.90</b>	<b>1.5</b>	<b>174.5</b>	<b>176.0</b>	<b>134.4</b>
							0.93	1.5	200.0	201.5	
1.93	1.5	207.5	209.0								
ES17-81	437 590	5 829 270	N320°	-52°	249		<b>5.93</b>	<b>1.5</b>	<b>53.5</b>	<b>55.0</b>	
							1.67	1.0	115.0	116.0	
							0.59	4.5	178.5	183.0	
							0.55	4.5	238.5	243.0	
							0.51	6.0	246.0	252.0	
ES17-82	435 855	5 829 106	N360°	-51°	252		Incl. 0.72	3.0	178.4	181.4	
							1.03	1.5	178.4	179.9	
ES17-83	435 482	5 829 189	N040°	-50°	252		1.22	1.5	28.3	29.8	
							0.60	1.5	162.5	164.0	
							0.53	1.1	208.0	209.1	
ES17-84	435 359	5 829 532	N090°	-50°	246		Au results below 400ppb				
ES17-85	436 473	5 829 015	N360°	-51°	252		<b>22.40</b>	<b>1.2</b>	<b>184.4</b>	<b>185.5</b>	<b>149.4</b>
ES17-86	436 470	5 829 137	N360°	-49°	252		0.58	1.5	55.5	57.0	
ES17-87	437 533	5 829 374	N320°	-52°	222		0.75	3.0	62.0	65.0	
							<b>0.49</b>	<b>76.5</b>	<b>86.0</b>	<b>162.5</b>	<b>98.2</b>
							1.13	4.5	86.0	90.5	
							0.51	9.0	98.0	107.0	
							1.08	3.0	104.0	107.0	
							Incl. <b>0.54</b>	<b>49.5</b>	<b>113.0</b>	<b>162.5</b>	<b>109.0</b>
							1.03	4.5	129.5	134.0	
							1.23	1.5	153.5	155.0	
							1.12	4.5	158.0	162.5	
							Incl. 0.66	4.5	183.5	188.0	
1.10	1.5	183.5	185.0								

Table 1 - Press release dated December 12, 2017





## Summary of Drilling Results (2017) - 3/3 Eleonore South Property (Azimut-Eastmain-Goldcorp JV)

Hole #	UTM zone 18 - NAD83		Azimuth	Dip	Length (m)		Au (g/t) <sup>(1)</sup>	Intercepts (m)			Vertical Depth <sup>(3)</sup>
	Easting	Northing						Length <sup>(2)</sup>	From	To	
ES17-88	437 498	5 829 341	N320°	-50°	222		0.77	1.5	42.0	43.5	
							<b>1.53</b>	<b>6.0</b>	<b>106.0</b>	<b>112.0</b>	<b>83.9</b>
							0.77	1.5	120.5	122.0	
							0.93	0.6	145.4	146.0	
							0.60	3.0	150.5	153.5	
							<b>3.15</b>	<b>24.0</b>	<b>183.5</b>	<b>207.5</b>	<b>150.2</b>
							<b>13.53</b>	<b>3.0</b>	<b>183.5</b>	<b>186.5</b>	<b>142.1</b>
							24.20	1.5	185.0	186.5	
							6.73	4.5	203.0	207.5	
					Incl.	<b>19.30</b>	<b>1.5</b>	<b>204.5</b>	<b>206.0</b>	<b>157.6</b>	
ES17-89	437 556	5 829 313	N320°	-50°	252		0.91	1.5	24.0	25.5	
							0.50	6.0	51.5	57.5	
							1.14	1.5	68.0	69.5	
							<b>1.04</b>	<b>6.2</b>	<b>74.8</b>	<b>81.0</b>	<b>62.2</b>
							3.06	1.5	79.5	81.0	
							2.88	1.5	120.0	121.5	
							<b>0.57</b>	<b>19.5</b>	<b>164.5</b>	<b>184.0</b>	<b>136.5</b>
							0.59	6.0	164.5	170.5	
							1.57	3.0	175.0	178.0	
					Incl.	0.53	3.0	247.0	250.0		
ES17-90	437 461	5 829 307	N320°	-50°	222		0.51	1.7	19.4	21.0	
							<b>0.50</b>	<b>123.5</b>	<b>92.0</b>	<b>215.5</b>	<b>118.3</b>
							<b>4.45</b>	<b>4.5</b>	<b>92.0</b>	<b>96.5</b>	<b>72.5</b>
							<b>12.35</b>	<b>1.5</b>	<b>93.5</b>	<b>95.0</b>	<b>72.5</b>
							1.39	3.0	114.5	117.5	
							1.05	3.0	128.0	131.0	
							0.95	1.5	150.7	152.2	
							1.18	3.1	159.5	162.6	
							0.99	2.5	165.5	168.0	
					Incl.	<b>1.04</b>	<b>6.0</b>	<b>178.0</b>	<b>184.0</b>	<b>139.0</b>	
						1.16	1.5	209.5	211.0		
ES17-91	437 502	5 829 262	N320°	-49°	231		1.50	3.0	89.5	92.5	
							0.94	4.5	110.5	115.0	
							1.27	1.5	158.0	159.5	
							<b>0.61</b>	<b>15.0</b>	<b>192.5</b>	<b>207.5</b>	<b>153.3</b>
							2.48	1.5	203.0	204.5	
							<b>1.17</b>	<b>4.5</b>	<b>203.0</b>	<b>207.5</b>	<b>157.2</b>

1. Assays presented are not capped
2. Intervals are presented in core length; true width will vary depending on the intersection angle of hole with targeted zone.
3. Vertical depth is measured from the surface to the mid-point of the reported interval.

**Table 1 - Press release dated December 12, 2017**

