

Table 2
All Intersections

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)	
AREA 134	UDD19993	4559	12675	1031	-72	350	54	38.15	39.60	1.45	5.9	1.0	
	UDD19994	4559	12674	1031	-88	99	52	35.50	36.20	0.70	5.6	0.5	
	UDD19995	4558	12674	1032	-74	295	69	40.70	41.70	1.00	6.7	0.7	
	UDD19996	4569	12676	1030	-88	80	45	31.80	33.70	1.90	13.2	1.3	
	UDD19997	4569	12677	1030	-63	75	40	29.15	31.20	2.05	10.1	1.4	
								Including	29.15	30.05	0.90	17.7	0.6
								And	30.85	31.20	0.35	9.6	0.2
	UDD19998	4570	12678	1030	-46	45	51	No Significant Intersections					
	UDD19999	4558	12673	1032	-61	221	54	46.90	49.15	2.25	6.0	1.6	
								Including	47.20	47.50	0.30	6.8	0.2
								And	47.80	48.25	0.45	13.2	0.3
	UDD20000	4569	12673	1030	-51	179	37	No Significant Intersections					
	UDD20001	4569	12673	1030	-44	158	37	No Significant Intersections					
	UDD20002	4568	12679	1031	-29	82	51	9.10	10.10	1.00	17.8	0.7	
BALTIC	UDD19978	4095	11756	965	-12	358	42	13.40	14.10	0.70	8.4	0.5	
	UDD19979	4094	11757	966	12	356	34	8.40	9.00	0.60	10.1	0.4	
								33.40	33.70	0.30	22.1	0.2	
	UDD19980	4089	11759	968	84	359	28	0.00	0.40	0.40	27.3	0.3	
								14.80	15.30	0.50	9.9	0.4	
	UDD19981	4090	11756	968	68	254	24	15.30	18.30	3.00	9.6	2.1	
								19.60	20.50	0.90	6.8	0.6	
	UDD19982	4121	11747	971	22	3	37	No Significant Intersections					
	UDD19983	4122	11747	970	11	346	41	No Significant Intersections					
	UDD19984	4122	11747	970	15	24	50	No Significant Intersections					
	UDD19985	4373	11636	1083	69	345	50	33.30	33.80	0.50	7.1	0.4	
	UDD19986	4391	11607	1084	2	6	60	No Significant Intersections					
	UDD19987	4391	11607	1086	21	26	61	37.60	37.95	0.35	15.2	0.2	
								43.20	43.60	0.40	6.0	0.3	
	UDD19988	4390	11607	1085	22	343	74	52.15	52.65	0.50	11.2	0.4	
	UDD19989	4391	11607	1085	21	360	56	37.50	38.00	0.50	23.4	0.4	
	UDD19990	4371	11636	1082	54	281	58	No Significant Intersections					
	UDD19991	4372	11630	1081	23	294	60	11.90	12.70	0.80	6.1	0.6	
	UDD19992	4384	11613	1084	10	1	51	33.90	34.20	0.30	70.4	0.2	
CARIBBEAN	UDD19924	4551	11846	1092	-10	175	168	126.28	127.06	0.78	17.3	0.5	
	UDD19925	4551	11846	1091	-30	190	111	88.45	88.95	0.50	12.5	0.4	
								100.60	100.95	0.35	10.3	0.2	

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CARIBBEAN								104.80	105.40	0.60	5.8	0.4
	UDD19926	4552	11846	1091	-35	180	130	25.80	26.25	0.45	8.5	0.3
								41.55	42.35	0.80	6.0	0.6
								85.15	87.50	2.35	6.3	1.6
						Including		85.15	85.70	0.55	13.6	0.4
						And		86.85	87.50	0.65	10.9	0.5
								108.20	108.55	0.35	7.3	0.2
	UDD19927	4551	11846	1092	-16	200	153	121.50	121.83	0.33	7.1	0.2
								124.11	125.00	0.89	24.9	0.6
								128.13	128.43	0.30	32.2	0.2
								137.77	138.17	0.40	10.8	0.3
	UDD19928	4551	11846	1091	-30	205	110	No Significant Intersections				
	UDD19930	4572	11841	1089	-29	155	79	2.20	3.20	1.00	10.8	0.7
								6.50	7.30	0.80	21.9	0.6
								13.00	13.30	0.30	11.9	0.2
								14.30	14.80	0.50	6.4	0.4
								22.90	23.50	0.60	26.0	0.4
								29.80	30.40	0.60	7.7	0.4
								40.80	41.80	1.00	5.7	0.7
								46.80	48.90	2.10	11.0	1.5
						Including		46.80	47.70	0.90	10.0	0.6
						And		48.30	48.90	0.60	23.1	0.4
	UDD19931	4572	11841	1088	-29	145	79	2.60	3.20	0.60	5.3	0.4
								18.30	18.60	0.30	10.2	0.2
								39.30	40.20	0.90	8.7	0.6
								46.50	47.40	0.90	5.1	0.6
	UDD19969	4545	11867	1094	-58	279	29	11.30	12.50	1.20	205.8	0.8
	UDD19970	4545	11867	1094	-44	279	54	No Significant Intersections				
	UDD19971	4551	11876	1096	-57	279	44	1.20	1.55	0.35	7.3	0.2
								2.45	2.90	0.45	5.6	0.3
								12.20	13.45	1.25	13.0	0.9
						Including		12.20	12.50	0.30	28.2	0.2
						And		13.10	13.45	0.35	17.7	0.2
	UDD19972	4551	11876	1096	-45	279	78	1.70	2.50	0.80	6.8	0.6
								15.80	16.40	0.60	15.1	0.4
	UDD19973	4559	11888	1098	-34	279	58	16.40	17.20	0.80	17.6	0.6
								23.50	23.80	0.30	14.1	0.2
	UDD19974	4564	11888	1099	11	99	15	No Significant Intersections				
	UDD19975	4565	11888	1098	-5	99	15	No Significant Intersections				
	UDD19976	4562	11900	1098	-7	99	30	18.90	19.60	0.70	6.2	0.5

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CARIBBEAN	UDD19977	4562	11902	1099	17	99	34	No Significant Intersections				
CASPIAN	UDD19952	4291	10860	1335	33	228	44	0.30	1.00	0.70	9.6	0.5
								22.20	23.40	1.20	7.9	0.8
								27.10	27.95	0.85	41.7	0.6
	UDD19954	4298	10854	1333	17	228	48	No Significant Intersections				
	UDD19955	4298	10854	1334	32	228	51	No Significant Intersections				
	UDD19956	4306	10847	1333	29	228	61	14.90	18.50	3.60	11.4	2.5
	UDD19957	4313	10841	1333	28	228	81	34.20	35.40	1.20	7.3	0.8
	UDD19958	4313	10840	1333	39	228	93	45.30	46.00	0.70	10.3	0.5
								50.00	53.70	3.70	14.5	2.6
	UDD19959	4313	10841	1335	64	228	66	55.70	56.20	0.50	15.6	0.4
	UDD19960	4321	10834	1332	28	228	76	39.60	40.60	1.00	5.4	0.7
	UDD19961	4321	10834	1333	38	228	98	0.00	1.30	1.30	17.0	0.9
								2.40	3.80	1.40	17.2	1.0
								36.50	37.50	1.00	7.0	0.7
								44.70	45.20	0.50	8.8	0.4
								54.80	55.80	1.00	8.0	0.7
								59.70	61.00	1.30	15.4	0.9
								65.40	65.70	0.30	33.1	0.2
	UDD19962	4328	10827	1332	29	228	100	40.15	41.00	0.85	6.1	0.6
								44.00	45.00	1.00	11.4	0.7
	UDD19963	4328	10827	1332	38	228	101	87.80	88.80	1.00	18.4	0.7
	UDD19964	4335	10821	1332	29	228	104	No Significant Intersections				
	UDD19965	4335	10821	1332	39	228	100	51.40	51.70	0.30	5.5	0.2
	UDD19966	4354	10815	1331	32	224	70	25.35	26.25	0.90	8.0	0.6
	UDD19967	4354	10815	1331	30	214	71	10.40	11.40	1.00	6.5	0.7
	UDD19968	4340	10816	1332	34	226	104	40.80	41.20	0.40	9.7	0.3
	UDD20041	4218	10801	1366	38	108	57	0.90	1.70	0.80	11.2	0.6
	UDD20056	4619	11022	1335	23	225	48	No Significant Intersections				
CORTEZ	UDD19900	5058	12364	1170	-34	80	27	No Significant Intersections				
	UDD19901	5057	12363	1173	31	105	105	0.00	0.80	0.80	9.6	0.6
								2.55	3.00	0.45	5.4	0.3
								14.10	15.60	1.50	10.3	1.1
								50.40	50.70	0.30	12.0	0.2
								72.10	72.80	0.70	55.5	0.5
								76.80	77.20	0.40	10.4	0.3
	UDD19902	5057	12362	1172	16	123	67	0.00	0.30	0.30	7.5	0.2
	UDD19903	5053	12350	1173	38	122	83	64.35	64.90	0.55	46.0	0.4
	UDD19904	5051	12349	1174	55	133	41	17.60	18.10	0.50	12.0	0.4
	UDD19905	5052	12348	1173	36	161	50	17.35	17.65	0.30	14.4	0.2

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CORTEZ								35.50	42.10	6.60	12.2	4.6
						Including		38.05	40.75	2.70	10.1	1.9
						And		41.10	42.10	1.00	44.8	0.7
								49.20	49.70	0.50	5.3	0.4
	UDD19906	5045	12345	1170	-17	149	62	No Significant Intersections				
	UDD19907	5043	12347	1169	-78	85	48	20.20	20.90	0.70	6.2	0.5
	UDD19908	5053	12357	1174	75	53	35	0.70	1.40	0.70	14.5	0.5
	UDD19909	5043	12350	1170	-52	1	57	No Significant Intersections				
	UDD19910	5045	12351	1171	3	344	27	1.80	5.60	3.80	5.4	2.7
						Including		1.80	2.30	0.50	8.9	0.4
						And		3.80	4.45	0.65	5.9	0.5
						And		5.10	5.60	0.50	10.7	0.4
	UDD19911	5033	12345	1169	-76	344	62	1.95	2.30	0.35	6.5	0.2
								10.60	11.85	1.25	7.8	0.9
						Including		10.60	11.00	0.40	7.5	0.3
						And		11.50	11.85	0.35	33.6	0.2
	UDD19912	5035	12342	1172	21	164	85	0.00	0.70	0.70	11.3	0.5
	UDD19913	5034	12342	1171	1	164	39	1.00	7.65	6.65	10.1	4.7
						Including		1.00	2.00	1.00	14.3	0.7
						And		4.00	7.15	3.15	14.5	2.2
	UDD19914	5035	12342	1170	-44	164	45	16.30	16.70	0.40	58.7	0.3
	UDD19915	5024	12343	1170	-58	344	33	No Significant Intersections				
	UDD19916	5026	12337	1170	-19	164	51	6.35	6.75	0.40	13.7	0.3
								12.00	14.50	2.50	5.4	1.8
						Including		12.00	12.30	0.30	22.8	0.2
						And		14.20	14.50	0.30	12.1	0.2
	UDD19917	5025	12338	1169	-77	164	45	9.10	9.65	0.55	60.4	0.4
	UDD19918	5019	12341	1170	-8	3	69	56.30	57.30	1.00	7.4	0.7
								60.30	60.80	0.50	6.9	0.4
	UDD19919	5018	12341	1170	-13	341	84	0.00	1.60	1.60	10.0	1.1
	UDD19920	5014	12339	1169	-63	344	27	3.45	3.75	0.30	8.3	0.2
	UDD19921	5015	12336	1169	-63	164	22	2.00	2.30	0.30	5.8	0.2
								3.20	3.60	0.40	9.3	0.3
								14.00	14.40	0.40	32.9	0.3
	UDD19922	5006	12336	1170	-7	343	51	No Significant Intersections				
	UDD19923	5006	12336	1171	3	328	47	No Significant Intersections				
	UDD20003	4854	12227	1186	23	317	84	25.30	26.10	0.80	11.4	0.6
	UDD20004	4858	12227	1186	37	320	89	16.55	17.15	0.60	10.6	0.4
	UDD20005	4867	12233	1186	38	323	79	10.35	11.20	0.85	10.5	0.6
	UDD20006	4920	12248	1186	60	348	65	13.50	13.80	0.30	15.4	0.2

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CORTEZ								28.20	28.50	0.30	11.0	0.2
	UDD20007	4919	12255	1184	27	345	72	1.20	1.60	0.40	17.8	0.3
								26.70	27.70	1.00	6.2	0.7
	UDD20008	4906	12244	1187	85	347	47	0.40	1.00	0.60	7.4	0.4
								18.40	19.40	1.00	9.2	0.7
								21.00	21.40	0.40	11.9	0.3
	UDD20009	4905	12246	1184	19	347	51	No Significant Intersections				
	UDD20010	4928	12222	1182	63	343	78	No Significant Intersections				
	UDD20011	4892	12241	1187	61	347	66	0.90	1.65	0.75	6.6	0.5
	UDD20012	4892	12239	1187	88	347	79	No Significant Intersections				
	UDD20013	4893	12242	1185	32	347	88	3.10	3.80	0.70	7.8	0.5
	UDD20014	4931	12198	1176	24	300	79	35.50	36.35	0.85	18.8	0.6
								43.35	43.80	0.45	17.0	0.3
								54.35	54.80	0.45	7.7	0.3
								56.20	56.50	0.30	8.3	0.2
	UDD20015	4931	12199	1177	35	313	49	No Significant Intersections				
	UDD20016	4940	12209	1177	16	347	95	No Significant Intersections				
	UDD20017	4940	12209	1178	32	347	93	No Significant Intersections				
	UDD20018	4940	12208	1178	49	347	77	No Significant Intersections				
	UDD20019	4946	12216	1178	38	360	106	No Significant Intersections				
	UDD20020	4946	12215	1177	24	357	88	No Significant Intersections				
	UDD20024	5010	12312	1172	45	160	120	4.90	7.90	3.00	9.5	2.1
								14.60	15.00	0.40	5.6	0.3
	UDD20026	5010	12312	1172	62	165	75	3.00	3.30	0.30	15.8	0.2
								62.85	64.35	1.50	13.6	1.1
INDIAN	UDD19588	4164	11008	1399	43	176	46	No Significant Intersections				
	UDD19589	4154	11003	1400	52	176	46	No Significant Intersections				
	UDD19590	4211	11000	1398	27	225	89	No Significant Intersections				
	UDD19591	4216	10998	1397	17	202	69	59.05	60.00	0.95	5.8	0.7
	UDD19592	4217	10998	1397	21	207	83	61.30	62.30	1.00	5.2	0.7
								62.60	63.00	0.40	6.7	0.3
	UDD19593	4211	11000	1398	24	216	91	48.20	49.00	0.80	17.3	0.6
								63.60	67.10	3.50	7.6	2.5
	UDD19813	3975	11449	1136	-41	225	228	79.80	80.20	0.40	6.8	0.3
								190.20	191.00	0.80	24.7	0.6
	UDD19814	3974	11449	1136	-23	222	230	No Significant Intersections				
	UDD19816	3975	11449	1136	-38	205	222	26.20	27.80	1.60	10.3	1.1
								172.60	173.30	0.70	24.7	0.5
	UDD19817	3975	11449	1136	-49	240	222	187.70	188.50	0.80	16.8	0.6
	UDD19818	3975	11449	1136	-25	228	237	30.00	31.20	1.20	7.1	0.8

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)	
INDIAN	UDD19821	3975	11449	1136	-22	216	220	121.50	122.00	0.50	22.8	0.4	
								215.30	215.70	0.40	9.1	0.3	
	UDD19867	4314	11354	1142	61	117	91	54.80	55.80	1.00	8.2	0.7	
								63.00	64.00	1.00	6.0	0.7	
	UDD19868	4315	11354	1142	43	124	97	64.35	64.80	0.45	5.1	0.3	
								76.20	77.60	1.40	10.3	1.0	
	UDD19869	4334	11370	1143	50	138	88	9.45	10.00	0.55	17.0	0.4	
								82.50	83.80	1.30	14.1	0.9	
	UDD19870	4334	11370	1143	28	138	103	No Significant Intersections					
	UDD19871	4335	11370	1140	-28	138	98	No Significant Intersections					
	UDD19872	4334	11370	1141	-2	138	87	No Significant Intersections					
	UDD19873	4298	11366	1173	83	138	19	No Significant Intersections					
	UDD19874	4309	11368	1171	27	138	62	18.55	18.85	0.30	18.6	0.2	
								40.85	41.95	1.10	14.4	0.8	
								59.70	60.15	0.45	17.0	0.3	
	UDD19875	4340	11380	1172	24	138	49	7.80	8.50	0.70	8.5	0.5	
	UDD19876	4350	11383	1171	17	138	99	No Significant Intersections					
	UDD19877	4360	11387	1173	47	138	41	36.10	36.50	0.40	10.4	0.3	
	UDD19878	4340	11380	1171	11	138	67	No Significant Intersections					
	UDD19879	4368	11394	1174	63	318	23	7.40	8.40	1.00	7.6	0.7	
	UDD19880	4370	11392	1174	59	138	31	2.60	3.00	0.40	9.2	0.3	
								8.10	8.50	0.40	10.5	0.3	
	UDD19881	4370	11391	1172	19	138	52	No Significant Intersections					
	UDD19882	4370	11391	1170	-34	138	13	0.00	0.60	0.60	298.0	0.4	
								2.10	2.45	0.35	6.6	0.2	
								9.10	9.70	0.60	9.3	0.4	
	UDD19883	4371	11391	1170	-9	138	16	2.00	3.00	1.00	8.1	0.7	
								10.50	11.25	0.75	38.2	0.5	
	UDD19884	4360	11386	1170	-21	138	22	15.30	16.30	1.00	7.3	0.7	
	UDD19885	4370	11391	1170	-63	138	18	0.90	1.90	1.00	8.3	0.7	
								8.30	8.70	0.40	10.2	0.3	
								13.20	17.50	4.30	7.3	3.0	
								Including	13.20	13.50	0.30	10.4	0.2
								And	14.50	15.30	0.80	11.0	0.6
								And	16.80	17.50	0.70	25.2	0.5
	UDD19886	4379	11395	1175	63	138	33	No Significant Intersections					
	UDD19887	4379	11394	1173	36	138	47	16.50	17.20	0.70	6.2	0.5	
								34.00	34.70	0.70	21.1	0.5	

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)		
INDIAN	UDD19888	4379	11394	1170	-65	138	13	4.50	5.55	1.05	11.2	0.7		
	UDD19889	4350	11383	1170	-6	138	32	No Significant Intersections						
	UDD19890	4349	11383	1170	-37	138	28	2.40	4.40	2.00	11.3	1.4		
								Including		2.40	3.40	1.00	11.3	0.7
								And		3.90	4.40	0.50	21.3	0.4
	UDD19891	4360	11387	1172	21	138	78	No Significant Intersections						
	UDD19892	4289	11361	1172	70	138	21	No Significant Intersections						
	UDD19893	4287	11363	1172	60	318	23	7.40	7.70	0.30	14.4	0.2		
	UDD19894	4379	11394	1172	17	138	63	No Significant Intersections						
	UDD19895	4285	10975	1396	43	37	26	11.10	11.70	0.60	6.7	0.4		
	UDD19896	4275	10984	1397	49	33	24	No Significant Intersections						
	UDD19898	4281	10977	1397	58	32	27	No Significant Intersections						
PACIFIC	UDD20043	4807	12918	1172	14	22	58	42.00	42.60	0.60	7.9	0.4		
	UDD20044	4807	12918	1173	30	22	41	No Significant Intersections						
	UDD20052	4817	12904	1172	-2	36	42	No Significant Intersections						