
LEGEND
Completed hole
Previous Atlantic Gold hole
Note: some holes drilled from same collar position
Bulk sample pit (late 1980s)
N
100m
HIGHWAY 7
3050N (LOCAL GRID)
5011000mN
3600E
2600E
2700E
577000mE
2800E
2900E
3000E
3100E
3200E
577500mE
3300E
3400E
3500E
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
DRILL HOLE PLAN
12 February 2018


S
N
CH-08-022
CH-08-023
CH-08-020
CH-08-021
CH-16-107
CH-16-128
CH-16-105
CH-16-103
CH-17-225
1100mRL
1000mRL
900mRL
3000N
3100N
3200N
32m
62m
82.9m
110m
143m
164m
182m
212m
0.66 / 8.0
0.68 / 27.0
1.74 / 26.0
3.46 / 5.0
1.24 / 11.0
1.26 / 5.0
2.49 / 2.0
8.80 / 16.0
28.2 / 3.0
3.34 / 27.0
67.8 / 1.0
1.76 / 33.0
2.44 / 3.0
1.05 / 4.0
18.7 / 1.0
0.83 / 4.0
25.9 / 1.0
0.91 / 11.0
1.36 / 6.0
3.34 / 2.0
0.70 / 8.0
1.72 / 7.0
2.54 / 13.0
302 / 1.0
1.10 / 7.0
31.2 / 1.0
3.16 / 6.0
2.41 / 11.0
1.08 / 14.0
1.36 / 3.0
4.75 / 1.0
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24 / 23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3075E
Scale 1:1500
12 March 2018


S
N
CH-08-031
CH-08-019
CH-16-106
CH-09-044
CH-16-104
CH-16-130
CH-16-102
CH-17-204
CH-17-227
1100mRL
1000mRL
900mRL
50m
80m
98m
122m
149m
161m
212m
251m
2.70 / 8.0
3.95 / 10.0
1.65 / 10.0
3.65 / 5.0
3.05 / 1.0
1.62 / 14.0
0.79 / 6.0
1.74 / 3.0
1.53 / 8.0
0.89 / 9.0
0.90 / 7.0
2.99 / 21.0
1.19 / 7.0
2.24 / 2.0
1.50 / 3.0
0.81 / 8.0
30.4 / 4.0
92.6 / 1.0
3.41 / 11.0
0.73 / 11.0
1.31 / 15.0
20.8 / 1.0
4.20 / 31.0
14.95 / 3.0
2.87 / 31.0
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-xxx)
2.24 / 23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3100E
Scale 1:1500
12 March 2018


S
N
CH-08-018
CH-08-024
CH-16-100
CH-16-131
CH-16-098
CH-16-096
CH-16-094
CH-17-229
1100mRL
1000mRL
900mRL
50m
64.2m
101m
140m
160m
182m
212m
0.73 / 12.8
4.47 / 2.0
0.61 / 4.0
1.64 / 19.0
2.56 / 2.0
3.20 / 1.0
1.89 / 17.0
3.75 / 1.0
1.65 / 24.0
2.78 / 4.0
1.24 / 20.0
1.34 / 4.0
9.78 / 7.0
1.14 / 4.0
3.98 / 1.0
1.75 / 5.0
0.82 / 30.0
3.23 / 3.0
1.12 / 4.0
3.96 / 6.0
2.06 / 3.0
1.47 / 19.0
2.90 / 31.0
1.99 / 7.0
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24 / 23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3125E
Scale 1:1500
12 March 2018


S
N
CH-16-136
CH-16-135
CH-09-046
CH-16-133
CH-16-134
CH-09-042
CH-17-205
CH-17-239
1100mRL
1000mRL
900mRL
1.02 / 12.35
2.45 / 28.0
4.01 / 1.0
2.47 / 2.0
50m
3.02 / 1.0
1.09 / 23.0
0.80 / 4.0
1.35 / 25.0
86m
1.26 / 23.0
1.70 / 2.0
6.50 / 1.0
119m
131m
0.88 / 32.0
8.70 / 3.0
0.90 / 10.0
1.46 / 4.0
7.58 / 1.0
161m
3.14 / 4.0
1.85 / 7.0
180.17m
6.44 / 3.0
14.35 / 1.0
4.29 / 6.0
230m
3.92 / 4.0
242m
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24 / 23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3150E
Scale 1:1500
12 March 2018


S
N
CH-08-014
CH-08-013
CH-16-071
CH-16-048
CH-16-072
CH-16-050
CH-16-051
CH-16-068
CH-16-049
CH-17-235
PIT
1100mRL
1000mRL
900mRL
1.02
9.0
30m
0.9
27.0
2.00
27.0
60m
1.18
5.0
2.19
20.0
7.17
1.0
STOPE
92m
2.24
23.0
2.06
30.0
17.8
3.0
122m
1.10
31.0
2.18
2.0
161m
1.86
31.0
1.84
6.0
191m
1.35
28.0
200m
1.49
21.0
242m
41.3
1.0
3.27
5.0
263m
3000N
3100N
3200N
3300N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3225E
Scale 1:1500
12 March 2018


S
N
CH-16-125
CH-16-076
CH-16-074
CH-16-073
CH-16-075
CH-16-077
CH-17-228
1100mRL
1000mRL
1.70
13.0
3.26
1.0
13.25
1.0
0.80
19.0
1.82
4.0
1.05
4.0
8.29
1.0
3.92
1.0
0.82
15.0
3.76
4.0
1.26
6.0
1.24
12.0
1.25
14.0
0.89
15.0
1.10
5.0
2.41
2.0
1.30
10.0
4.57
1.0
1.99
11.0
0.60
17.0
2.54
4.0
86m
110m
152m
170m
194m
230m
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3325E
Scale 1:1500
12 March 2018


S
N
CH-16-091
CH-16-089
CH-16-087
CH-17-251
CH-17-248
0.83
10.0
0.70
6.0
19.1
1.0
0.89
19.0
67.1
1.0
0.58
9.0
1.09
11.0
1.32
7.0
0.78
9.0
0.78
5.0
0.80
4.0
77m
95m
122m
152m
170m
ASSAYS PENDING
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3425E
Scale 1:1500
12 March 2018


S
N
CH-16-092
CH-07-002
CH-16-090
CH-17-152
CH-17-244
CH-17-255
6.34
1.0
0.71
5.0
0.74
22.0
4.88
1.0
0.83
9.0
4.02
1.0
1.33
14.0
2.47
2.0
2.06
10.0
1.0
11.0
0.58
8.0
31m
60m
92m
101m
131m
151m
ASSAYS PENDING
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3450E
Scale 1:1500
12 March 2018


S
N
CH-16-088
CH-16-086
CH-16-123
CH-17-154
CH-17-253
CH-17-254
2.05
12.0
1.00
3.0
1.19
13.0
1.35
17.0
0.77
7.0
3.40
1.0
ASSAYS PENDING
62m
80m
110m
110m
142m
160m
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3475E
Scale 1:1500
12 March 2018


S
N
CH-17-160
CH-17-158
CH-17-157
CH-17-155
CH-17-234
CH-17-236
No Significant Assays
41m
5.22
3.0
5.59
3.0
62m
1.13
8.0
1.90
6.0
92m
1.89
14.0
4.67
1.0
110m
0.83
14.0
151m
2.33
10.0
161m
3.04
1.0
1100mRL
1000mRL
900mRL
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3500E
Scale 1:1500
12 March 2018


S
N
CH-17-249
CH-17-247
CH-17-245
CH-17-241
CH-17-238
CH-17-242
1.24
5.0
7.46
1.0
40m
0.77
8.0
61m
9.77
6.0
2.21
3.0
0.79
4.0
91m
2.15
4.0
112m
ASSAYS PENDING
1.13
3.0
130m
8.08
5.0
151m
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3525E
Scale 1:1500
12 March 2018


S
N
CH-17-256
CH-17-252
CH-17-257
1100mRL
1000mRL
19.75
1.0
0.49
8.0
1.34
5.0
112m
130m
3.74
1.0
5.79
1.0
151m
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3550E
Scale 1:1500
12 March 2018
2900N
3000N
3100N
3200N


S
N
CH-17-261
CH-17-263
CH-17-259
CH-17-258
CH-17-260
No Significant Assays
No Significant Assays
No Significant Assays
40m
61m
91m
130m
151m
3.5
1.0
1.75
4.0
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3575E
Scale 1:1500
12 March 2018


S
N
CH-17-267
CH-17-268
CH-17-265
CH-17-266
CH-17-264
CH-17-262
No Significant Assays
No Significant Assays
No Significant Assays
No Significant Assays
40m
61m
91m
112m
130m
151m
3.38
1.0
4.16
1.0
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3600E
Scale 1:1500
12 March 2018