

**Table 2**

**All Intersections**

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CARIBBEAN	UDD19944	4596	11739	1094	-40	40	80	No Significant Intersections				
CASPIAN	UDD20028	4218	10800	1365	29	133	79	3.40	6.45	3.05	8.5	2.1
						Including		3.40	3.86	0.46	20.3	0.3
						and		4.27	5.00	0.73	8.6	0.5
						and		5.45	6.45	1.00	8.0	0.7
								12.19	13.08	0.89	7.0	0.6
								69.66	72.26	2.60	32.5	1.8
	UDD20030	4199	10800	1365	47	138	58	1.70	2.00	0.30	7.2	0.2
	UDD20031	4199	10799	1365	28	138	90	No Significant Intersections				
	UDD20032	4199	10799	1366	50	152	73	No Significant Intersections				
	UDD20033	4199	10799	1365	32	145	90	13.00	18.35	5.35	16.2	3.7
						Including		13.00	14.00	1.00	11.2	0.7
						and		16.70	18.35	1.65	43.3	1.2
	UDD20034	4199	10799	1366	45	164	71	2.30	3.10	0.80	10.0	0.6
								6.65	11.45	4.80	40.0	3.4
						Including		7.65	8.00	0.35	41.9	0.2
						and		8.55	9.30	0.75	63.3	0.5
						and		10.20	11.45	1.25	100.2	0.9
	UDD20035	4199	10799	1365	29	152	105	17.60	21.00	3.40	36.9	2.4
						Including		17.60	18.30	0.70	6.4	0.5
						and		18.95	21.00	2.05	58.6	1.4
	UDD20036	4198	10799	1366	46	183	81	3.25	6.30	3.05	6.6	2.1
						Including		3.25	3.80	0.55	24.1	0.4
						and		5.05	5.80	0.75	7.0	0.5
								12.00	12.45	0.45	10.9	0.3
	UDD20037	4199	10799	1365	35	164	107	16.20	18.80	2.60	10.4	1.8
						Including		16.20	17.10	0.90	11.5	0.6
						and		17.80	18.80	1.00	15.4	0.7
	UDD20038	4218	10800	1365	36	120	62	2.40	3.20	0.80	7.7	0.6
								49.80	51.30	1.50	12.5	1.1
	UDD20040	4218	10801	1364	16	108	86	4.50	5.50	1.00	20.2	0.7
								20.50	21.50	1.00	6.2	0.7
	UDD20055	4637	11015	1335	20	197	57	2.95	3.30	0.35	12.5	0.2
	UDD20057	4665	11047	1340	12	187	49	No Significant Intersections				
	UDD20060	4638	11062	1340	7	201	58	No Significant Intersections				
	UDD20061	4624	11025	1335	26	0	56	No Significant Intersections				
	UDD20064	4655	11050	1340	10	208	57	No Significant Intersections				

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)		
CASPIAN	UDD20112	4303	10804	1271	3	185	40	No Significant Intersections						
	UDD20113	4304	10804	1272	19	194	56	No Significant Intersections						
	UDD20114	4303	10804	1272	32	198	78	No Significant Intersections						
	UDD20115	4305	10804	1271	2	165	58	No Significant Intersections						
	UDD20116	4332	10860	1266	18	236	70	25.40	26.00	0.60	9.4	0.4		
	UDD20117	4305	10803	1272	22	178	78	64.00	65.00	1.00	5.1	0.7		
	UDD20118	4305	10803	1272	31	185	96	No Significant Intersections						
	UDD20119	4305	10803	1272	31	174	82	No Significant Intersections						
	UDD20120	4305	10804	1271	26	166	106	69.00	70.00	1.00	7.6	0.7		
	UDD20121	4305	10803	1272	24	160	108	No Significant Intersections						
	UDD20122	4330	10857	1266	14	247	68	No Significant Intersections						
	UDD20125	4330	10857	1266	11	257	77	No Significant Intersections						
	UDD20126	4336	10866	1265	10	259	81	57.46	58.59	1.13	16.7	0.8		
	UDD20127	4332	10852	1266	18	202	78	4.95	5.70	0.75	12.7	0.5		
	UDD20128	4331	10852	1266	17	191	72	5.05	5.45	0.40	21.6	0.3		
	UDD20129	4305	10804	1270	-25	165	42	21.75	22.20	0.45	5.8	0.3		
	UDD20131	4304	10804	1272	27	186	69	No Significant Intersections						
CORTEZ	UDD19717	4828	11918	1189	45	266	53	33.40	33.70	0.30	10.8	0.2		
	UDD19718	4829	11919	1191	83	274	35	17.05	22.00	4.95	4.7	3.5		
								Including		18.30	18.70	0.40	6.3	0.3
								and		20.90	21.40	0.50	25.3	0.4
	UDD19719	4819	11857	1182	40	170	80	No Significant Intersections						
	UDD19720	4816	11856	1182	44	195	63	20.00	20.50	0.50	5.9	0.4		
								26.30	32.65	6.35	7.3	4.4		
								Including		28.05	28.65	0.60	9.8	0.4
								and		30.60	31.65	1.05	30.1	0.7
								40.20	40.70	0.50	11.3	0.4		
	UDD19721	4821	11863	1185	57	282	41	18.20	18.65	0.45	7.4	0.3		
								31.50	31.95	0.45	8.7	0.3		
	UDD19722	4829	11870	1186	59	301	41	11.50	14.85	3.35	5.3	2.3		
								Including		11.50	12.25	0.75	14.7	0.5
								and		12.60	13.00	0.40	7.1	0.3
								24.25	24.70	0.45	14.5	0.3		
	UDD19723	4833	11903	1192	67	264	47	21.00	21.45	0.45	6.3	0.3		
								22.75	23.45	0.70	8.9	0.5		
	UDD19724	4831	11903	1190	38	264	41	7.85	9.95	2.10	6.0	1.5		
								Including		7.85	8.25	0.40	21.2	0.3
								and		9.35	9.65	0.30	7.3	0.2
								22.80	25.60	2.80	6.2	2.0		
								Including		23.30	24.15	0.85	9.2	0.6

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CORTEZ						and		24.75	25.60	0.85	7.6	0.6
	UDD19726	4833	11935	1188	29	264	92	21.20	21.80	0.60	5.4	0.4
								72.50	73.40	0.90	9.1	0.6
								77.90	79.50	1.60	5.8	1.1
	UDD19727	4834	11935	1191	56	264	72	26.35	28.30	1.95	5.8	1.4
						Including		26.35	27.10	0.75	10.3	0.5
						and		28.00	28.30	0.30	9.6	0.2
	UDD19728	4834	11894	1192	75	243	38	No Significant Intersections				
	UDD19729	4859	11941	1190	-79	295	80	No Significant Intersections				
	UDD19731	4857	11938	1196	82	266	56	11.15	11.55	0.40	8.1	0.3
								12.25	12.60	0.35	9.1	0.2
	UDD19732	4863	11938	1191	-26	115	61	No Significant Intersections				
	UDD19733	4858	11941	1192	11	295	77	No Significant Intersections				
INDIAN	UDD20132	4013	11453	1133	49	150	37	No Significant Intersections				
	UDD20133	4013	11453	1133	33	150	50	No Significant Intersections				
	UDD20134	4013	11453	1130	-30	150	141	74.25	75.20	0.95	6.4	0.7
								103.83	104.14	0.31	21.0	0.2
	UDD20135	4013	11453	1130	-45	150	120	93.27	94.05	0.78	16.0	0.5
								103.10	103.54	0.44	11.9	0.3
	UDD20136	4002	11452	1131	-38	150	158	111.78	117.00	5.22	8.8	3.7
						Including		111.78	113.55	1.77	19.5	1.2
						and		113.85	114.15	0.30	13.9	0.2
								141.81	142.12	0.31	40.6	0.2
	UDD20137	4002	11452	1131	-45	150	175	130.45	130.95	0.50	10.1	0.4
								149.75	150.75	1.00	14.6	0.7
	UDD20138	4002	11452	1131	-29	150	150	74.75	75.75	1.00	13.1	0.7
								137.10	137.90	0.80	5.0	0.6
	UDD20139	3991	11452	1133	-49	150	202	81.20	81.50	0.30	8.2	0.2
	UDD20140	3991	11452	1134	-13	150	153	110.80	112.00	1.20	15.5	0.8
								117.25	117.70	0.45	8.1	0.3
								119.20	119.75	0.55	5.5	0.4
								136.10	136.40	0.30	8.8	0.2
								139.40	140.25	0.85	12.4	0.6
	UDD20141	3991	11452	1133	-34	150	159	88.65	89.15	0.50	84.1	0.4
								115.75	116.45	0.70	13.7	0.5
	UDD20142	3980	11450	1135	-20	150	165	46.30	46.70	0.40	13.3	0.3
								52.20	52.50	0.30	8.3	0.2
								96.60	97.30	0.70	16.8	0.5
	UDD20146	3977	11448	1136	-35	163	171	No Significant Intersections				
	UDD20149	3977	11448	1136	-45	180	217	No Significant Intersections				

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
INDIAN	UDD20154	3974	11448	1136	-38	199	216	26.30	28.00	1.70	8.4	1.2
								171.70	172.10	0.40	11.4	0.3
	UDD20157	3980	11450	1135	-52	150	198	No Significant Intersections				
PACIFIC	UDD20049	4817	12904	1172	17	56	63	37.90	38.70	0.80	14.5	0.6
								46.30	48.30	2.00	8.6	1.4
								58.50	60.20	1.70	10.0	1.2