

Table 2
All Intersections

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)	
CARIBBEAN	UDD19932	4573	11748	1098	-38	17	79	No Significant Intersections					
	UDD19933	4573	11748	1098	-38	50	81	37.40	38.40	1.00	7.8	0.7	
	UDD19934	4596	11739	1096	10	70	50	No Significant Intersections					
	UDD19936	4596	11739	1095	-20	20	86	No Significant Intersections					
	UDD19937	4596	11739	1096	10	40	56	No Significant Intersections					
	UDD19938	4596	11739	1095	-20	70	71	10.80	11.75	0.95	5.2	0.7	
								25.50	27.90	2.40	7.8	1.7	
								Including	26.35	27.20	0.85	21.0	0.6
	UDD19939	4574	11748	1098	-10	25	81	No Significant Intersections					
	UDD19940	4573	11748	1098	-49	350	88	67.70	68.00	0.30	45.5	0.2	
	UDD19941	4573	11748	1098	-36	350	84	61.20	61.75	0.55	8.1	0.4	
								62.40	62.90	0.50	5.7	0.4	
	UDD19942	4596	11739	1094	-49	70	78	21.10	22.00	0.90	11.0	0.6	
	UDD19943	4596	11739	1094	-59	40	78	No Significant Intersections					
	UDD19945	4596	11739	1094	-30	70	81	9.00	9.80	0.80	10.1	0.6	
	UDD19946	4596	11739	1094	-28	20	79	No Significant Intersections					
	UDD19947	4573	11748	1098	-25	350	84	No Significant Intersections					
	UDD19948	4573	11747	1097	-63	7	79	No Significant Intersections					
	UDD19949	4573	11747	1097	-63	50	82	No Significant Intersections					
	UDD19950	4574	11748	1098	-10	13	81	No Significant Intersections					
	UDD20311	4727	11490	1209	1	60	66	No Significant Intersections					
	UDD20314	4723	11487	1208	-56	180	14	0.30	1.30	1.00	8.7	0.7	
	UDD20315	4728	11490	1208	-66	41	25	11.60	12.70	1.10	7.0	0.8	
	UDD20317	4721	11495	1208	-37	34	36	17.50	18.50	1.00	18.2	0.7	
								26.10	26.60	0.50	6.2	0.4	
	UDD20322	4715	11500	1208	-44	344	54	18.40	19.20	0.80	8.8	0.6	
								21.20	21.70	0.50	5.5	0.4	
								25.10	26.00	0.90	9.2	0.6	
	UDD20326	4729	11489	1209	-8	78	39	No Significant Intersections					
	UDD20327	4728	11489	1208	-31	51	41	19.60	20.55	0.95	9.3	0.7	
								23.00	25.00	2.00	16.3	1.4	
CASPIAN	UDD20065	4953	10931	1361	12	201	102	57.00	57.80	0.80	8.5	0.6	
								61.80	62.55	0.75	11.2	0.5	
								90.00	90.60	0.60	5.7	0.4	
								91.55	91.85	0.30	5.4	0.2	

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)
CASPIAN	UDD20066	4954	10930	1360	-25	201	78	37.30	39.00	1.70	8.0	1.2
						Including		37.90	38.40	0.50	25.4	0.4
	UDD20067	4954	10930	1360	-41	201	78	No Significant Intersections				
	UDD20068	4953	10931	1361	2	201	45	30.00	34.10	4.10	9.99	2.9
						Including		32.20	32.70	0.50	75.1	0.4
	UDD20069	4937	10936	1360	-20	204	90	No Significant Intersections				
	UDD20070	4937	10936	1360	-36	204	69	No Significant Intersections				
	UDD20071	4934	10938	1359	-85	188	64	No Significant Intersections				
	UDD20072	4929	10938	1360	2	202	49	27.25	28.65	1.40	7.7	1.0
	UDD20073	4927	10941	1360	-24	202	78	No Significant Intersections				
	UDD20074	4927	10941	1359	-39	202	80	11.00	12.00	1.00	6.7	0.7
								14.90	15.90	1.00	10.0	0.7
								33.10	34.10	1.00	29.3	0.7
	UDD20075	4917	10948	1359	-70	201	42	No Significant Intersections				
	UDD20076	4918	10946	1360	0	201	47	28.35	28.75	0.40	5.1	0.3
								45.30	45.80	0.50	10.3	0.4
	UDD20077	4918	10947	1361	28	201	72	56.85	59.15	2.30	15.1	1.6
								66.30	67.30	1.00	5.9	0.7
	UDD20078	4917	10947	1359	-24	201	74	16.70	17.90	1.20	13.0	0.8
						Including		17.30	17.90	0.60	23.9	0.4
	UDD20079	4917	10947	1359	-37	201	71	14.00	14.50	0.50	9.5	0.4
								19.50	20.00	0.50	6.0	0.4
								41.80	42.45	0.65	6.5	0.5
	UDD20080	4909	10952	1360	18	201	61	42.20	43.20	1.00	8.6	0.7
	UDD20081	4909	10952	1359	-21	201	60	43.00	44.00	1.00	5.2	0.7
	UDD20082	4909	10952	1359	-53	201	55	No Significant Intersections				
	UDD20083	4911	10957	1358	-70	21	43	No Significant Intersections				
	UDD20084	4893	10964	1359	-24	202	73	38.40	39.10	0.70	5.2	0.5
	UDD20085	4893	10964	1359	-45	202	63	No Significant Intersections				
	UDD20086	4884	10970	1358	-77	203	51	17.00	18.00	1.00	10.0	0.7
	UDD20087	4884	10969	1359	1	201	93	18.40	19.40	1.00	14.8	0.7
								37.30	38.20	0.90	10.4	0.6
								44.80	45.80	1.00	8.1	0.7
								52.40	53.40	1.00	7.0	0.7
								55.90	56.50	0.60	7.1	0.4
	UDD20088	4884	10969	1358	-26	203	67	No Significant Intersections				
	UDD20089	4875	10974	1358	-77	201	51	13.50	14.50	1.00	7.1	0.7
								22.70	23.20	0.50	8.2	0.4
	UDD20091	4875	10973	1360	17	201	45	42.30	43.80	1.50	10.7	1.1
	UDD20092	4874	10973	1359	0	201	76	27.00	29.00	2.00	15.4	1.4

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)
CASPIAN								43.00	44.00	1.00	6.5	0.7
	UDD20093	4866	10978	1357	-85	198	44	6.50	6.80	0.30	6.4	0.2
								25.20	26.60	1.40	5.7	1.0
	UDD20095	4866	10976	1357	-34	201	58	No Significant Intersections				
	UDD20096	4966	10921	1361	-11	172	132	42.30	42.90	0.60	8.6	0.4
								59.90	60.60	0.70	6.4	0.5
	UDD20097	4967	10921	1361	4	172	150	34.30	35.30	1.00	5.1	0.7
								61.40	62.40	1.00	7.9	0.7
								68.00	68.30	0.30	7.4	0.2
	UDD20098	4966	10921	1362	13	170	187	53.60	54.13	0.53	7.5	0.4
	UDD20099	4966	10922	1360	-28	179	114	26.40	27.40	1.00	5.8	0.7
	UDD20100	4966	10921	1362	23	181	138	82.40	82.80	0.40	5.5	0.3
	UDD20101	4966	10921	1362	12	174	165	71.74	76.80	5.06	11.6	3.5
						Including		71.74	73.13	1.39	31.8	1.0
						and		75.00	76.00	1.00	8.8	0.7
								163.42	163.72	0.30	10.8	0.2
	UDD20102	4966	10921	1362	7	167	158	76.40	77.40	1.00	6.6	0.7
								80.80	81.80	1.00	5.8	0.7
								121.70	122.20	0.50	7.3	0.4
	UDD20103	4966	10921	1361	-12	183	111	14.78	15.12	0.34	11.6	0.2
								35.56	36.08	0.52	16.5	0.4
								50.73	51.23	0.50	8.3	0.4
	UDD20104	4966	10921	1361	1	183	140	20.56	21.05	0.49	22.0	0.3
								40.04	46.32	6.28	3.0	4.4
						Including		40.04	40.61	0.57	7.8	0.4
						and		45.82	46.32	0.50	23.2	0.4
								91.78	93.00	1.22	7.4	0.9
								103.80	104.30	0.50	6.8	0.4
	UDD20105	4966	10921	1361	-1	164	154	61.47	61.90	0.43	14.7	0.3
								66.00	66.68	0.68	5.8	0.5
	UDD20106	4967	10921	1361	-11	160	156	No Significant Intersections				
	UDD20107	4966	10922	1361	10	183	148	27.80	28.70	0.90	8.2	0.6
								51.90	53.00	1.10	9.9	0.8
								101.00	102.00	1.00	5.7	0.7
	UDD20108	4963	10924	1361	1	196	106	37.20	38.20	1.00	10.9	0.7
	UDD20109	4964	10923	1361	-14	196	96	11.00	12.00	1.00	7.6	0.7
								44.60	45.60	1.00	7.6	0.7
	UDD20110	4964	10923	1361	-25	196	88	No Significant Intersections				
	UDD20111	4964	10923	1361	-38	196	81	No Significant Intersections				
CORTEZ	UDD19725	4863	11938	1196	60	115	62	No Significant Intersections				

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)
CORTEZ	UDD19730	4876	11952	1199	77	292	79	10.00	10.50	0.50	10.2	0.4
						292	79	17.50	18.40	0.90	28.6	0.6
	UDD20299	4999	12280	1169	60	87	94	0.00	0.30	0.30	5.3	0.2
		4999	12280	1169	60	87	94	75.65	76.40	0.75	6.7	0.5
	UDD20300	4995	12278	1169	77	160	81	10.20	11.20	1.00	8.2	0.7
	UDD20301	4999	12282	1167	40	35	20	7.20	8.60	1.40	14.4	1.0
	UDD20302	4999	12281	1166	20	60	35	No Significant Intersections				
	UDD20303	4999	12281	1167	35	70	34	No Significant Intersections				
	UDD20304	4999	12280	1169	50	82	104	1.70	2.20	0.50	6.8	0.4
	UDD20305	4994	12278	1169	62	160	112	3.20	4.20	1.00	9.5	0.7
								66.30	67.90	1.60	13.0	1.1
								78.70	79.00	0.30	8.5	0.2
								96.00	96.60	0.60	8.8	0.4
	UDD20306	4998	12279	1169	82	78	70	4.50	5.00	0.50	7.6	0.4
	UDD20307	4998	12279	1169	70	128	96	53.00	54.00	1.00	9.9	0.7
								58.20	59.20	1.00	6.7	0.7
								62.55	63.50	0.95	13.7	0.7
								68.25	68.70	0.45	30.5	0.3
								72.70	78.10	5.40	14.2	3.8
						Including		72.70	73.30	0.60	6.7	0.4
						and		76.10	78.10	2.00	33.7	1.4
	UDD20308	4975	12272	1168	56	160	109	0.00	7.20	7.20	9.7	5.0
						Including		0.00	1.00	1.00	51.7	0.7
						and		6.85	7.20	0.35	19.1	0.2
								56.70	57.05	0.35	10.7	0.2
								86.50	87.15	0.65	13.9	0.5
								87.65	89.75	2.10	9.4	1.5
	UDD20309	4966	12270	1167	56	160	110	0.50	5.40	4.90	9.8	3.4
						Including		0.50	2.40	1.90	18.3	1.3
						and		5.00	5.40	0.40	31.5	0.3
								12.70	13.00	0.30	6.2	0.2
								59.60	60.10	0.50	9.4	0.4
INDIAN	UDD20145	3977	11448	1136	-31	153	165	33.72	34.72	1.00	22.1	0.7
								114.44	115.10	0.66	9.2	0.5
								137.63	138.35	0.72	35.3	0.5
	UDD20148	3977	11448	1136	-40	163	180	26.00	27.00	1.00	7.7	0.7
	UDD20150	3977	11448	1136	-51	180	232	67.35	67.75	0.40	7.2	0.3
								112.30	113.05	0.75	5.4	0.5
								154.70	155.00	0.30	7.1	0.2
	UDD20152	3977	11448	1136	-42	193	192	162.25	162.65	0.40	6.5	0.3

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)
INDIAN	UDD20153	3974	11448	1136	-53	199	201	130.50	131.40	0.90	7.0	0.6
								159.00	159.70	0.70	15.3	0.5
	UDD20158	3977	11448	1136	-48	193	198	No Significant Intersections				
PACIFIC	UDD20180	4872	12867	1144	-14	90	39	13.60	14.30	0.70	10.0	0.5
								77.80	78.45	0.65	7.5	0.5
	UDD20197	4822	12788	1133	-4	65	93	85.10	86.10	1.00	14.8	0.7
								88.70	89.45	0.75	6.0	0.5
	UDD20198	4823	12787	1132	-9	79	87	34.80	35.80	1.00	22.8	0.7
								49.00	51.00	2.00	24.2	1.4
	UDD20199	4819	12789	1132	-45	27	15	55.90	57.30	1.40	9.4	1.0
								No Significant Intersections				
	UDD20200	4826	12778	1133	-68	270	32	8.50	9.50	1.00	10.5	0.7
								12.50	12.80	0.30	9.3	0.2
	UDD20201	4830	12777	1134	-66	90	28	15.80	16.10	0.30	18.3	0.2
	UDD20202	4831	12777	1134	-25	90	42	15.00	15.90	0.90	13.6	0.6
	UDD20203	4829	12769	1134	-63	270	44	12.80	13.20	0.40	10.8	0.3
	UDD20204	4829	12769	1135	-90	90	27	No Significant Intersections				
	UDD20205	4834	12768	1135	-43	90	33	16.80	17.10	0.30	16.7	0.2
	UDD20206	4834	12767	1136	-19	90	54	39.80	42.70	2.90	9.3	2.0
								Including		39.80	40.70	0.90
	UDD20207	4832	12759	1136	-74	260	36	11.80	12.20	0.40	5.3	0.3
								13.00	14.00	1.00	11.5	0.7
	UDD20208	4837	12761	1136	-60	105	30	15.30	16.90	1.60	5.5	1.1
								17.10	19.10	2.00	7.8	1.4
	UDD20209	4827	12784	1133	-9	88	90	20.40	20.80	0.40	5.5	0.3
								41.30	41.60	0.30	8.8	0.2
	UDD20210	4825	12785	1132	-65	75	32	63.70	64.50	0.80	5.9	0.6
								71.30	72.00	0.70	6.3	0.5
	UDD20211	4830	12777	1135	-7	90	81	14.50	15.50	1.00	7.9	0.7
								42.20	43.10	0.90	5.1	0.6
	UDD20221	4885	13010	1189	8	241	152	78.30	79.40	1.10	8.3	0.8
								117.00	118.00	1.00	5.8	0.7
	UDD20222	4885	13010	1190	20	241	139	42.00	42.80	0.80	5.1	0.6
								86.60	87.00	0.40	6.2	0.3
	UDD20223	4885	13010	1190	25	209	112	89.70	90.70	1.00	8.4	0.7
								29.30	30.30	1.00	17.1	0.7
	UDD20224	4900	13001	1195	73	195	71	31.00	32.00	1.00	6.3	0.7
								60.00	61.00	1.00	7.5	0.7
	UDD20225	4900	13000	1193	40	195	77	42.30	44.30	2.00	24.7	1.4
								8.00	8.50	0.50	18.8	0.4

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)
PACIFIC								26.70	27.80	1.10	35.6	0.8
							Including	26.70	27.50	0.80	47.5	0.6
								51.40	53.90	2.50	8.7	1.8
							Including	51.40	52.20	0.80	8.3	0.6
							and	52.50	52.90	0.40	32.9	0.3
								66.00	66.30	0.30	9.5	0.2
	UDD20226	4900	13000	1192	22	195	93	18.50	19.50	1.00	6.5	0.7
								70.20	71.20	1.00	6.9	0.7
	UDD20227	4900	13000	1191	-12	195	78	31.50	32.90	1.40	7.6	1.0
								48.00	49.00	1.00	15.6	0.7
								50.00	50.30	0.30	8.5	0.2
								54.50	54.80	0.30	6.0	0.2
								57.00	58.90	1.90	11.6	1.3
								66.70	67.70	1.00	5.5	0.7
	UDD20228	4914	13000	1193	-13	193	101	74.70	75.20	0.50	7.9	0.4
	UDD20229	4922	13003	1195	3	192	94	No Significant Intersections				
	UDD20230	4922	13003	1196	34	192	84	11.80	12.30	0.50	36.0	0.4
								59.80	60.30	0.50	7.1	0.4
	UDD20231	4921	13004	1197	59	192	83	41.40	43.40	2.00	13.4	1.4
							Including	42.00	43.00	1.00	26.3	0.7
								64.00	65.00	1.00	17.2	0.7
	UDD20232	4941	13010	1201	66	189	74	28.05	30.85	2.80	17.8	2.0
							Including	28.05	28.55	0.50	84.2	0.4
							and	30.55	30.85	0.30	20.6	0.2
								48.15	48.60	0.45	7.1	0.3
	UDD20233	4941	13010	1200	46	189	74	22.20	23.80	1.60	10.5	1.1
							Including	22.20	22.50	0.30	10.9	0.2
							and	22.85	23.40	0.55	23.3	0.4
								36.20	36.80	0.60	8.7	0.4
								54.30	55.00	0.70	9.6	0.5
	UDD20234	4941	13009	1198	20	189	88	38.15	39.00	0.85	8.3	0.6
								42.65	43.10	0.45	5.5	0.3
								43.65	44.35	0.70	7.7	0.5
								46.00	47.00	1.00	7.1	0.7
								49.10	51.50	2.40	9.9	1.7
								53.90	54.50	0.60	5.3	0.4
	UDD20235	4941	13009	1197	0	189	86	No Significant Intersections				
	UDD20236	4941	13009	1197	-12	189	127	No Significant Intersections				
	UDD20237	4854	12972	1197	13	265	99	84.55	86.30	1.75	12.5	1.2
								91.00	92.50	1.50	8.5	1.1

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)
PACIFIC	UDD20238	4854	12971	1197	20	251	102	21.00	21.50	0.50	6.8	0.4
								22.20	22.80	0.60	7.1	0.4
								33.35	34.05	0.70	31.0	0.5
								40.65	41.20	0.55	8.2	0.4
								57.15	59.50	2.35	10.6	1.6
						Including		57.75	58.15	0.40	38.0	0.3
						and		58.60	59.50	0.90	7.2	0.6
								73.20	73.50	0.30	11.8	0.2
								74.30	74.70	0.40	6.5	0.3
	UDD20239	4854	12972	1197	15	236	97	21.91	22.91	1.00	16.9	0.7
								30.50	31.10	0.60	6.4	0.4
								49.20	49.70	0.50	6.2	0.4
								57.77	58.24	0.47	5.9	0.3
	UDD20240	4854	12972	1198	33	251	86	No Significant Intersections				
	UDD20241	4855	12971	1196	-7	219	70	66.62	67.60	0.98	6.1	0.7
	UDD20242	4854	12971	1198	27	236	87	2.30	3.70	1.40	8.3	1.0
						Including		3.30	3.70	0.40	20.6	0.3
								14.60	15.25	0.65	17.3	0.5
								33.00	34.00	1.00	5.2	0.7
								36.00	36.95	0.95	10.9	0.7
								82.20	83.20	1.00	6.2	0.7
	UDD20243	4854	12971	1199	42	236	74	24.20	24.70	0.50	6.3	0.4
								48.10	51.30	3.20	13.2	2.2
						Including		49.10	50.00	0.90	21.7	0.6
						and		51.00	51.30	0.30	58.7	0.2
	UDD20244	4855	12971	1198	25	219	50	32.49	33.24	0.75	16.3	0.5
	UDD20245	4856	12971	1199	54	204	62	0.95	1.25	0.30	5.4	0.2
								9.20	10.05	0.85	21.7	0.6
								17.65	18.05	0.40	8.4	0.3
	UDD20246	4855	12971	1198	28	204	71	No Significant Intersections				
	UDD20247	4870	12968	1196	-3	208	55	0.00	0.70	0.70	7.6	0.5
	UDD20248	4870	12968	1197	27	208	72	22.20	23.00	0.80	18.4	0.6
	UDD20249	4871	12968	1199	65	193	56	10.60	11.20	0.60	5.8	0.4
	UDD20250	4871	12967	1198	45	193	59	No Significant Intersections				
	UDD20251	4870	12968	1197	28	193	57	8.30	9.00	0.70	10.2	0.5
								15.60	16.10	0.50	21.5	0.4
								22.50	23.00	0.50	7.0	0.4
	UDD20252	4870	12968	1195	-2	193	77	0.00	0.40	0.40	6.4	0.3
								13.30	13.60	0.30	5.7	0.2
								21.70	22.20	0.50	13.8	0.4

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)	
PACIFIC								31.90	33.50	1.60	16.1	1.1	
	UDD20253	4870	12968	1195	-18	193	72	0.00	1.00	1.00	5.4	0.7	
								36.50	37.50	1.00	16.9	0.7	
	UDD20254	4877	12964	1199	61	193	52	No Significant Intersections					
	UDD20255	4877	12964	1198	38	193	53	1.60	2.60	1.00	11.7	0.7	
								5.70	6.80	1.10	19.8	0.8	
	UDD20256	4880	12963	1197	31	149	56	1.00	1.60	0.60	5.3	0.4	
	UDD20257	4881	12967	1196	13	61	17	13.90	14.90	1.00	5.6	0.7	
	UDD20258	4874	12971	1197	25	60	11	No Significant Intersections					
	UDD20259	4874	12971	1197	28	42	19	No Significant Intersections					
	UDD20260	4874	12971	1196	5	60	13	No Significant Intersections					
	UDD20261	4874	12971	1196	10	42	18	No Significant Intersections					
TIMOR	UDD20262	4460	12680	1033	13	267	13	No Significant Intersections					
	UDD20263	4464	12689	1030	-61	87	19	No Significant Intersections					
	UDD20264	4464	12690	1030	-21	87	48	No Significant Intersections					
	UDD20265	4449	12719	1027	-5	87	48	13.65	14.65	1.00	10.0	0.7	
	UDD20266	4449	12720	1026	-26	87	55	No Significant Intersections					
	UDD20267	4449	12719	1026	-71	87	21	8.25	9.25	1.00	18.7	0.7	
	UDD20268	4445	12728	1026	-2	87	60	43.00	46.20	3.20	8.0	2.2	
								Including	45.20	46.20	1.00	22.9	0.7
	UDD20269	4444	12729	1024	-41	87	24	No Significant Intersections					
	UDD20270	4439	12739	1023	-18	87	48	8.05	8.60	0.55	5.5	0.4	
	UDD20271	4440	12739	1024	-3	87	67	5.70	6.00	0.30	5.1	0.2	
								30.60	33.10	2.50	10.2	1.8	
								Including	32.60	33.10	0.50	45.6	0.4
	UDD20272	4454	12709	1028	-5	87	39	27.40	27.75	0.35	23.4	0.2	
	UDD20273	4459	12700	1029	-6	87	39	No Significant Intersections					
	UDD20274	4504	12672	1041	28	267	22	9.30	10.60	1.30	16.9	0.9	
	UDD20275	4504	12672	1040	4	267	23	No Significant Intersections					
	UDD20276	4512	12672	1041	41	87	17	No Significant Intersections					
	UDD20277	4503	12682	1042	44	267	28	No Significant Intersections					
	UDD20278	4503	12682	1039	10	267	51	5.30	8.30	3.00	10.29	2.1	
								Including	5.30	6.30	1.00	19.6	0.7
								and	7.80	8.30	0.50	10.8	0.4
								14.50	15.50	1.00	6.4	0.7	
								35.90	40.45	4.55	89.4	3.2	
	UDD20279	4511	12683	1042	43	87	14	No Significant Intersections					
	UDD20280	4511	12682	1040	21	87	45	9.00	10.00	1.00	6.4	0.7	
	UDD20281	4503	12683	1039	20	274	64	2.00	4.55	2.55	6.9	1.8	
								2.00	4.55	2.55	6.9	1.8	

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (got) uncut	Est True Thickness (m)
TIMOR						Including		4.00	4.55	0.55	20.1	0.4
								22.70	23.70	1.00	8.0	0.7
								30.30	35.95	5.65	12.3	4.0
						Including		30.30	30.60	0.30	9.5	0.2
						and		30.90	31.90	1.00	12.2	0.7
						and		33.30	34.30	1.00	26.4	0.7
						and		34.80	35.40	0.60	39.3	0.4
	UDD20282	4503	12683	1040	-10	282	33	7.90	11.00	3.10	14.3	2.2
						Including		7.90	9.30	1.40	29.1	1.0
	UDD20283	4503	12683	1040	8	274	74	3.60	6.80	3.20	29.0	2.2
								32.65	33.15	0.50	12.1	0.4
								52.20	52.60	0.40	6.8	0.3
								53.00	54.00	1.00	10.3	0.7
	UDD20284	4511	12683	1039	7	70	61	21.80	23.10	1.30	9.0	0.9
	UDD20285	4511	12683	1040	17	70	57	No Significant Intersections				