

Table 2
All Intersections

Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
UDD20132	4014	11454	1133	49	150	37	21.30	23.70	2.40	42.4	1.7
UDD20133	4014	11453	1133	33	150	50	0.00	0.00	0.00	0.0	0.0
UDD20134	4014	11453	1130	-30	150	141	74.25	75.20	0.95	6.4	0.7
							103.83	104.14	0.31	21.0	0.2
UDD20135	4014	11453	1130	-45	150	120	93.27	95.83	2.56	6.3	1.8
					Including		93.27	94.05	0.78	16.0	0.5
							103.10	103.54	0.44	11.9	0.3
UDD20136	4002	11452	1131	-38	150	158	111.78	117.00	5.22	8.8	3.7
					Including		111.78	114.45	2.67	11.9	1.9
					And		111.78	113.55	1.77	19.5	1.2
					And		113.85	114.15	0.30	13.9	0.2
							141.81	142.12	0.31	40.6	0.2
UDD20137	4002	11452	1131	-45	150	175	130.45	130.95	0.50	10.1	0.4
							149.75	150.75	1.00	14.6	0.7
UDD20138	4000	11452	1132	-29	150	150	74.75	75.75	1.00	13.1	0.7
							137.10	137.90	0.80	5.0	0.6
UDD20139	3991	11452	1133	-49	150	202	81.20	81.50	0.30	8.2	0.2
UDD20140	3989	11452	1134	-13	150	153	110.80	112.00	1.20	15.5	0.8
							117.25	117.70	0.45	8.1	0.3
							119.20	119.75	0.55	5.5	0.4
							136.10	136.40	0.30	8.8	0.2
							139.40	140.25	0.85	12.4	0.6
UDD20141	3990	11452	1134	-34	150	159	88.65	89.15	0.50	84.1	0.4
							115.75	116.45	0.70	13.7	0.5
UDD20142	3981	11450	1135	-20	150	165	46.30	46.70	0.40	13.3	0.3
							52.20	52.50	0.30	8.3	0.2
							96.60	97.30	0.70	16.8	0.5
UDD20143	3981	11450	1135	-20	173	159	0.00	0.00	0.00	0.0	0.0
UDD20144	3981	11450	1136	-12	169	171	0.00	0.00	0.00	0.0	0.0
UDD20145	3978	11446	1136	-31	153	165	33.72	34.72	1.00	22.1	0.7
							114.44	115.10	0.66	9.2	0.5
							137.63	138.35	0.72	35.3	0.5
UDD20146	3978	11446	1136	-35	163	171	30.00	31.00	1.00	17.0	0.7
UDD20147	3981	11450	1135	-55	167	177	40.70	41.10	0.40	6.9	0.3
UDD20148	3978	11446	1136	-40	163	180	26.00	27.00	1.00	7.7	0.7
UDD20149	3978	11446	1136	-45	180	214	118.40	119.00	0.60	9.2	0.4

Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
UDD20150	3977	11448	1136	-51	180	232	67.35	67.75	0.40	7.2	0.3
							112.30	113.05	0.75	5.4	0.5
							154.70	155.00	0.30	7.1	0.2
UDD20152	3977	11446	1136	-42	193	192	162.25	162.65	0.40	6.5	0.3
UDD20153	3980	11450	1135	-53	199	201	130.50	131.40	0.90	7.0	0.6
							159.00	159.70	0.70	15.3	0.5
UDD20154	3975	11449	1136	-38	199	216	26.30	28.00	1.70	8.4	1.2
							171.70	172.10	0.40	11.4	0.3
UDD20155	3981	11450	1135	-34	185	203	142.40	148.20	5.80	6.9	4.1
						Including	142.80	144.15	1.35	26.9	0.9
						And	147.90	148.20	0.30	9.2	0.2
							172.60	174.60	2.00	41.1	1.4
						Including	174.20	174.60	0.40	198.0	0.3
UDD20157	3980	11451	1135	-52	150	198	0.00	0.00	0.00	0.0	0.0
UDD20158	3977	11446	1136	-48	193	198	0.00	0.00	0.00	0.0	0.0
UDD20160	3874	11529	1065	-8	187	279	171.30	172.30	1.00	70.2	0.7
							183.10	184.20	1.10	16.2	0.8
UDD20161	3873	11529	1066	-4	193	231	0.00	0.00	0.00	0.0	0.0
UDD20162	3873	11529	1066	-7	191	229	191.20	191.75	0.55	89.3	0.4
UDD20163	3874	11529	1065	-30	191	183	0.00	0.00	0.00	0.0	0.0
UDD20164	3876	11529	1065	-13	158	191	0.00	0.00	0.00	0.0	0.0
UDD20165	3876	11529	1065	-20	168	198	0.00	0.00	0.00	0.0	0.0
UDD20166	3876	11529	1065	-18	177	235	0.00	0.00	0.00	0.0	0.0
UDD20167	3876	11529	1066	0	174	280	224.40	224.90	0.50	11.7	0.4
UDD20168	3874	11529	1065	-3	178	274	0.10	0.55	0.45	6.5	0.3
UDD20169	3874	11529	1066	-3	182	267	193.30	194.30	1.00	5.3	0.7
UDD20170	3875	11529	1065	-11	177	250	166.55	167.05	0.50	66.5	0.4
UDD20171	3874	11529	1065	-10	182	231	0.15	0.60	0.45	11.0	0.3
							170.45	170.90	0.45	10.6	0.3
UDD20172	3874	11529	1065	-19	182	219	147.20	147.75	0.55	51.0	0.4
UDD20173	3874	11529	1065	-21	189	191	173.70	174.25	0.55	7.9	0.4
UDD20174	3874	11529	1065	-18	189	219	0.00	2.00	2.00	5.8	1.4
							185.00	186.00	1.00	14.4	0.7
UDD20175	3874	11529	1065	-14	189	243	0.00	1.20	1.20	7.1	0.8
							208.35	209.35	1.00	6.8	0.7
							239.40	240.40	1.00	7.1	0.7
UDD20176	3873	11529	1065	-20	193	201	0.00	0.00	0.00	0.0	0.0
UDD20177	3873	11529	1065	-17	201	257	160.35	165.40	5.05	15.5	3.5
						Including	161.60	162.60	1.00	35.9	0.7
						And	164.00	165.40	1.40	27.2	1.0

Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
UDD20895	3958	11184	1159	-44	270	115	0.00	0.00	0.00	0.0	0.0
UDD20897	3958	11184	1159	-23	280	180	0.00	0.00	0.00	0.0	0.0
UDD20900	3959	11177	1160	8	246	250	0.00	0.00	0.00	0.0	0.0
UDD20901	3959	11177	1160	-7	238	177	30.70	31.70	1.00	6.4	0.7
							88.00	88.50	0.50	26.4	0.4
UDD20904	3959	11178	1160	-8	262	228	108.70	109.50	0.80	17.8	0.6
UDD20906	3980	11162	1159	14	260	209	9.70	10.10	0.40	7.1	0.3
							149.20	149.60	0.40	15.3	0.3
UDD20908	4014	11190	1158	-11	55	125	0.00	0.00	0.00	0.0	0.0
UDD20912	4003	11188	1157	-57	352	81	59.60	68.60	9.00	4.5	6.3
					Including		59.60	60.10	0.50	8.1	0.4
					And		63.70	64.70	1.00	14.4	0.7
					And		65.00	66.00	1.00	6.4	0.7