

Table 2
All Intersections

Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
BHSRC021	685641	7155522	569	-60	24	204	80.00	82.00	2.00	14.7	1.4
						204	163.00	165.00	2.00	0.8	1.4
						204	168.00	170.00	2.00	2.1	1.4
						204	171.00	172.00	1.00	0.6	0.7
						204	176.00	182.00	6.00	2.8	4.2
BHSRC025	685701	7155461	566	-60	24	240	209.00	210.00	1.00	2.0	0.7
							211.00	212.00	1.00	0.6	0.7
							214.00	216.00	2.00	0.8	1.4
BHSRC048	685160	7155629	577	-60	24	162	120.00	122.00	2.00	1.2	1.4
							123.00	124.00	1.00	0.8	0.7
							127.00	136.00	9.00	2.6	6.3
BHSRC050	685136	7155576	573	-60	24	192	16.00	17.00	1.00	0.6	0.7
BHSRC052	685114	7155621	575	-66	24	144	102.00	104.00	2.00	0.8	1.4
							109.00	110.00	1.00	0.8	0.7
BHSRC054	685172	7155561	572	-60	24	222	170.00	173.00	3.00	2.4	2.1
BHSRC055	685105	7155469	572	-60	24	42	0.00	0.00	0.00	0.0	0.0
BHSRC056	685096	7155450	573	-60	24	54	0.00	0.00	0.00	0.0	0.0
BHSRC057	685088	7155433	573	-60	24	72	28.00	29.00	1.00	1.5	0.7
BHSRC058	685080	7155415	574	-60	24	90	0.00	0.00	0.00	0.0	0.0
BHSRC059	685134	7155435	571	-60	24	60	50.00	52.00	2.00	3.1	1.4
BHSRC060	685537	7155573	568	-60	24	138	90.00	94.00	4.00	1.9	2.8
							95.00	96.00	1.00	1.6	0.7
							97.00	99.00	2.00	2.1	1.4
							118.00	119.00	1.00	1.1	0.7
BHSRC061	685124	7155416	572	-60	24	90	0.00	0.00	0.00	0.0	0.0
BHSRC062	685525	7155555	568	-60	24	156	5.00	6.00	1.00	1.0	0.7
							96.00	97.00	1.00	1.6	0.7
							102.00	103.00	1.00	1.0	0.7
							104.00	107.00	3.00	1.4	2.1
							109.00	110.00	1.00	1.6	0.7
							112.00	114.00	2.00	1.1	1.4
							121.00	126.00	5.00	1.5	3.5
							128.00	131.00	3.00	1.6	2.1
							132.00	133.00	1.00	0.8	0.7
							134.00	138.00	4.00	2.7	2.8
BHSRC063	685116	7155398	573	-60	24	102	67.00	68.00	1.00	0.6	0.7

Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
BHSRC064	685543	7155587	568	-60	24	138	81.00	82.00	1.00	2.2	0.7
							84.00	85.00	1.00	1.4	0.7
							86.00	89.00	3.00	4.9	2.1
							90.00	95.00	5.00	4.5	3.5
							108.00	110.00	2.00	1.7	1.4
BHSRC065	685526	7155603	567	-60	24	120	53.00	54.00	1.00	2.2	0.7
							61.00	62.00	1.00	3.8	0.7
							64.00	66.00	2.00	1.4	1.4
							70.00	72.00	2.00	5.4	1.4
							76.00	77.00	1.00	0.7	0.7
							83.00	84.00	1.00	1.6	0.7
							89.00	90.00	1.00	2.9	0.7
							92.00	93.00	1.00	1.1	0.7
							95.00	96.00	1.00	1.0	0.7
BHSRC066	685534	7155619	568	-60	24	114	42.00	43.00	1.00	1.8	0.7
							49.00	51.00	2.00	1.2	1.4
							53.00	56.00	3.00	1.0	2.1
							57.00	58.00	1.00	1.9	0.7
							69.00	73.00	4.00	3.0	2.8
BHSRC067	685529	7155508	569	-60	24	192	73.00	76.00	3.00	3.9	2.1
							90.00	91.00	1.00	1.2	0.7
							105.00	109.00	4.00	1.3	2.8
							111.00	113.00	2.00	1.8	1.4
BHSRC068	685563	7155580	569	-60	24	156	22.00	23.00	1.00	1.5	0.7
							24.00	25.00	1.00	0.7	0.7
							98.00	107.00	9.00	4.4	6.3
							116.00	118.00	2.00	1.1	1.4
BHSRC069	685281	7155473	568	-60	24	84	0.00	0.00	0.00	0.0	0.0
BHSRC070	685262	7155437	567	-60	24	102	0.00	0.00	0.00	0.0	0.0
BHSRC071	685299	7155467	568	-60	24	84	0.00	0.00	0.00	0.0	0.0
BHSRC072	685291	7155448	567	-60	24	84	0.00	0.00	0.00	0.0	0.0
BHSRC073	685282	7155429	567	-60	24	90	0.00	0.00	0.00	0.0	0.0
BHSRC074	685274	7155411	567	-60	24	96	0.00	0.00	0.00	0.0	0.0
BHSRC075	685312	7155439	567	-60	24	72	6.00	7.00	1.00	0.6	0.7
BHSRC076	685320	7155479	568	-60	24	72	0.00	0.00	0.00	0.0	0.0
BHSRC077	685277	7155363	568	-60	24	144	0.00	0.00	0.00	0.0	0.0
BHSRC078	685330	7155439	567	-60	24	90	0.00	0.00	0.00	0.0	0.0
BHSRC079	685323	7155423	567	-60	24	102	0.00	0.00	0.00	0.0	0.0
BHSRC080	685305	7155389	568	-60	24	102	0.00	0.00	0.00	0.0	0.0
BHSRC081	685299	7155372	567	-60	24	114	0.00	0.00	0.00	0.0	0.0

Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
BHSRC082	685571	7155549	570	-60	24	180	25.00	26.00	1.00	1.7	0.7
							75.00	76.00	1.00	0.9	0.7
							116.00	117.00	1.00	0.8	0.7
							124.00	129.00	5.00	2.3	3.5
							137.00	142.00	5.00	2.8	3.5
							143.00	146.00	3.00	2.6	2.1
							147.00	148.00	1.00	1.4	0.7
							149.00	153.00	4.00	5.9	2.8
							161.00	162.00	1.00	1.8	0.7
BHSRC083	685554	7155610	568	-60	24	126	85.00	88.00	3.00	10.9	2.1
BHSRC084	685610	7155533	570	-60	24	210	160.00	166.00	6.00	1.3	4.2
							174.00	179.00	5.00	1.8	3.5
BHSRC085	685629	7155583	570	-60	24	168	0.00	0.00	0.00	0.0	0.0
BHSRC087	685648	7155549	569	-60	24	192	144.00	146.00	2.00	5.3	1.4
BHSRC091	685241	7155382	568	-60	24	126	31.00	32.00	1.00	1.1	0.7
							58.00	59.00	1.00	1.4	0.7
BHSRC092	685070	7155617	576	-60	24	150	100.00	101.00	1.00	0.8	0.7
BHSRC093	685082	7155603	575	-60	24	162	0.00	0.00	0.00	0.0	0.0
BHSRC094	685188	7155628	576	-60	24	174	113.00	114.00	1.00	6.1	0.7
							123.00	124.00	1.00	3.3	0.7
							125.00	132.00	7.00	4.5	4.9
							133.00	134.00	1.00	0.8	0.7
							139.00	140.00	1.00	3.0	0.7
BHSRC095	685172	7155596	574	-60	24	192	151.00	153.00	2.00	3.2	1.4
							155.00	161.00	6.00	5.2	4.2
BHSRC096	685214	7155595	574	-60	24	204	149.00	159.00	10.00	1.7	7.0
BHSRC097	685203	7155569	573	-60	24	222	0.00	1.00	1.00	3.2	0.7
							168.00	176.00	8.00	2.8	5.6
							178.00	179.00	1.00	1.2	0.7
BHSRC098	685398	7155619	569	-60	24	162	18.00	19.00	1.00	1.6	0.7
							21.00	22.00	1.00	0.7	0.7
							32.00	33.00	1.00	7.4	0.7
							38.00	39.00	1.00	0.6	0.7
							44.00	46.00	2.00	1.3	1.4
							124.00	126.00	2.00	2.5	1.4
							131.00	132.00	1.00	1.5	0.7
BHSRC099	685389	7155600	569	-60	24	234	0.00	1.00	1.00	0.7	0.7
							17.00	19.00	2.00	3.1	1.4
							42.00	44.00	2.00	1.0	1.4
							45.00	47.00	2.00	3.0	1.4

Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
BHSRC099							48.00	50.00	2.00	1.8	1.4
							142.00	148.00	6.00	2.2	4.2
BHSRC100	685433	7155596	568	-60	24	192	23.00	24.00	1.00	12.9	0.7
							25.00	26.00	1.00	3.3	0.7
							29.00	33.00	4.00	3.9	2.8
							44.00	45.00	1.00	0.9	0.7
							76.00	77.00	1.00	1.2	0.7
							157.00	160.00	3.00	1.4	2.1
BHSRC101	685424	7155575	568	-60	24	204	37.00	38.00	1.00	0.8	0.7
							40.00	41.00	1.00	1.2	0.7
							46.00	47.00	1.00	1.8	0.7
							60.00	63.00	3.00	0.9	2.1
							74.00	75.00	1.00	0.7	0.7
							174.00	179.00	5.00	3.8	3.5
BHSRC102	685561	7155525	570	-60	24	240	46.00	48.00	2.00	6.5	1.4
							56.00	57.00	1.00	1.0	0.7
							73.00	74.00	1.00	1.2	0.7
							114.00	115.00	1.00	0.9	0.7
							130.00	131.00	1.00	1.2	0.7
							132.00	134.00	2.00	4.2	1.4
							136.00	139.00	3.00	0.8	2.1
							143.00	146.00	3.00	1.4	2.1
BHSRC103	685594	7155505	569	-60	24	222	79.00	80.00	1.00	1.2	0.7
							87.00	88.00	1.00	3.7	0.7
							128.00	129.00	1.00	0.9	0.7
							145.00	148.00	3.00	4.3	2.1
							149.00	150.00	1.00	1.6	0.7
							152.00	153.00	1.00	0.7	0.7
							155.00	157.00	2.00	1.1	1.4
BHSRC104	685241	7155554	573	-60	24	270	190.00	196.00	6.00	3.7	4.2
							199.00	200.00	1.00	0.7	0.7
BHSRC105	685088	7155569	574	-60	24	198	0.00	0.00	0.00	0.0	0.0