

Table 1: Beta Hunt Selected Drill Results from A Zone and Western Flanks

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
WFC325-01		7.00	27.90	20.90	19.74	4.25
	including	7.00	13.60	6.60	6.23	8.18
	including	7.00	11.00	4.00	3.78	11.90
	and	17.00	27.50	10.50	9.93	3.08
	including	24.48	25.50	1.02	0.96	5.66
WFC325-02		2.50	7.00	4.50	4.45	2.48
WFC325-03		2.60	56.00	53.40	48.63	3.49
	including	2.60	16.00	13.40	12.20	7.95
	including	2.60	5.55	2.95	2.69	6.92
	and	7.65	8.00	0.35	0.32	11.80
	and	10.00	11.90	1.90	1.73	9.35
	and	21.25	39.75	18.50	16.91	6.26
	including	21.25	23.00	1.75	1.60	18.67
	and	23.50	26.00	2.50	2.28	6.60
	and	36.50	38.95	2.45	2.24	14.15
	and	46.25	56.00	9.75	8.94	20.93
	including	46.25	47.60	1.35	1.24	119.56
and	52.00	56.00	4.00	3.67	7.61	
WFC325-04		19.00	21.00	2.00	1.39	5.19
		65.00	68.00	3.00	2.10	15.43
	including	66.00	68.00	2.00	1.40	22.85
WFC325-06		8.00	11.40	3.40	3.38	2.66
		21.00	26.00	5.00	4.98	2.67
	including	22.45	23.00	0.55	0.55	6.24
		58.00	59.50	1.50	1.49	5.62
WFC325-08		0.00	4.00	4.00	3.96	10.56
	including	1.00	2.70	1.70	1.68	21.44
		17.00	18.60	1.60	1.58	2.55
		56.00	57.00	1.00	0.99	3.50
WFC325-09		0.00	8.00	8.00	7.72	3.56
	including	3.20	8.00	4.80	4.63	5.41
	including	5.40	6.10	0.70	0.68	26.20
		19.00	21.50	2.50	2.42	3.27
		52.00	53.30	1.30	1.27	2.75
WFC325-11		4.00	13.00	9.00	8.82	2.13
	including	4.49	5.00	0.51	0.50	8.45
	and	9.60	12.00	2.40	2.35	3.11
		26.55	29.15	2.60	2.55	2.87
WFC325-12		9.60	15.00	5.40	4.87	4.02
	including	12.00	13.20	1.20	1.08	11.44
WFC325-13		5.30	19.00	13.70	12.90	2.27

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
	including	5.30	9.00	3.70	3.48	2.97
		16.70	18.30	1.60	1.51	7.28
WFC325-14		4.00	13.78	9.78	6.40	2.46
	including	4.00	7.00	3.00	1.96	3.39
	and	11.00	13.78	2.78	2.72	3.99
	including	13.00	13.78	0.78	0.76	5.64
WFC325-16		5.00	7.00	2.00	1.95	8.41
including	including	5.00	6.00	1.00	0.98	13.60
WFC325-17		4.00	8.00	4.00	2.98	2.45
		15.75	17.45	1.70	1.27	3.30
		22.10	30.50	8.40	6.26	3.13
	including	28.50	28.70	0.20	0.15	8.89
WFC325-19		0.00	13.80	13.80	8.28	2.94
	including	3.75	6.00	2.25	1.35	6.20
	and	8.80	13.00	4.20	2.46	4.49
WFC325-20		10.60	18.80	8.20	6.14	3.48
		24.00	31.07	7.07	5.32	4.88
	including	25.00	25.65	0.65	0.49	23.80
	including	30.50	31.07	0.57	0.43	7.44
WFC325-23		3.70	5.00	1.30	0.91	3.26
		39.00	53.00	14.00	9.78	4.35
	including	42.00	45.80	3.80	2.65	2.46
	and	49.30	53.00	3.70	2.58	12.91
	including	50.30	50.80	0.50	0.35	11.20
	and	51.80	52.50	0.70	0.49	49.30
WFC325-24		0.00	4.83	4.83	4.21	5.70
	including	2.10	3.50	1.40	1.22	9.53
	and	4.45	4.83	0.38	0.33	12.60
		10.40	17.10	6.70	5.84	2.74
	including	13.40	13.60	0.20	0.17	9.58
WFC325-25		7.55	9.00	1.45	1.43	3.56
		10.90	11.50	0.60	0.59	4.23
		13.00	13.80	0.80	0.79	2.17
		30.00	31.80	1.80	1.77	6.32
	including	30.00	31.00	1.00	0.98	8.69
WFC325-28		1.00	2.30	1.30	1.28	5.72
	including	1.00	1.33	0.33	0.32	13.30
		18.30	20.50	2.20	2.16	3.01
		22.90	24.00	1.10	1.08	2.98
		37.00	54.00	17.00	16.73	4.88
	including	42.00	43.00	1.00	0.98	7.78
	and	44.40	44.70	0.30	0.30	18.20

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
	and	47.07	47.30	0.23	0.23	187.00
		50.10	60.00	9.90	9.74	4.35
	including	50.10	51.00	0.90	0.89	8.62
	and	58.00	60.00	2.00	1.97	3.25
	and	65.00	66.87	1.87	1.83	2.56
WFC325-29		12.00	14.00	2.00	1.07	3.55
		21.00	24.00	3.00	1.62	2.22
WFC325-30		28.90	39.90	11.00	9.05	2.27
	including	28.90	33.00	4.10	3.37	3.32
	including	32.00	33.00	1.00	0.82	10.00
	and	37.00	39.10	2.10	1.73	4.05
WFC325-31		7.00	8.00	1.00	0.95	4.79
		27.00	28.78	1.78	1.68	3.53
		34.00	40.00	6.00	5.67	3.37
	including	38.00	39.00	1.00	0.94	7.44
WFC325-32B		13.00	21.85	8.85	8.21	2.60
	including	15.00	17.60	2.60	2.41	5.40
		40.00	50.00	10.00	9.41	2.79
	including	41.00	43.00	2.00	1.60	7.28
	and	44.20	46.00	1.80	1.68	4.39
WFC325-30		7.48	10.00	2.52	2.05	4.00
		28.90	33.00	4.10	3.37	3.32
		37.00	39.10	2.10	1.73	4.05
WFC325-31		7.00	8.00	1.00	0.95	4.79
		27.00	28.78	1.78	1.68	3.53
		34.00	40.00	6.00	5.67	3.37
WFN-001		82.00	93.90	11.90	9.52	2.45
	including	88.78	90.15	1.37	1.00	7.79
		102.00	119.20	17.20	12.73	4.61
	including	102.00	103.20	1.20	0.89	10.46
	and	114.20	116.00	1.80	1.29	22.10
		146.00	154.80	8.80	6.53	6.51
	including	148.00	150.30	2.30	1.09	13.63
and	153.80	155.80	2.00	1.48	12.00	
WFN-002		75.00	76.80	1.80	1.60	4.66
		105.60	114.00	8.40	7.53	3.65
	including	105.60	106.00	0.40	0.36	15.10
	and	111.00	114.00	3.00	2.69	6.13
		125.60	128.80	3.20	2.90	3.27
WFN-003		85.21	119.30	34.09	24.22	2.29
	including	111.00	119.30	8.30	5.90	5.05
		129.00	131.00	2.00	1.42	4.90

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
		137.00	139.10	2.10	1.51	3.51
		167.70	173.00	5.30	3.76	2.59
	including	168.70	170.11	1.41	1.00	7.12
WFN-004		75.00	86.00	11.00	10.76	2.71
	including	75.00	78.70	3.70	3.62	4.39
	and	83.32	86.00	2.68	2.62	4.65
		110.25	126.00	15.75	15.40	2.71
	including	110.25	110.90	0.65	0.64	7.38
	and	113.00	114.00	1.00	0.98	9.64
	and	116.40	117.00	0.60	0.59	6.50
	and	124.00	125.20	1.20	1.17	14.60
WFN-006		57.00	69.20	12.20	11.93	6.35
	including	57.00	59.00	2.00	1.95	7.07
	and	60.90	66.15	5.25	5.77	9.75
		90.00	95.40	5.40	5.28	5.50
	including	91.00	92.90	1.90	1.86	11.98
WFN-007		71.80	73.00	1.20	1.18	3.72
		83.00	87.00	4.00	3.94	10.00
	including	85.50	87.00	1.50	1.48	24.17
	including	86.00	86.60	0.60	0.59	55.80
		103.00	104.80	1.80	1.77	7.81
	including	104.45	104.80	0.35	0.34	32.60
WFN-008		48.00	51.00	3.00	2.74	4.12
	including	49.00	50.00	1.00	0.91	7.98
		68.10	70.00	1.90	1.74	3.08
	including	68.10	68.40	0.30	0.27	7.30
		81.00	83.95	2.95	2.72	4.96
	including	81.00	81.91	0.91	0.84	14.10
		99.00	105.70	6.70	6.19	4.76
	including	99.00	101.90	2.90	2.68	10.06
		111.00	114.00	3.00	2.79	2.60
WFN-009		83.00	95.00	12.00	9.81	2.44
	including	84.00	86.20	2.20	1.80	5.52
	and	93.00	94.00	1.00	0.82	7.24
		103.00	107.00	4.00	3.28	2.68
	including	104.00	106.00	2.00	1.64	4.52
WFN-010		41.00	44.30	3.30	3.10	2.03
		63.80	80.00	16.20	15.29	2.60
		63.80	76.15	12.35	11.65	3.36
	including	63.80	65.50	1.70	1.60	7.19
	and	66.65	67.00	0.35	0.33	5.98
	and	68.95	69.75	0.80	0.75	7.97

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
	and	72.20	72.90	0.70	0.66	9.66
		87.00	96.00	9.00	8.49	5.87
	including	92.00	95.00	3.00	2.83	10.42
		119.00	121.00	2.00	1.88	6.73
	including	119.40	120.10	0.70	0.66	17.27
		131.00	132.00	1.00	0.94	2.47
WFN-012		61.00	73.05	12.05	11.79	2.66
	including	64.55	66.55	2.00	0.98	5.79
	and	68.85	69.55	0.70	0.68	11.44
	and	72.70	73.05	0.35	0.34	24.40
		84.65	88.00	3.35	3.28	6.70
	including	84.65	85.55	0.90	0.88	20.43
		103.00	113.00	10.00	9.78	3.88
	including	105.00	110.70	5.70	5.57	5.16
WFN-014		25.70	27.10	1.40	0.90	3.26
		39.00	42.00	3.00	1.91	3.31
	including	41.00	42.00	1.00	0.63	6.44
		57.90	59.85	1.95	1.24	15.60
	including	58.95	59.85	0.90	0.57	32.30
		68.40	69.10	0.70	0.45	2.55
		76.80	81.00	4.20	2.71	3.79
	including	76.80	78.90	2.10	1.35	6.08
		84.00	91.00	7.00	4.48	4.67
	including	85.00	85.30	0.30	0.19	6.03
	and	88.00	89.00	1.00	0.64	17.80
		112.00	118.00	6.00	3.88	2.92
	including	112.00	113.00	1.00	0.65	7.48
WFN-015		96.70	132.80	36.10	23.75	4.50
	including	100.70	102.10	1.40	0.92	5.24
	and	104.60	108.00	3.40	2.23	13.75
	and	111.60	116.70	5.10	3.35	10.44
	and	118.70	121.30	2.60	1.71	8.29
		152.00	161.00	9.00	5.95	7.44
	including	152.00	153.20	1.20	0.79	42.34
	and	158.20	161.00	2.80	1.85	4.66
WFN-021		26.25	28.00	1.75	1.19	22.53
		43.00	44.00	1.00	0.68	7.25
		53.60	55.95	2.35	1.61	5.31
		63.30	66.55	3.25	2.23	2.73
		68.60	71.60	3.00	1.48	2.17
		82.30	83.00	0.70	0.48	6.76
WFN-022		27.50	48.00	20.50	19.91	3.09

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
	including	27.50	37.86	10.36	10.06	4.05
	and	42.00	48.00	6.00	5.83	3.46
		63.80	102.65	38.85	37.70	3.09
	including	63.80	70.62	6.82	6.65	6.96
	and	75.40	83.40	8.00	7.75	3.78
	and	99.50	102.65	3.15	3.05	7.09
WFN-025A		59.40	63.00	3.60	2.99	2.91
		72.10	74.45	2.35	1.95	8.70
		80.00	91.50	11.50	9.61	3.91
	including	90.00	91.00	1.00	0.84	13.25
		104.00	108.50	4.50	3.78	4.42
	including	105.00	106.00	1.00	0.84	8.98
	and	107.45	107.80	0.35	0.29	13.70
WFN-026		41.00	43.10	2.10	2.10	3.75
		64.00	102.90	38.90	38.90	2.86
	including	64.00	66.50	2.50	2.50	7.12
	and	73.00	75.50	2.50	2.46	6.89
	and	81.00	84.55	3.55	3.54	5.77
	and	90.70	92.55	1.85	1.90	7.43
WFN-027		62.00	69.00	7.00	5.91	3.21
		76.00	82.50	6.50	5.53	2.22
	including	76.00	76.90	0.90	0.77	5.28
	and	80.70	82.50	1.80	1.53	5.25
WFN-028		49.55	55.00	5.45	5.04	4.70
	including	49.55	50.30	0.75	0.69	13.50
	and	54.00	55.00	1.00	0.92	10.64
		67.00	80.00	13.00	12.03	3.74
	including	74.30	75.90	1.60	1.48	8.72
	and	76.65	78.50	1.85	1.70	8.44
WFN-030		58.80	101.60	42.80	30.57	2.97
	including	60.90	63.80	2.90	2.10	4.44
	and	77.7	90.43	12.73	9.1	4.19
	including	77.7	78.8	1.10	0.79	26.07
	and	89.9	90.43	0.53	0.38	11.9
	and	96	99	3.00	2.14	14.98
WFN-031		54.00	60.00	6.00	5.06	5.57
	including	54.50	55.00	0.50	0.42	25.00
		58.55	60.00	1.45	1.23	11.13
		66.00	74.00	8.00	6.80	4.52
	including	66.00	68.00	2.00	1.70	14.93
	including	66.80	68.00	1.20	1.02	23.16

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
	and	71.00	73.00	2.00	1.40	2.65
		84.45	93.00	8.55	7.23	2.61
	including	89.00	90.50	1.50	1.27	6.37
		98.00	99.65	1.65	1.40	5.40
	including	99.15	99.65	0.50	0.42	9.98
WFN-034		95.50	97.65	2.15	1.76	4.81
		112.50	114.50	2.00	1.65	10.15
WFN-040		75.30	81.00	5.70	4.33	3.23
	including	75.98	77.03	1.05	0.80	8.75
		90.00	93.70	3.70	2.82	2.62
		112.90	117.00	4.10	3.16	2.42
		126.00	148.00	22.00	17.06	4.69
	including	126.65	127.15	0.50	0.39	15.10
	and	130.80	131.80	1.00	0.78	21.00
	and	133.90	134.90	1.00	0.77	16.50
	and	140.13	140.65	0.52	0.40	29.60
		153.20	156.16	2.96	2.30	4.04
	including	153.20	154.20	1.00	0.78	6.64
		164.00	166.42	2.42	1.87	10.76
	including	165.00	165.70	0.70	0.54	28.60
		173.00	175.00	2.00	1.56	3.99
		185.00	199.00	14.00	11.00	4.46
	including	186.00	189.00	3.00	2.34	10.66
and	198.00	199.00	1.00	0.79	7.68	
WFN-041		67.00	69.00	2.00	1.66	3.66
		71.00	73.00	2.00	1.66	3.25
		93.30	109.72	16.42	13.59	3.59
WFN-042		62.00	72.70	10.70	8.77	5.03
	including	62.00	62.45	0.45	0.36	12.90
	and	65.50	67.70	2.20	1.81	13.36
	and	71.60	72.70	1.10	0.91	9.29
		89.00	95.20	6.20	5.15	3.13
	including	91.50	92.20	0.70	0.58	5.13
	and	93.85	94.60	0.75	0.62	7.21
		147.90	158.00	10.10	8.45	4.05
	including	147.90	148.40	0.50	0.42	12.80
	and	150.00	151.00	1.00	0.84	6.53
	and	155.30	156.00	0.70	0.58	10.20
WFN-044		96.00	107.20	11.20	8.13	2.82
	including	96.00	98.00	2.00	1.45	6.36
		112.80	114.70	1.90	1.37	4.34
	including	113.70	114.70	1.00	0.72	6.15

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
		170.00	173.00	3.00	1.47	4.20
	including	171.00	172.00	1.00	0.73	6.48
WFN-046		64.60	66.75	2.15	1.48	3.19
	including	64.60	65.10	0.50	0.34	10.20
		80.00	85.60	5.60	3.91	2.79
	including	84.70	85.60	0.90	0.62	6.62
		111.50	113.00	1.50	1.05	2.85
		121.20	127.00	5.80	4.04	9.80
	including	122.00	122.70	0.70	0.49	7.70
	and	124.00	127.00	3.00	2.08	14.76
		160.00	162.00	2.00	1.43	22.24
	including	160.90	162.00	1.10	0.79	37.43
		186.00	190.00	4.00	2.17	8.04
	including	187.00	189.00	2.00	1.44	11.14
WFN-047		97.30	104.10	6.80	4.40	2.39
		111.00	114.45	3.45	2.22	9.09
	including	113.25	113.65	0.40	0.26	58.80
		118.00	129.00	11.00	7.16	3.65
	including	118.00	119.00	1.00	0.65	8.18
	and	123.00	126.00	3.00	1.96	6.04
WFN-048		115.00	132.00	17.00	12.19	4.52
	Including	123.00	124.00	1.00	0.72	24.20
WFN-49		101.00	129.00	28.00	16.42	2.50
	Including	101.00	111.00	10.00	5.74	3.60
	Including	108.60	110.95	2.35	1.36	8.50
		117.00	126.00	9.00	5.41	3.12
		147.00	151.00	4.00	2.54	6.74
		194.00	222.00	28.00	16.42	3.04
	Including	220.70	222.30	1.60	0.93	17.78
WFN-50		76.00	85.00	9.00	6.76	2.52
		91.40	99.00	7.60	5.72	3.34
		110.00	132.00	22.00	9.01	2.67
WFN-057		55.00	57.00	2.00	1.82	2.95
		64.65	72.00	7.35	6.70	2.79
	including	65.62	66.00	0.38	0.35	14.40
	and	68.60	68.90	0.30	0.27	7.48
	and	70.00	70.50	0.50	0.46	8.39
		77.00	78.45	1.45	1.33	2.39
		83.00	85.00	2.00	1.83	3.05
		91.00	93.00	2.00	1.84	3.16
WFN-059		36.90	45.00	8.10	7.99	3.24
		57.00	60.00	3.00	2.96	2.78

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
		63.58	71.00	7.42	7.33	3.08
	including	66.00	67.00	1.00	0.99	7.55
	and	68.90	69.35	0.45	0.44	8.18
		84.33	87.35	3.02	2.99	2.33
		93.00	94.76	1.76	1.74	3.65
	including	93.00	93.45	0.45	0.45	7.92
		100.00	102.00	2.00	1.98	2.06
WFN-064		40.00	50.15	10.15	9.94	5.26
	including	43.75	50.15	6.40	6.27	7.61
	including	44.52	46.36	1.84	1.80	13.35
	and	46.78	48.20	1.42	1.39	10.95
		52.45	53.25	0.80	0.78	2.55
		59.75	74.00	14.25	13.96	3.73
	including	59.75	61.50	1.75	1.71	3.79
	and	65.60	73.25	7.65	7.49	5.64
	including	66.22	67.00	0.78	0.76	8.65
	and	71.00	72.47	1.47	1.44	12.58
		82.00	99.00	17.00	16.65	2.07
	including	82.00	85.00	3.00	2.94	2.51
	and	88.00	90.00	2.00	1.96	3.15
		92.00	97.00	5.00	4.90	3.42
including	96.25	97.00	0.75	0.73	11.00	
WFN-068		50.00	51.00	1.00	0.96	4.84
WFN-069		39.00	41.70	2.70	2.59	3.55
		50.70	69.00	18.30	17.63	
	including	50.70	52.30	1.60	1.54	18.74
	including	50.70	51.30	0.60	0.58	48.71
		58.00	66.50	8.50	8.20	3.39
	including	59.81	60.80	0.99	0.95	7.94
WFN-070		97.92	104.00	6.08	4.24	2.96
WFN-071		60.00	103.00	43.00	27.79	16.83
	including	65.00	83.00	18.00	11.63	2.50
	including	65.00	67.00	2.00	1.29	3.78
	and	71.75	82.00	10.25	7.32	3.10
	including	72.41	73.00	0.59	0.38	11.30
		90.00	103.00	13.00	8.55	51.86
	including	90.00	93.00	3.00	1.97	7.53
	and	97.96	101.25	3.29	2.20	194.30
	including	99.00	99.78	0.78	0.53	748.00
		125.00	137.00	12.00	8.21	3.10
	including	125.00	126.00	1.00	0.69	5.18
	and	134.00	136.00	2.00	1.37	6.63

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
WFS-012		129.00	139.50	10.50	9.24	2.60
WFS380-001		11.65	18.20	6.55	5.70	3.25
	including	16.60	17.25	0.65	0.64	7.00
WFS380-002		13.00	27.00	14.00	12.77	6.17
	including	25.35	26.20	0.85	0.78	36.60
		57.00	59.00	2.00	1.84	2.14
AZ13-107		21.50	28.90	7.40	7.17	6.75
	including	21.50	26.00	4.50	4.36	10.51
	including	21.50	22.70	1.20	1.16	26.62
	and	24.50	25.10	0.60	0.58	21.04
AZ13-108		28.60	33.25	4.65	3.52	3.22
		28.60	31.30	2.70	2.05	4.88
	including	29.50	30.25	0.75	0.57	9.50
		36.00	38.00	2.00	1.51	5.77
	including	36.00	36.70	0.70	0.53	8.67
AZ13-109		47.20	50.40	3.20	1.51	3.34
	including	48.00	48.70	0.70	0.33	5.42
AZ13-110		30.00	36.00	6.00	3.78	3.36
	including	34.50	36.00	1.50	0.96	9.30
AZ13-111		24.13	39.00	14.87	12.18	2.51
	including	26.74	28.40	1.66	1.30	6.18
	and	37.55	38.00	0.45	0.38	10.19
AZ13-112		29.25	31.54	2.29	1.78	3.47
	including	29.25	29.60	0.35	0.27	5.66
	and	31.10	31.54	0.44	0.34	9.18
AZ13-114		42.00	48.88	6.88	2.97	4.03
	including	44.58	47.00	2.42	1.05	7.54
AZ13-116		20.00	29.00	9.00	8.32	2.37
	including	21.95	22.15	0.20	0.18	11.70
	and	28.05	29.00	0.95	0.88	6.18
AZ13-117		20.00	25.00	5.00	4.89	2.28
AZ13-118		25.20	26.65	1.45	1.22	2.13
AZ13-123		26.65	33.40	6.75	4.36	5.12
	including	30.40	33.40	3.00	1.94	8.84
AZ13-125		15.75	29.00	13.25	12.57	3.25
	including	15.75	17.70	1.95	1.85	5.58
	and	23.20	27.15	3.95	3.74	4.82
AZ13-128		24.00	32.00	8.00	4.52	4.00
		47.00	50.40	3.40	1.97	4.71
AZ13-129		19.00	41.95	8.15	17.28	2.55
	including	20.50	21.15	11.50	0.40	6.31
	and			50.40	4.00	3.69

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
AZ13-130		44.77	52.00	7.23	4.54	3.08
AZ13-149		81.60	83.50	1.90	1.05	3.61
AZ13-157		152.00	170.00	18.00	10.00	3.20
	including	153.00	154.42	1.42	0.79	9.77
	and	165.83	170.00	4.17	2.32	5.02
		174.00	175.50	1.50	0.83	2.14
AZ13-159		39.85	46.23	6.38	6.02	2.67
AZ13-160		41.60	47.00	5.40	5.13	3.22
AZ13-162		155.38	158.50	3.12	0.84	2.62
AZ14-001		10.60	11.20	0.60	0.48	2.94
		13.75	15.35	1.60	1.27	3.09
		27.45	32.70	5.25	4.13	2.81
	including	31.40	32.20	0.80	0.63	5.50
AZ14-002		9.10	12.00	2.90	2.85	2.46
		23.46	26.80	3.34	3.28	2.48
AZ14-003		20.60	22.00	1.40	0.71	4.01
		47.00	55.30	8.30	4.32	3.62
	including	48.00	48.55	0.55	0.28	7.01
	and	51.50	52.00	0.50	0.26	5.16
AZ14-004		58.00	61.00	3.00	1.97	3.78
		74.48	76.43	1.95	1.29	4.17
	including	74.48	75.00	0.52	0.35	5.20
		81.40	85.30	3.90	2.60	5.52
	including	81.40	82.40	1.00	0.67	18.40
AZ14-005		39.40	40.40	1.00	0.81	3.63
		55.10	62.00	6.90	5.68	2.69
	including	55.10	56.50	1.40	1.56	5.26
AZ14-006		49.28	51.00	1.72	1.45	3.01
AZ14-007		20.00	30.95	10.95	9.60	2.24
		20.00	24.45	4.45	3.90	2.78
	including	20.45	21.80	1.35	1.18	6.74
		27.40	30.95	3.55	3.11	2.86
	including	30.35	30.95	0.60	0.53	8.26
AZ14-008		57.00	69.00	12.00	9.30	3.13
	including	62.85	63.62	0.77	0.60	7.17
AZ14-009		20.37	25.05	4.68	4.64	3.37
	including	20.37	20.99	0.62	0.62	7.98
	including	24.00	24.60	0.60	0.60	7.55
AZ14-011		27.19	32.15	4.96	4.30	2.51
	including	29.19	29.49	0.30	0.26	10.50
AZ14-012		27.87	38.70	10.83	8.99	10.90
	including	29.05	29.58	0.53	0.44	157.00

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
	and	32.60	33.22	0.62	0.52	13.50
	and	37.05	37.78	0.73	0.61	16.46
AZ14-013		90.00	98.90	8.90	3.93	3.99
	including	92.90	93.90	1.00	0.44	10.00
	and	96.90	97.90	1.00	0.44	10.50
AZ14-014		64.20	81.25	17.05	13.92	2.41
	including	64.20	67.00	2.80	2.29	4.60
	including	66.00	67.00	1.00	0.82	5.54
	and	72.50	81.25	8.75	7.16	3.04
	including	73.10	73.80	0.70	2.37	4.18
AZ14-015		97.30	98.50	1.20	0.83	5.39
AZ15-021		24.00	26.00	2.00	1.76	3.21
		31.70	33.40	1.70	1.51	3.49
	including	31.70	32.34	0.64	0.57	6.95
		36.00	38.00	2.00	1.77	10.67
	including	36.65	37.05	0.40	0.35	52.40
		50.90	53.00	2.10	1.87	2.82
AZ15-024		39.00	58.70	19.70	9.43	2.81
		42.00	58.45	16.45	7.88	3.15
	including	43.00	44.00	1.00	0.48	9.82
	and	52.55	54.00	1.45	0.70	7.75
		61.00	63.45	2.45	1.09	2.12
AZ15-024A		26.10	28.10	2.00	1.25	2.14
		33.00	44.00	11.00	6.95	2.24
		54.90	57.90	3.00	1.91	5.18
	including	55.90	56.90	1.00	0.64	14.50
		63.90	66.60	2.70	1.74	4.14
	including	64.60	65.60	1.00	0.64	9.92
AZ15-026		23.60	31.20	7.60	7.57	2.20
		23.60	26.00	2.40	2.40	3.21
AZ15-028		26.00	28.00	2.00	1.64	2.98
		30.60	34.00	3.40	2.87	2.88
AZ15-029		34.00	38.21	4.21	3.06	3.54
	including	36.77	37.30	0.53	0.39	5.78
AZ15-030		31.05	38.90	7.85	7.52	2.30
	including	32.20	32.35	0.15	0.14	11.60
	including	38.75	38.90	0.15	0.14	6.26
		42.00	43.00	1.00	0.96	3.07
AZ15-032		30.00	31.00	1.00	0.85	2.46
AZ15-036		32.00	35.92	3.92	3.36	2.64
		41.45	49.08	7.63	6.57	2.15
	including	42.55	43.23	0.68	0.58	6.23

Hole ID		from (m)	to (m)	Interval (m)	Estimated True Thickness (m)	Gold ¹ (g/t)
AZ15-037		23.00	27.00	4.00	3.32	2.00
		33.00	40.38	7.38	6.20	2.04
AZ15-042		28.00	33.75	5.75	4.31	2.13
AZ15-043		28.80	30.00	1.20	1.11	3.29
		32.50	32.94	0.44	0.41	2.18
		35.47	36.70	1.23	1.15	3.83
AZ15-046		57.00	61.00	4.00	3.55	2.50
		65.00	67.90	2.90	2.58	3.08
AZ15-047		52.59	60.00	7.41	6.30	2.86
		82.30	83.40	1.10	0.93	8.51
AZ15-049		45.00	46.00	1.00	0.98	16.00
		51.65	55.00	3.35	3.29	4.83
	including	51.65	52.00	0.35	0.34	14.00
		59.60	61.00	1.40	1.37	2.66
	including	54.00	55.00	1.00	0.98	5.84
AZ15-052		55.00	56.30	1.30	1.28	2.70
		61.82	71.00	9.18	9.05	3.79
	including	61.82	63.07	1.25	1.23	6.70
	and	66.05	69.00	2.95	2.91	6.41
AZ15-053		51.50	52.70	1.20	1.13	3.79
		63.20	64.40	1.20	1.13	2.65
		73.00	75.00	2.00	1.87	3.60
AZ15-054		85.65	88.00	2.35	1.91	4.07
		101.60	103.60	2.00	1.62	3.74
AZ15-055		69.00	72.00	3.00	2.92	4.08
AZ16-026		89.38	92.40	3.02	2.68	3.64

1. Un-cut assays used