

Meeting Abstracts

Cancer differentiation analysis technology as a novel technology for cerebral cancer screening.

Sub-category:

[Central Nervous System Tumors](#)

Category:

Central Nervous System Tumors

Meeting:

[2019 ASCO Annual Meeting](#)

Abstract No:

2040

Poster Board Number:

Poster Session (Board #229)

Citation:

J Clin Oncol 37, 2019 (suppl; abstr 2040)

Author(s): Hongmei Tao, Xing Tang, Yue Lin, Chris Chang Yu, Xuedong Du; AnPac Bio-Medical Science and Technology Co., LTD, Shanghai, China; Anpac Bio-Medical Science Co Ltd, Shanghai, China; Anpac Bio-Medical Science Co. Ltd., Shanghai, China

Abstract Disclosures

Abstract:

Background: While the current cancer screening methods mostly failed to detect cerebral cancer, a novel, promising technology named cancer differentiation analysis (CDA) technology has been developed to measure novel bio-physical

**Attend this session at the
2019 ASCO Annual Meeting!**

Session: Central Nervous System
Tumors

Type: Poster Session

Time: Sunday June 2, 8:00 AM to 11:00
AM

Location: Hall A

properties to obtain valuable multi-level and multi-parameter information including protein, cellular and molecular level information. Initial results showed that CDA technology is capable of detecting cerebral cancer with a high degree of sensitivity and specificity. **Methods:** In this study, samples from 78 cerebral cancer patients and 321 healthy individuals were measured. Peripheral blood of each individual was drawn in EDTA tubes. One class of bio-physical property in blood samples was utilized for CDA tests. CDA data were conducted using SPSS, and the results were shown in table. **Results:** The average CDA values of cerebral cancer and control groups were 52.30 and 33.38 (rel. units) respectively. The results indicated that cerebral cancer could be significantly distinguished from the control ($p < 0.001$). Area under ROC curve (AUC) was 0.980, and sensitivity and specificity was 92.3% and 96.6% respectively. **Conclusions:** Initial results showed that CDA technology could effectively distinguish cerebral cancer from healthy individuals. As a novel bio-physical based cancer detection approach with multi-level and multi-parameter expressions, CDA could be a potential candidate for cerebral cancer screening. Results from Statistical Analysis of CDA.

Group	CDA Data Set	Gender (Male %)	Age Range (year)	Average Age (year)	Median Age (year)	Average CDA (rel. units)	Median CDA (rel. units)	SD of CDA (rel. units)	AUC (rel. units)	Sensitivity	Specificity
Control	321	64	30 - 86	53	53	33.30	33.38	5.81	/	/	/
Cerebral cancer	78	65	30 - 83	55	57	52.30	51.72	8.06	0.980	92.3%	96.6%

► Other Abstracts in this Sub-Category:

1. [Second interim and first molecular analysis of the EORTC randomized phase III intergroup CATNON trial on concurrent and adjuvant temozolomide in anaplastic glioma without 1p/19q codeletion.](#)

Meeting: [2019 ASCO Annual Meeting](#) Abstract No: 2000 First Author: Martin J. Van Den Bent
Category: [Central Nervous System Tumors](#)

2. [Randomized phase IIb clinical trial of continuation or non-continuation with six cycles of temozolomide after the first six cycles of standard first-line treatment in patients with glioblastoma: A Spanish research group in neuro-oncology \(GEINO\) trial.](#)

Meeting: [2019 ASCO Annual Meeting](#) Abstract No: 2001 First Author: Carmen Balana
Category: [Central Nervous System Tumors](#)

3. [Updated predictive analysis of the WHO-defined molecular subgroups of low-grade gliomas within the high-risk treatment arms of NRG Oncology/RTOG 9802.](#)

Meeting: [2019 ASCO Annual Meeting](#) Abstract No: 2002 First Author: Erica Hlavin Bell
Category: [Central Nervous System Tumors](#)

[More...](#)